
中国蒸發資料

中华人民共和国中央气象局編印



56.4572262

目 录

-,	說	明		
=,	各站	音)	料来源編号总表14	
-	查料	来	原一覽表	,
四、	蒸发	資	\$ 11	12
1	.黑龙	江·	1—1	2
2	吉	林	12—2	1
3	.辽	宁	21—3	4
4.	內蒙	古	自治区34-4	1
5.	河	北	414	8
6.	山	西	48—4	9
7.	Щ	东	49—5	6
8.	河	南	56—5	8
9.	陝	西	58—5	9
10.		肃	59—6	2
11.	害	海	62	
		維持	季尔自治区62—6	4
13.			65—6	
14.		-	69—7	
15.			71	
16.		北	71—7:	2
17.		古	72	
18.		西	72—7	2
19.		建	74—80	_
20.	-	~	80—9	
	广		95—97	
22.	1	40-	97—98	-
23.			98—10	_
24.		-		
25.		南·		-
40	1	HJ.	中科院植物所图书馆	12

說明

本資料的內容包括有蒸发量和一日最大蒸发量两項。各站自有紀录之年开始至1953年止, 凡滿两整年者,不論所使用的蒸发皿口徑为20厘米 (Cm)或80厘米 (Cm),除一部份質量甚 低之站外,都分別刊印。全部共有210个站,其紀录年代的长短,分別列表于下:

口徑	年年数	1-4年	5-9年	10—19年	20—29年	30-39年	≥40年
20 厘	米	108站	47站	23站	2站	10站	4 站
80 厘	米	8 站	13	mulia .	des de llinta	CANAL DOOR A	dala Me

本篇資料的主要目的在于刊印历年資料,虽然各站均計算了累年平均值和挑选了极值,但由于所用資料年代不一致,难以用作互相比較,而且年代短的站代表性亦差。

- (一)解放前覌測蒸发量的仪器很不統一,有用大型(直徑80Cm),小型(直徑20Cm)和中型(济南站用)蒸发皿的,也有蒸发自記仪器(西安站1933年以前用),及用蒸发表(酒泉站用)。等进行覌測的而且工作方法和工作制度方面也发現有不严格的情况。整編过程中,我們會加以比較,幷参考一些站原始資料的紀录,作了初步审查,幷且采用了以下处理方法:
- 1. 这次整編刊印的紀录只采用20厘米和30厘米两种仪器的覌測紀录,其他类型仪器的覌測 紀录均未列入。
- 2.一站紀录中某些年份蒸发皿口徑不明,其余年份用20厘米(或80厘米)的紀录,但根据前后年分紀录尚一致时,也予合并統計。
- 3. 只采用百叶箱外的蒸发 III 观測紀录。凡遇原始紀录中未注明箱內或箱外时将資料与邻站 比較,加以区别。
- 4.如遇某日蒸发量紀录可疑时,根据当日各种天气現象以及与附近測站比較来确定其可靠性,認为不能用时,則作缺測处理, 并在該月蒸发量数值上加"()"号。若可疑日数超过五日以上影响月总量較大时,該月作缺測处理。
- (二)解放前蒸发量資料質量以气象系統各站較好。質量不好的是海关站,水文站及某些 农場站等,均未采用。

解放后特別是1951年以后,仪器規格和覌測方法、制度都統一,質量已大为提高。

(三)統計說明:

- 1.蒸发量单位用毫米 (mm), 取一位小数。
- 2.本資料內未注明口徑的站,都是20厘米蒸发皿。
- 3.某月中缺測在五天或五天以內者或紀录本身欠准确但仍可用者,仍統計月总量和挑选--日最大蒸发量,但在該月数值外加"()"。缺測超过五天,該月作缺測处理。
 - 4.挑选全月的极值(一日最大蒸发量) 週有連續数日結冰的情况时先求結冰期間的平均蒸

发量, 然后挑选。

- 5. 紀录不全的年份,不挑选全年一日最大蒸发量,在年极值栏內記"一"符号。但該年各月仍需参加各月累年极值的挑选,如不全年份某月选入累年年极值时,則該年的年 极 值 仍 补 选。
- 6.同一极值出現的日期若出現三次或三次以上者,只記次数,不記日期。累年各月极值的日期,年份的記法,也采用类似方法。
 - 7.蒸发量的日界一般是九时或十时。
- 8.各站的經、緯度、 高度, 都取自各站最后一年最后一个月的原始資料。 凡 高度 附有 "()"者,表示該高度非实測值。凡高度右上角附有"+"号者,表示該高度是該站气压 表的水銀槽高度。

整編結果如有不恰当和錯誤之处,請随时函告。

(一) 建原油电池表表 建以用用应相比较。而且全代联的运代表验水差。 (一) 建原油电池表表量的以类型来是一、计可关键(研究soCm)。A.W (可能 20Cm)

中型(海南新用)源度照形、电台蒸发自起状态(西蒙语中38年以前用),及用源发表(两

THE MANUAL PROPERTY OF THE PRO

人克茨拉

3. 八年用百叶留外的风寒风风烟起去。凡园风格此水中长江阳阳内西部外时传说竹马切纳

IN ELIZATE,

4、如摄菜目或发量和次可提供。积据自自各种天气保度以及与潜水的指比较来描述更可能 22 5 长沙里麻。阳松岭和珍柳、"红沙沙市岛北海岭岭上地"。 (*) 从 动口路自业相似 C

AS SPANISHED, STEEDINGERS, SPORT DANKER STATE OF THE SPORT DESIGNATION OF THE SPORT DESIGNATION OF THE SPORT DESIGNATION OF THE SPORT DANKER OF TH

(二) 解散前毒块量或科可量以气象系数卷结核对。但是不可怕免损关系,永太公立未改

治等。均未采用。

(10年13年 C三)

2.本委科内求压明目积的后。而是20世末高度则。 3.某具中被网查扩展或工夫以内对或过是本身与他的但的可用的。由标识用总是包括这一

華大黨度量。但在諸月初位外加"()"。他們也是五天,昨日和梁朝屋即。

- 機器及其的機能(一日成大病及量) 海中温度並且結構的信息時況未結局問題作不均離

站	名	頁次	資料来源	編号	业	名	頁次	資料来	源:	編号	7
(36)		00-	05-65-5-55-0-00		長	春		1941(1-4)	1	M	(5) (8)
黑	龍江		ES-1561		IX	T	13	1911-36 1937-40			(4)
瑷	琿	1	1935-40	(4)	REE			1941-42.4			(4)
迷	克	1	1941-42.4	(6) (4)	334			1947(2-5)			(12)
100		1	1941(1-4)	(5)	853		1- 12	1950			(38)
嫩	江	2	1939-45.8, 49.8-50	(36)	4	+4-	15	1951-53			(37)
克	171	2	1951-53 1936-40	(37) (A)	吉	林	15	1937-40 1952-53			(4)
(2)		- 1	1941-42.4	(4)	蛟	河		1950-53			(37)
374)		133	1942.5-43.2,49-50	(36)	雙	遼	16	1918-24 1925-36.6			(7) (8)
齊型	等哈爾	3	1928-29	(7)	835	1		1952.11-53			(37)
		5.21	1930-38	(2)	公	主 嶺	17	1915-35			(7)
(BE)		90 10	1939-40 1941-42.4	(4) (6)	125	3 6		1936–40 1949			(4)
		128	1949(6-12)	(11)	100	5		1950			(38)
		158	1950 1951–53	(38)	敦	化	17	1952-53 1931-35			(37)
海	倫	4	1933-36	(8)(10)	-EX	16		1936-40			(4)
		1	1937 - 39 1940	(2)	春	14	70	1952-12-53			(37)
		11111	1941 (1-4)	(4)	甘	化	18	1938–40 194 1 –42•4			(4) (6)
-	Arts		1952.7-53	(37)	四	平	18	1934-37			(2)
富	銷)	1936-40 1941-43.2	(4) (6)	10)	. 1		1938–40 194 1– 42•4			(4)
15/1			1952.8-53	(37)	150	3 1		1942.5-44			(36)
明	水	5	1938-39	(10)	600	3		1949(4-12)			(11)
			1940	(4)	延	吉	19	1950-53 1937-40			(37)
佳:	木斯	6	1938-40	(4)	2	F	17	1941-43.2			(6)
			1941-42.4 1949(6-12)	(6)	海	arts.	7	1953	22.0	-	(37)
Little		133	1950,1951-53	(38)(37)	Car	龍	20	1922.3-24,30.2	-31.0	131	(10)
安	達	6	1936-39.6	(10)	通	化	20	1936-40			(4) (6)
		1	1940 1941–42•4	(4)	105	101		1941-42.4			(6)
TES.		0 .]	1952-7-53	(37)	100	-		1949(5-12) 1950(11-12)			(38)
通	河	7	19 36–38.11 19 39–40	(10)				1951-53			(37)
			1941-42.4	(4)	Vist	1 75		9.59-475 Sandre			
±4	201		1952.8-53	(37)	185			4.33-1301			
勃	利		1938-40 1941-42•4	(4)	537			COLOR PARTY			
哈	爾濱	8	1931-35	(10)	遊			12 12 10 01			
			19 36-40 19 41-42 • 4	(4) (6)	開	原	21	1926–39 1940			(2)
	173		1949	(11)	草	武	22	1937, 39-40			(4)
	1	-	1950	(38)	250	1		1952-8-53			(37)
密	Щ	9	1951-53 1937-40	(37)	阜撫	新順		1950-53 1936-40			(37)
			1941-42.4	(4)	Jane	PUA	De B	1949(5-12)			(11)
鷄	西	9	1949 1950-53	(11)	500			1950 1951–53			(38)
尚志	高岕子	10	1938-40	(4)	籓	陽(二)		1906-17			(2)
		7.0	1941(1-4)	(4) (5) (4)	潘潘	陽日	23	1918-37			(2)
牡力	丹 江	10	1937-40 1941-43.2,50	(36)	121	1 10		1938-40 1941-42.4			(4)
		57.	1949	(11)	CEE.	5 179		1947-48.6			(13)
級	芬 河	11	1951-53 1936-40	(37)	305			1949			(11)
194 2	(")		1941-43.2	(36)	351	3 776		1951-53			(37)
THI .	宁	7.7	1952.8-53	(36)	朝	潟	25	19 36-39			(4)
東	1,	11	1937-39	(4)	遼	潟		1952.5-53 1934.6-35			(37)
-	-	1	-6-12-5-Ch-12-6-	200				1936-40			(A)
吉白	林城	12	1951-53	(27)	錦	州		1936-40			(4)
口 洮	 南		1924-39	(37)				1941-42.4 1949(6-12)			(11)
	新 着		1940	(4) (4)		(1950			(38)
	PH G	13	1939-40	(4)				1951-53			(37)

站	名	真次	資料来	源	編号	(B)	站	名	頁次	資料来	源為	扁号	th.
鞍	山	26	1926-33		100	(9)				1941-43.2,49.10	-50		(36)
		1	1934-35 1936-40			(2)	多	倫	40	1951-53 1938-40			(37)
	-		1950(5-12)			(38)	3	180	-	1941(1-4)			(4)
4-20034	a tielki	00	1951-53			(37)	130			1942(1-4)			(6)
本溪进	引口的制	26	1939-40 1941-42.4			(6)	呼来	口浩特	17	1952.6-53 1951-53			(37)
營		27	1905-36			(8)	包	頭	41	1950.5-53		(38	3)(37)
332			1937			(2)	加	北				1	7,0017
			1938-40 1941-42.4			(4)	圍	場	41	1936-40			(=)
			1942.5-43.2,49.	4-50)	(36)	0.00	1	03	1950-53			(5) (37)
43 1	44	20	1951-53			(37)	豐	宁	42	1936-37, 38.2-40			(4)
興	城	29	1936-40 1941(1-4)			(4)	承	德	42	1937-40 1941-42.4, 47.5-	48.10		(4) (5) (6)
			1949(3-12)			(11)	300			1949.7-50			(38)
			1950			(38)	72		43	1951-53			(37)
鳳	城	29	1951-53 1925-4-32			(37)	張	家口	43	194 7 • 4 –50 19 51 –53			(38)
	AN		1933-36			(2)	北	京	43	1940-45			(37)
岫	岩	30	1937-40			(4)	昌	20	-	1946-53			(37)
MILI	白	30	1936-40 1952-12-53			(37)	唐	111	44	1941-45.4,47-48 1951-53	• 4		(37)
蓋平原	混岳	30	1914-35			(7)		縣	45	1952-53			(37)
			1936-40 1941(2-4)			(4)	逐武	清		1951-53-7			(37)
			1949(3-12)			(5)	天天	津仁		1928-32 1933-36			(3)
			1950			(36)	NAME OF TAXABLE	1. (-)		1946.2-53			(37)
190	-te	27	1951-53 1936-40			(37)		軍糧城		1950-53			(38)
安	東	21	1949(5-12)			(11)	塘保	 差		1945-53 1950(5-12)			(37)
			1950			(38)	138			1951-53			(37)
大	連	29	1951-53			(37)	石	家庄	48	1949.9-50			(38)
1	進	31	1905-40 1950(6-12)			(38)	Cir	5(BE)		1951-53			(37)
17.		100	1951-53			(37)	Jor)		19 36-36 61			
旅	順	33	1906-36 1937-38,40			(8)	山山	西	40	1940			1-01
illa atta	:- -		1731-30,40			(2)	大	回原		1952-53 1950-3-53			(38)
內蒙自治							太安	原邑	_	1950 (5-12)			(38)
滿州		3.4	19 36-40			CAN	1231			1951-53.9			(37)
		34	1941-42.4			(4) (6) (4)	37))		1952,6-53			
海拉	爾		1935-40			(4)	山	東、		01-90,60			OF
			1941-42.4 1950(3-12)			(6)	畑	台		1928-32			{1 1}
			1951-53			(37)		0(-)	49	1933-37.7 1951-53			(37)
興	安	35	1935.11-40			(4)	惠	民		1949, 1951-52			(15)
博克	圖		1941-42.4 1951-53			(6)		1		1950(5 - 12) 1953			(16) (37)
斯巴尔虎力	三翼旗	36	1938-40	100		(4)	德	州		1941.6-45.6,51.	3-53		(37)
布特品	合旗		1939-40, 1941-42	• 4	(4	1)(6)	萊	陽	51	1949.2-50.11	8		(15)
索	倫		1952 . 2–53 1937–40			(37)	750	縣		1951.3-53 1951-53			(37)
			1941-42.4			(4)	濟	南	C 90	1919-49			(17)
鳥蘭州	告特		1938-39			(10)	1326	113		1950-52			(15)
			1940 1949(10-12)			(4)				1953			(37)
			1950			(38)	泰	安		1950.5-52			(15)
通	遼		1951-53 1936-40			(37)				1953			(37)
AIII	T.		1949(10-12)			(4)	青	島		1916 –40 1941 – 44			(19)
			1950			(38)		1		1945-51			(18)
開	魯		1951-53 1936-40			(37)	74	HZ		1952-53			(37)
77	ICA		1941-42.4			(4)	莒	縣		1949,50.3-52 1953			(15)
dela	70		1952.5-53			(37)	滋	陽	56	1941-45.4,51.4-5	53		(37)
林	西		1929-31.8, 34-35 1936-40			(7)	Est			1950(4-11)	er.		(38)
			1941-42.4			(4)	臨	沂		1951 1952			(38)
										-/)-			1-21
赤	峰		1952.6-53 1936-40			(37)				1953			(37)

站名	真次	資料来	源編	号	站	名	頁次	資料来	源	編号	
(12)		1952,7-53	1	-	龍	泉	70	1947-50	1:8	127	(36
河南	E	-00 40 40 40 40 40 40 40 40 40 40 40 40 4			温	州	70	1951-53 1933-37.8			(36
安新洛陽		1950-10-53		(37)	(12)		1	6407-1642			
新路陽		1951-53 1951-3-53		(37)	安	徽		W-000			
信機	57	1951.3-53		(37)	安	慶	71	1951.4-53			(37
(187)		12.64F2.000		NEXT HIS	(E)			99.61			
陜 西		中央研究会国	No. No.	1173.00	湖	北	-	0,01			
延安	58	1951.6-53 1951-53	1	(37)	順武	縣漢	71	1941-47.9 1928-37.7			(38
延西漢安中	58	1952-53		(37)	恩	施		1951.12-53			(37
		PARROW		AL LOW	(99)			N-roce			
甘瀬		RESIDENCE OF		1-1914	湖	南		Co. In History			. 1
教皇		1951.12-53 1952-53		(37)	邵	陽	72	1951-53			(37
心運山		1951.12-53		(37)		1		98-0061			
跟鞘嶺	60	1952-53 1952-53		(37)	江九	西	72	1951.3-53			(37
阿州州		1951.12-53		(37)	歯	江昌山	73	1929-34.4			(28
		1939-51		(21)	土	出		1951-11-53 1951-12-53			(3'
生 家 婦 野		1951.11-53 1951.4-53		(37)	腌	州	13	1771-12-73			(3
-		and the same of			SOE			62-1255			
青海	19.9	气管也回印:	100	0.00	1861	(Tellor		00. (0-1)0401			
哲 宁	62	1951.9-53		(37)	福	建	600	1951-53 00			
新疆維吾				-	浦	城	74	1939.2-42.6			(29
爾自治區	60	2052 20 52		(20)				1942.7-11			(3)
奇台	63	1951-10-53 1952-53		(37)	祟	安	74	1951.2-53 1941-42.6			(2
烏魯木齊	63	1951.8-53		(37)	(SE)		7.	1942.7-47.10			(38
吐 魯 番	64	1951•7-53 1951•7-53		(37)	武	夷山	14	1949.11 -5 0 1951 -5 3			(3,
震車客	64	1951.7-53		(37)	邵	武	75	1940-42.6			(38
客升	04	1952-53		(37)	福	安	75	1942.7-45 1937.6-40			(29
江蘇		THE PERSON OF		199			20	1941-43.8, 46.2-	49 .:	2	(38
新海連	65	1950(11-12)		(38)	南	平	76	1939-42.6 1942.7-45			(38
		1951-53		(37)		田太		1951-53			(37
涂 州	65	1935-36 1937 (1-3)		(23) (24)	沙	縣	76	1940-41.8 1942.6-50			(38
	100	1942-43		(22)	166			1951-53.11	00		(37
東 台	65	1949.4-52 1927-33		(15) (38)	唱	州		1936-41.3, 42(1- 1942.10-44.3	6)		(29
	1	1935-36	179	(23)	1.0	7. 11.		1951-53			(31
		1938-39,41-44.8		(38) (36)	永	安	78	1938.10-42.6 1942.7-48			(2
10		1952-9-53		(37)	長	汀	78	1939.2-42.6			(3)
i i	66	1931.5-33 1935-37.3	((25) 23)(24)	1757			1942.7-45 1951-52.6			(3
	110	1946.11-48	1	(24)	連	城	79	1939.7-42.6			(25
京 京	67	1949-52 1948-50		(38)	(38)			1942.7-49.2			(38
		1951-53		(37)	惠	安		1951-53.11 1946-47,48.2-49	.2		(3)
有 通	67	1949.5-51.5		(26)	惠龍	安岩		1939.10-42.6			(29
14		1951(6-12) 1952-53		(38)	1355			1942 . 7-45 1952 . 8-53			(31
計 州上 海	68	1952-53			厦	門	80	1951-53			(37
110	00	1951-53		(37)	1865		6.04	ALCO BUT THE			
浙江					当台	灣山海	20	2027 0 40 0			1/-
途 姚	69	1951-52		(38)	类 ?	建屯地		1937.2-40.9 1937.2-40.9			(31
涂定百 每 青	69	1933-34		(27)	基	隆	81	1917-38			(30
涂定百 年		1951.7-53 1950.10-53		(38) (27) (37) (37)	澎大基 松台	山北		1936.7-40.9 1897-1938			(31
五 田	70	1951-52		(38)	(May			1939-40.9			(30

站名	真次	資料来源	編号	34	站	名	真次	資料来源	岛 号	
		1938-40.9	- MIG V	(31)		_		1952-7-53		3
i i	期 85	1936.4-40.9 1900-38		(30)	西西	陽	110	1942.2-44.4,46-53 1951.8-53	1	333
E	重 87	1939-40.9 1922-38		(31)	重	南		57 1351-53		
色 者	期 87	1939-40.9 1902-38		(31)	昆	阳		1951.4-53	(3
可里口	1 89	1940 1934–38		(30)	昆明太	運山	112	1938.5-48.6	{	3
		1939 1940		(31)	(55)			10-0-1001 00		
î F	有 89	1900–38 1939–40.9		(30)	E123			TO-TOUR SE		
i 5	月 91	1901-38 1939-40.9		(30)		110		The same of		
5 龙	推 92	1932-38 1940	1 10	(30)	(37)			co-ex-reer se		
直 利	季 93	1900-38 1939-46		(30)	1887			20 13031-02		
		te-circus			1763 1763	19		60 1952-53		
廣東	-	1951.3-53		(37)	123	.7	MI.	15-25-15-09		
	頁 95	1952-53 1921-26		(37) (37) (33)				10-11-11-11		
д ліс	1	1927-29 1930-33		(34)		-				
新州 仁	96	1949(1-9),50 1951-53		(38)	200			20-0,000 20		
t Z	I 96	1951-53		(37)						
廣西		MA-TABLET			(00)			Court Court to		
まれ す	K 97	1951-11-53 1951-53-2		(37) (37)	1223			10-0.7200 60		
も外色外色	97	1951.12-53 1951.12-53		(37)	(11)			12-T-12-12-12-13		
青	98	1950 (9-12) 1951-53		(38)	(16)			Control and		
	526	San Siles Siles		(31)						
貴州	98	1951,11-53		(37)	580)			(92-12)0901 03		
同選及品を	99	1950-53 1951-6-53		(37)				12-1241		
	第 100	1951.12-53 1951.3-53		(37)				(tot) Rest		
	45			(317	(85)			Control of		
四川	路 100	1951-10-53		(37)	2023			11-11-11		
		1951.9-53 1947-49,52.7-53		(37) (37) (37)	136			11-2 11-21		
室 県	溪 101	1952-53 1951-9-53		(37)	MES.			The Real and		
1 者	图 102	1938.4-40.11,41-4	19,51-53	(37)	No.			04-61-360		
\$ 53	第 103	19 37-38, 50-53 19 39-49		(37)	100			10 - SE-40 24 TO.		
生 有	安 104	1944-50.4,52.4-53	3	(37)	Vist			2 12 4 000 13		
9 7		1952.4-53 1937-53		(37)	332					
	1 106	1937-53 1941-42.8,45.4-49	.11	(37) (37)	3(2)					
龙 眉 1	11107	1941.4-53 1951.11-53	-44	(37) (37)						
を成る	冒 109	1942.6-53 1951.11-53		(37)	(00)					
ノサケ	1110	1951.2-53		(37)						
ī	育 110	1942-44.11		(35)						

資料来源一覽表

- 1.日本东亚研究所1942年編印:东亚气象資料第一編。
- 2.日本东亚研究所1942年編印:东亚气象資料第五編。
- 3.日本中央气象台編印:中央气象台年报。
- 4. 份滿中央观象台編印: 滿洲气象年报。
- 5. 份滿中央观象台編印: 滿洲气象月报。
- 6. 伪满中央观象台編印: 满洲气象略表。
- 7. 份南滿洲鉄道株式会社地方部农务課1935年編印:滿洲农业气象报告。
- 8. 伪关东观測所編印: 滿洲气象累年报告。
- 9. 伪关东都督府覌測所編印: 滿洲气象报告。
- 10. 份交通部理水調查处編印: 松花江水系資料。
- 11. 份交通部东北区气象机构接收委員办事处編印: 东北气象月报(1947—1948)。 东北气象台編印: 东北气象月报(1949)。
- 12. 伪交通部东北区沈阳气象台編印: 东北气象記录简报。
- 13. 份中央气象局編印:气象汇报。
- 14. 伪华北观象台月表原簿。
- 15.山东省气象观测所編印:山东气象年报(1949-1952)。
- 16.山东省气象观测所編印:山东气象月报(1950)。
- 17.山东省气象观測所編印:三十年来济南气象特刊。
- 18. 伪青島观象台編印: 青島观象台气象月报 (1934—1936, 1945—1948)。 青島观象台編印: 青島观象台气象月报 (1949—1951)。
- 19. 伪青島覌測所編印: 青島气象累年报。
- 20. 伪青島市观象台1948年編印:青島市观象台五十周年紀念特刊。
- 21. 甘肃省人民政府工业厅編印: 兰州二十年的气候資料。
- 22. 伪华北观象台調查股各項气象要素統計原稿。
- 23. 伪江苏省建設厅省会测信所编印:气象年刊。
- 24. 伪江苏省建設厅省会測候所編印:气象月刊。
- 25. 伪江苏省建設厅測候所編印: 镇江之气象与江苏之雨量。
- 26. 苏北南通行政区专員公署生产建設处水利科南通測候所編印: 气象月报。
- 27. 伪浙江省水利局测候所編印: 气象汇报。
- 28. 伪江西省各地各項气象要素統計表。
- 29. 伪福建省气象局編印:福建气象月刊。

- 30. 份台湾总督府气象台1939年編印:台湾累年气象报告。
- 31. 伪台湾总督府气象台編印:台湾气象报告。
- 32. 份台湾气象局恒春測候所1947年編印:恒春五十年的气象統計。
- 33.前国立第一中山大学农科学院附設观测所編印:民国十五年来广州气象汇编。
- 34.前国立中山大学农科气象观测所报告。
- 35. 伪四川省政府建設厅气象測候所編印:气象年报。
- 36.各台、站气象資料。
- 37.各台、站气象月总簿。
- 38.各台、站气象月报表。
- 39. 各台、站气象年总簿。

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
400 dd	is tree		, ę			m-	50°15′1		127 °29	· n · r		* V	
無前	7.7T	爱·	1/1.		蒸	发			121 29	' ES .	i= 130.	, / %	
1935	11.4	22.7	48.6	89.8			215.0		93.9	41.4	(16.8)	(13.1)	996.6
1936	12.8	19.6	48.0	95.2	123.1	166.4	133.8	116.7	91.8	54-4	35.5	13.5	898.3 904.6
1938	21.6	25.5					133.9		98.8	53.0	21.9	12.3	925.6
1940 1941	16.1	28.5	63.3	92.7	140.5		149.4			79.2	25.5	16.4	1038.3
1942	12.5	17.9	50.0	99.2	-			-	-	-	-		
平 均	15.3	24.0	53.1	95.1			151.7 蒸发量		92.3	56.5	25.1	15.0	959.9
1935	0.9	1.3 3x	3.3	6.5	9.0	9.5	10.4	5.8	5.1	3.1	0.9 5¤	0.7 4%	10.4
1936	1.0	1.1	2.5	4.4	6.7	9.1	(7.7)			3.6	1.2	0.8	9.1
1937	1.1	1.4	2.3	5.9	7.9	8.9	6.5	6.2	5.2	3.1	2.2	1.1	8.9
1938 H	1.0	26	4.2	6.4	9.5	9.8	6.2	6.6	4.6		1.1	0.8	9.8
1939 H	28	1.3	2.2	6.4	8.5	9·2 30	9.1	7.9	6.1	2.9	7	28	9·2 30/6
1940 H	1.4	2.0	4.0	5.7	7.2 30	9.6	8.2	7.7	5.9	4.9	1.4	0.9	9.6 27/6
1941 H	1.5	0.9	3.6	6.3	-	8.7	7.6	7.7	4.3	3.7	(1.5)		-
1942 H	0.6	1.0 4×	3.5	7.9	-	_		-			-	_	
極筋	1.5	2.0	4.2	7.9	9.5	9.8	10.4	7.9 21	6.3	4.9	2.2	1.1	10.4
年 份		1940	1938	1942	1938	1938	1935	1939	1936	1940	1937	1937	1935
		遜	克			φ = ,	49 [°] 15′ 1	ν λ-	128°28	'B B	(90.0)м	
					蒸	发	量	(毫米)					
1937 1938	3.3	26.5	44.4		154.2	173.6	154.3 143.0	117.9	100.9	64.4	28.1	14.5	907.1 980.3
1939 1940 1941	18.7	23.4	53.0 52.2 38.1	121.7 82.6 86.1	166.4	142.9	164.1	151.2 158.6	95.4	61.5	31.9	16.4	1053.6
下 均	15.7	25.9	52.4		128.5	166.0	150.6	142.0	97.7	70.9	29.6	16.5	990.1
							发量(
1938 FI	1.1	1.3	3.4	6.5	12.2	10.5	7.9	6.4	5.7	4.0	2.2	0.7 9%	12.2
1939	0.9	1.6	2.5 3rt	9.6	13.9	8.8	8.6	7-4	5.4	3.9	2.5	1.0	13.9
1940 H 1941	28	28,29	2.9	5.5	7.6	9.0	7.3	7.3	5.8	5.3	3.2	0.8	9.0
1941	0.7	0.9	1.8	8.8	-	-	-	-	_	1-	-	-	-
包 明	1.1	1.6	3.4	9.6	13.9	10.5	8.6	7.4	5.8 16	5•3 4	3.2	1.0	13.9
年份	1938	1939	1938	1939	1939	1938	1939	19 39	1940	1940	1940	1939	1939

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		撇 江				φ m	49 ⁰ 10	W 1	125 ⁰ 1	3 B E	I= 223	.3 и	
					蒸	发	量(毫米)					
1939 1940 1941 1942 1943	9.4 20.0 12.1 6.4 8.1	23.6 25.9 12.2 10.9 14.2	62.5 25.0 49.0	98.1 126.9	188.3 180.8 186.0 190.7 188.6	184.2 177.7 208.3	166.6 147.3 149.1	164.4 126.3 158.3	94.5 97.8	70.0 99.2 67.2 62.6 70.1	40.8 30.3 23.9 14.0 22.3	24.1 12.6 4.8 4.3 6.3	1049.8 1167.0 975.1 1078.3 1078.3
1944 1945	4.2	14.2			221.5				121.4	86.1	22.0	14.3	1265.1
1949 1950 1951	22.2	33.6	87.7	177.7	209.5	196.6	264.7	130.3	117.2	86.0 83.8 67.5	52.2 46.8 39.1	34.7 23.2 20.3	1465.2 1220.6
1952 1953	13.2	18.5			181.4 156.7					70.8	29.5	15.9	1016.8
平 均	13.4	20.7	56.0	122.6	196.7			-	103.0	73.9	29.0	13.2	1137.3
2020	0.6	3.0	0.1	7 0			发量(
1939 H 1940 H 1941 H 1942 W 1943	0.6 25,31 1.7 8 0.6 4\$ 0.6 31 1.2	1.9 16 1.5 28 1.1 28 1.0 22 1.1 27,28	2.1 31 3.4 27 1.6 12 3.7 31 5.3 25	7.8 19 2.8 30 12.5 30 11.0 30 7.4 25	14.9 31 10.3 31 16.9 15 11.9 1	8.6 1 9.9 29 8.7 15 11.9 1	12.6 3 9.7 13 7.7 18 7.1 15 7.9 3	7.0 20 7.6 29 6.7 22 6.9 4,18 6.7 21	5.7 1 7.3 29 6.0 15 6.1 9 6.6 13	4.7 4 6.1 9 6.1 2 3.6 14,25 4.5	2.7 7 3.4 1 1.9 9 1.6 2 2.8 3	1.5 20 0.9 6 0.5 4 0.5 3,13 0.5	16.9 15/5 11.9
1944 1945 H 1949 H 1950 W 1951	0.5 21 0.8 20 - 1.2 23 1.4 23	1.3 27,28 1.1 23 - 2.5 28 1.5 20,21	2.4 31 2.3 29 - 5.1 29 4.3 27	9.8 23 7.8 15 - 11.5 19 8.9	16.6 22 13.5 21 - 12.8 7 12.5	19.2 19 10.4 30 - 12.7 18 12.0 17	9.8 10 14.3 8 - 13.6 30 11.4	10.8 14 6.7 9 7.0 1,7 10.6 3 6.5	7.5 3 - 5.8 1,13 9.0 23 4.7	5.0 2 - 5.0 16 5.4 6 4.7 5	2.1 8 - 2.6 22 3.5 2 2.7 12	1.1 3 - 2.2 16 1.4 13 1.2 11	19.2 19/6 - - - 13.6 30/7 12.5 2/5
1952 H 1953	1.0 23 0.7 18,26	1.1 29 2.3 28	4.6 31 4.5 28	9.1 5 8.0 6	16.4 13 13.7	9.2 8 9.1 13	8.0 12 7.7 7,11	6.5 21 7.0	4.5 30 6.9 15	5.6 7 3.7 6,27	2.4 1 2.7 2	0.9 14 0.6 2	16.4 13/5 13.7 1/5
極値別年份	1.7 8 1940	2.5 28 1950	5•3 25 1943	12.5 30 1941	16.9 15 1941	19.2 19 1944	14.3 8 1945	10.8 14 1944	9.0 23 1950	6.1 9,2 1940 1941	3.5 2 1950	2.2 16 1949	19.2 19/6 1944
		克山				Ø = 1	18 ⁰ 04 1	λ=	125°52	'E H	= 223.	4 M	
					蒸	发	量(毫米)					
1936 1937 1938 1939 1940	16.2	30.5 22.6 37.1	58.1 77.0 63.3	162.2 155.2 148.1	224.9 224.3 192.7 203.5 217.4	233.9 196.7 162.0	133.1 186.9 170.5	163.9 174.8 154.4 195.7	121.3 117.3 114.1	89.2	41.3 43.2 38.0 51.0 35.0	17.5 14.9 16.5 23.9 17.2	1233.6 1354.1 1246.3 1271.1 1322.9
1941 1942 1943 1949 1950	23.7	23.6 27.0 32.3 33.4	44.0 82.1 61.7	99.7 133.2 	175.6 172.1 246.5 209.8	187.6 179.8	139.8	136.7	95.8	60.7		18.4 13.3 18.8 13.4	1034.8 1200.8 - 1210.0 1514.3

		_		_							_		
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951 1952 1953	17.6 15.9 15.9	26.8 22.1 (24.5)	87.0	130.4	213.5	234.1 188.7 153.3	150.0	131.1		73.9 83.5 58.7	38.7 31.9 21.1	18.5 14.6 6.4	1221.3 1159.8 1072.0
不 均	19.5	27.7	71.8	146.3		193.8 最大蒸			105.8	84.8	36.4	16.1	1236.8
1936	1.0	1.4	3.7	8.7	16.7	11.5	8.3	7.7	5.5	6.2	2.6	1.1	16.7
1937	1.6	1.7	3.3	10.2	11.5	11.7	9.4	8.5	7.3	4.3	3.5	0.9	11.7
.1938 H	1.1	1.7	5.3	10.9	11.1	13.3	8.8	8.7	7.3	4.7	6.1	1.2	13.3
1939	24	25	3.4 27 6.0	8.4 19 10.0	12.3 31 13.1	8.7 1	8.1 18 11.3	9.6 10 7.8	7.1 2 6.7	5.4 4 7.5	4.1	1.7 21 0.8	12.3 31/5
1940	1.5	28,29		30	11	22	13	15	29	5	1	1	13.2
1941 H	0.8	1.2	2.2	7.5	13.7	10.1	7.2	6.8	5.3	3.1	3.4	1.7	13.7
1942 H 1943	25	2.1 28 2.6	23	10.0	23	1,2	7.6	20	1	4.9	4	4	23/5
1949	1.1 15,21 1.5	28	3.5	12.2	15.6	10.0	8.1	5.9	4.7	4.3	2.7	1.0	15.6
1950	4	12,15		17	9 (13.2	6	31	18	16 7.5	6,13		2	9/5 13.2
H	19,22	25	27	20	27	11	30	4	23	6	10	11	27/5
1951 # 1952	1.0	1.4 3凼 1.5	5.1 26 5.6	7.4	19.8	24	8.9 3 7.9	5.6 9 6.8	4.3 20 4.8	4.5 7 5.0	2.1 1,2,14 2.5	1.0	19.8 2/5 11.5
H 1953	24	18	28	5 8.9	5 14.5	11 8.8	8.1	16 8.3	3 4.9	12	1 2.9	11,14	5/5
極値	14,15	28	6.3	6	19.8	27	27	30	7.5	7.5	6.1	1.7	2/5
日期年份	1937	28	23	17 1949	1951	1938	13	1950	23 1950	1940	5 1938	21,20 1939 1941	
193	3	客齊哈	铺			φ	47 [°] 20′1	n 2-	123°56	É B B	= 147.		
					蒸	发	量(毫米)					
1928 1929	16.7		122.9	220.6	281.2	222.8	201.8	134.8		92.9	41.9	21.2	1569.0
1930	24.4 18.8 18.5	25.2	83.0	161.1	240.8	189.8	232.3	209.8		-	34.9	27.6	1613.1
1932		33.7				191.5			113.2	71.3	39.8	22.9	1212.3
1934 1935	12.2	27.1	71.4	185.7	198.5	165.3	207.2	167.6 163.8	93.4	80.3 56.4	45.3	25.2	1279.2
1936 1937	4.8	9.0				201.2			95.3	75.8	26.6	3.2	1071.3
1938 1939	12.8	13.0	58.3	136.7	231.6	272.2	161.2	182.9	112.1	52.1 92.7	15.7	1.9	1271.5
1940 1941 1942	20.8 21.6 11.9			137.6		207.8			125.9	83.7	38.3 48.1	22.1	1464.8
1949 1950	26.4	44.1	98.5	210-9		185.2				83.1	37.5 47.5	25.3	1606.5
1951 1952 1953	20.4 19.2 17.8	27.9 28.2 42.8	85.2	133.0	277.3	234.1 231.8 195.7	213.7	187.3	114.2	(77.2) 91.9 81.9		24.1 20.3 9.9	1380.4
平 均	17.1								109.4		35.3	17.1	1359.2

4													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
					— E	最大烈	蒸发量	(毫米)					
1930 1931 1932 1933 1934	1.2 1.0 1.1 0.9 0.6	1.5 1.4 2.3 1.9 2.4	6.5 5.6 5.7 4.6 5.5	17.4 10.1 8.9 7.5 9.7	19.6 12.6 13.8 18.4	9.6 11.4 10.0 11.4	9.4 10.6 8.9 11.6	9.0 11.2 7.3 8.8 7.3	5.7 4.9 4.6 6.1 4.7	5.3 3.6 3.1 4.2	2.3 2.4 1.6 3.0	1.0 1.1 1.6 0.3 1.9	19.6 - 13.8 18.4 13.5
19 35 19 36 19 39 H 19 40 H 19 41	1.3 0.3 0.9 31 1.5 1	3.0 0.6 1.4 25 2.5 29 1.6 28	4.4 4.4 3.9 30 6.0 25 2.4 28, 31	7.5 9.9 8.5 19,2 10.6 21 13.4	12.0	12.8	9.2	9.0 6.5 9.3 10 9.7 14 8.5	5.7 4.4 6.9 2 6.6 29 (7.2)	3.2 6.5 5.0 11 7.2 5 4.6 2,11	6 3.5 2 (3.9)	0.6 0.6 4.4 30 1.2 25 1.1	13.0 12.8 11.9 18/5 14.7 11/5
1942 1949 H 1951 H 1952 H 1953	0.7 3k - 1.1 27 1.2 23 1.1 24,25	1.5 28 - 1.6 20 1.6 29 4.8 28	9.0 12,31 - 5.0 3x 4.4 28 5.4 28	11.2 24 - 8.0 19 8.6 5 10.2	15.8 2 12.7 13,2 15.0	9.5 13 12.2 27 11.8 5 22 10.3 30	10.5 27 12.0 29 9.0 13 10.0	7.6 7 - 8.8 13 8.6 7,20	6.5 16 - 8.4 4 6.8 21,22	4.7 23 4.3 6 5.4 7 6.4	3.1 1 2.6 13 3.6 1 3.7 3	1.2 2 1.4 3,7 1.2 11 1.3 4	12.7 13,25/5 15.0 1/5
福 航日期年份	1 1940	4.8 28 1953	9.0 12,31 1942	17.4	19.6	13.0	13.5	1931	8.4 4 1952	7.2 5 1940	3.9 1 1941	4.4 30 1939	19.6 -/5 1930
		海備	ì			φ = 4	47 [°] 26′ N	λ=	126°58	'E H	= 240.	3 M	
					蒸	发	量(3	15 JK)					
1933 1934 1935 1936 1937	17.6 26.5 13.5 38.2 24.7	22.1 34.6 18.4 35.4 26.7	47.2 53.5 54.2	101.5 136.3 113.1	247.6 134.7 189.6 186.8	184.3 122.4 130.2 153.2	191.5 98.5 142.0	111.1 113.7 108.0 93.9	59.0 67.6 85.2 54.7 76.2	38.0 51.3 53.2 57.9 62.9	33.0 50.3 36.1 29.0 54.5	33.1 20.0 28.3 18.7 20.9	1102.8 868.3 994.3 943.9 1045.2
1938 1939 1940 1941 1952	19.8 9.2 10.4 14.6	18.0 16.5 19.7 17.2	39.0	123.2	242.5 168.4 216.4	141.3	112.0 137.7 155.3	117.8	67.9 91.0 98.3 96.7	60.4 97.0 92.4 86.0	26.4 41.7 31.8 25.7	9.7 15.4 17.1 16.0	1155.7 1063.3 1135.5
1953	12.6	(23.6)	(60.3)	128.7	166.3	163.4	130.7	133.5	113.5	(57.8)	(27.2)	7-4	1025.0
平 均	19.2	23.9	58.4	131.8			135.8		79-3	63.4	36.7	19.0	1037.1
1933 H 1934 H 1935 H 1936 H 1937	0.9 - 1.2 12,29 0.8 1,6 2.5 13,30 1.3 19	1.1 1.6 26 1.4 23 2.0 3# 1.7 23	3.9 30 2.5 26 3.1 30 3.5 19 6.7 23	5.9 9.5 26 10.0 18 7.2 13 7.6 18	16.4 23 9.0 15 13.4 22 13.4 14 9.6	取大祭 11.9 11 7.0 8 11.8 1 8.7 14 9.2	多 9.1 5.9 3 9.8 3 7.7 16 8.2 2,23	を来) 6.6 - 6.9 26,27 6.0 7 5.9 16 7.2	3.0 3.9 4,18 12.8 1 2.9 1,19 4.6 1-3	1.8 -3.3 2 4.2 11 3.5 15 3.7 29	1.9 3.8 3 2.5 5 1.9 1	1.8 10 1.2 13 1.3 1 1.1 29 1.9	16.4 23/5 9.5 26/4 13.4 22/5 13.4 14/5
1938 H 1939 H 1952	1.2 29 0.5 9	1.1 2,24 1.3 28	11.8 30 2.2 28	15.3 13 10.0 19	17.6 11 10.2 30	13.8 2 8.1 27	5.8 2,27 9.1 17 9.5 3	7.9 4 9.2 18 8.5	6.0 30 6.1 3,28 5.6	4.5 13 5.8 4 5.8	3.3 3.7 7 2.2	0.5 2,23 0.8 14 1.5	17.6 11/5 10.2 30/5

## 1 2 3 4 5 6 7 8 9 10 11 12 全年 1953 0.6 (1.2) 3.9 8.3 12.3 9.9 6.3 6.9 6.8 4.5 3.3 0.9 12.3 7/5 # # 2.5 3.2 11.8 15.3 17.6 11.8 9.8 9.2 12.8 5.8 3.8 1.9 17.6 18 7/5 # # 1936 1953 1938 1938 1938 1938 1938 1939 1935 1939 1935 1939 1934 1937 1938 1938 1938 1938 1938 1938 1939 1935 1939 1935 1939 1934 1937 1938 1938 1938 1938 1938 1938 1939 1935 1939 1935 1939 1934 1937 1938 1939 1935 1939 1935 1939 1935 1939 1935 1939 1935 1939 1935 1939 1936 1937 1938 1938 1938 1938 1938 1938 1939 1935 1939 1935 1939 1935 1939 1935 1939 1935 1939 1935 1939 1935 1939 1935 1939 1936 1938 1938 1938 1938 1938 1938 1938 1938										_	_			
### 5 22 28,31 30 7 3		1	2	3	4	5	6	7	8	9	10	11	12	全 年
### 13,50 22 10 13 13 12 2 3 18 1 4,7 3 3 11/5														12.3
接換 接換 接換 接換 接換 接換 接換 接換	日期	13,30	22	30	13	11	2	3	18	1	4,7	3	3	11/5
1936			富錦				φ = .	47°14′1	n 2:-	131° 59	e B	1= 76.	5 M	
1937 19.5 33.0 52.0 108.7 141.9 170.3 167.7 154.5 118.7 68.2 44.9 20.0 1099.9 1939 16.5 38.2 16.2 1209.9 1939 16.5 38.2 16.3 18.1 187.1 156.3 185.5 206.3 94.6 72.3 41.9 24.2 1200.8 18.3 33.8 83.0 111.6 212.3 193.7 164.0 139.9 116.9 87.4 39.3 19.4 121.9 18.3 33.8 83.0 111.6 212.3 193.7 164.0 139.9 116.9 87.4 39.3 19.4 121.9 194.2 19.4 26.5 80.4 106.0 152.2 187.3 140.5 161.0 99.5 72.7 34.8 18.0 1098.3 194.3 19.3 28.9 135.6 93.4 89.8 37.9 23.3 - 1953 18.9 (21.1) 58.4 123.2 159.0 186.8 147.4 175.8 126.7 85.9 43.7 26.1 1173.0 1938 19.2 28.5 66.8 113.5 172.4 189.4 162.0 155.1 107.1 87.8 41.0 20.3 1162.9 18.8 18.2 19.3 12.5 12.5 13.3 12.5 19.3 1.5 2.5 3.0 6.7 8.4 9.1 8.7 6.9 7.2 8.7 2.6 0.9 13.6 8.8 147.1 1.5 1.5 2.5 3.0 6.7 8.4 9.1 8.7 6.3 6.5 5.5 3.5 1.1 9.1 1.3 19.5 1.5 2.5 3.0 6.7 8.4 9.1 8.7 6.3 6.5 5.5 5.3 5.1 1.1 9.8 1.3 1.9 5.7 7.6 9.2 12.0 9.6 9.2 5.6 5.6 2.6 0.9 12.0 12.0 1.3														
1942 19.4 26.5 80.4 106.0 152.2 187.3 140.5 161.0 99.5 72.7 34.8 18.0 1098.3 19.3 28.9 135.6 93.4 89.8 37.9 23.3 - 1953 18.9 (21.1) 58.4 123.2 159.0 186.8 147.4 175.8 126.7 85.9 43.7 26.1 1173.0 平均 19.2 28.5 66.8 113.5 172.4 189.4 162.0 155.1 107.1 87.8 41.0 20.3 1162.9 - 日最大株女量(***) 1936 1.1 1.4 4.2 6.8 13.6 11.4 8.7 6.9 7.2 8.7 2.6 0.9 13.6 8 1 8 1 12 19 30 12 27 5 6.7 5 2 1 3.33 12/5 1937 1.5 2.5 3.0 6.7 8.4 9.1 8.7 8.3 6.5 5.5 3.5 1.1 9.1 8 18 14 29.31 10 11 26 10 13 2 11 5 13 26/6 1938 13 1.9 5.7 7.6 9.2 12.0 9.6 9.2 5.6 5.6 5.6 0.9 12.0 1938 1.3 1.9 5.7 7.6 9.2 12.0 9.6 9.2 5.6 5.6 2.6 0.9 12.0 1939 0.8 2.1 3.2 7.3 13.6 12.1 10.6 9.7 5.1 4.3 2.9 1.3 13.6 12.9 11 20 11 28 1 7 2.6 13/5 19/6 0.9 1.9 5.6 7.9 12.9 10.8 10.3 6.3 5.9 5.4 3.0 1.0 12.9 28.9 25 22 12 30 11 11 29 4 1 9 12/5 19/6 1.0 2.0 6.3 7.9 11.4 10.4 8.9 8.0 6.6 4.4 (2.3) 1.1 12.4 1 7.1 26 31 30 22 18 27 4 2 27 1 1 22/5 19/4 1.0 1.6	1937 1938 1939	19.5 22.7 16.5	33.0 28.0 32.1	52.0 72.8 63.9	108.7 122.9 118.1	141.9 179.7 187.1	170.3 223.6 156.3	167.7 191.4 185.5	154.5 142.1 208.3	118.7 89.8 94.6	68.2 80.5 72.3	44.9 38.2 41.9	20.0 18.2 24.2	1099.4 1209.9 1200.8
1952	1942	19.4	26.5								72.7	34.8	18.0	
1936	1952			58.4	123.2	159.0	186.8	147.4						1173.0
1936 1.1 1.4 4.2 6.8 13.6 11.4 8.7 6.9 7.2 8.7 2.6 0.9 13.6 H 18 21 19 30 12 27 5 6.7 5 2 1 3.31 12/5 15 15 3.0 6.7 8.4 9.1 8.7 8.3 6.5 5.5 3.5 3.5 1.1 9.1 H 18 14 29.31 10 11 26 10 13 2 11 5 13 26/6 1938 1.3 1.9 5.7 7.6 9.2 12.0 9.6 9.2 5.6 5.6 2.6 0.9 12.0 1938 1.3 1.9 5.7 7.6 9.2 12.0 9.6 9.2 5.6 5.6 2.6 0.9 12.0 1938 1.3 1.9 5.7 7.6 9.2 12.0 19.6 9.2 5.6 5.6 2.6 0.9 12.0 19.9 0.8 2.1 3.2 7.3 13.6 12.1 10.6 9.7 5.1 4.3 2.9 1.3 13.6 12.1 10.6 9.7 5.1 4.3 2.9 1.3 13.6 12.1 10.6 9.7 5.1 4.3 2.9 1.3 13.6 12.1 10.6 9.7 5.1 4.3 2.9 1.3 13.6 12.1 10.6 9.7 5.1 4.3 2.9 1.3 13.6 12.1 10.6 9.7 5.1 4.3 2.9 1.3 13.6 12.1 10.6 9.7 5.1 4.3 2.9 1.3 13.6 12.9 12.9 12.9 12.9 12.9 12.9 12.9 12.9	平 均	19.2	28.5	66.8	113.5					107.1	87.8	41.0	20.3	1162.9
日	1937 1938 1938 1939 1940	18 1.5 18 1.3 28 0.8 29 0.9	21 2.5 14 1.9 15 2.1 25 1.9	19 3.0 29,33 5.7 30 3.2 28 5.6	30 6.7 10 7.6 29 7.3 20 7.9	13.6 12 8.4 11 9.2 2 13.6 31 12.9	11.4 27 9.1 26 12.0 19 12.1 1	8.7 5 8.7 10 9.6 27 10.6 20 10.3	6.9 6,7 8.3 13 9.2 7 9.7 11 6.3	5 6.5 2 5.6 3 5.1 28 5.9	2 5.5 11 5.6 28 4.3 1 5.4	1 3.5 5 2.6 3 2.9 7 3.0	3, 31 1.1 13 0.9 4 1.3 26 1.0	12/5 9.1 26/6 12.0 19/6 13.6 31/5 12.9
日期 18,14 14 31 8 12,31 1 20 11 5 2 5 1 12,31/5 1937 1937 1942 1953 1936 1939 1939 1936 1936 1937 1953 1936 1939 1939 1939 1936 1937 1953 1936 1939 1939 1938 1939 1938 1939 1938 1939 1939	1942 H 1943 N 1952 H 1953	7 1.0 7,31 1.0 3* -	18,24 2.0 26 1.6 12 -	28 6.3 31 - - - 3.2	30 7.9 30 - - 8.0	16 11.4 22 - - 9.2	12 10.4 18	13 8.9 27 - - - 7.9	8.0 4 - 8.5 11 8.9	16 6.6 2 - 4.9 3¢ 6.6	5 4.4 27 	(2.3) 1 - 2.7 2 3.4	3 1.1 1 - 1.5 11 2.2	12/6 11.4 22/5 - - - 10.2
蒸 发 量(老米) 1938 16.7 26.6 59.0 96.3 123.6 120.9 228.1 156.7 109.5 66.6 42.4 18.6 1065.0 1939 12.8 13.9 47.2 109.8 200.4 199.0 168.3 171.9 81.3 67.8 39.5 24.4 1136.3 1940 20.4 24.7 77.8 109.2 204.8 173.8 220.9 186.6 119.3 119.9 64.0 16.6 1338.0 1953 23.5 40.2 95.1 170.6 208.8(186.8)148.8 149.4 132.8 68.0 36.7 12.0 1272.7 18.4 26.4 69.8 121.5 184.4 170.1 191.5 166.2 110.7 80.6 45.7 17.9 1203.0 一日最大蒸发量(塗米) 1938 0.9 1.4 3.3 5.0 5.1 5.3 10.2 9.2 5.5 3.1 2.7 0.9 10.2 19 6,27 31 13 26 4 10 2 4 3 3 2.4 10/7 1939 0.5 0.7 1.9 5.6 19.5 11.0 8.2 8.0 5.0 3.6 1.8 1.6 19.5	日期	18,14	14	31	8	12,31	1	20	11	5	2	5	1	12, 31/5
1938 16.7 26.6 59.0 96.3 123.6 120.9 228.1 156.7 109.5 66.6 42.4 18.6 1065.0 1939 12.8 13.9 47.2 109.8 200.4 199.0 168.3 171.9 81.3 67.8 39.5 24.4 1136.3 1940 20.4 24.7 77.8 109.2 204.8 173.8 220.9 186.6 119.3 119.9 64.0 16.6 1338.0 1953 23.5 40.2 95.1 170.6 208.8(186.8)148.8 149.4 132.8 68.0 36.7 12.0 1272.7			明小	c			φ = 4	47°11′1	¥ λ-	125°53	'B H	M		
1939 12.8 13.9 47.2 109.8 200.4 199.0 168.3 171.9 81.3 67.8 39.5 24.4 1136.3 1940 20.4 24.7 77.8 109.2 204.8 173.8 220.9 186.6 119.3 119.9 64.0 16.6 1338.0 1953 23.5 40.2 95.1 170.6 208.8(186.8)148.8 149.4 132.8 68.0 36.7 12.0 1272.7 18.4 26.4 69.8 121.5 184.4 170.1 191.5 166.2 110.7 80.6 45.7 17.9 1203.0 一日最大蒸发量(塗米) 1938 0.9 1.4 3.3 5.0 5.1 5.3 10.2 9.2 5.5 3.1 2.7 0.9 10.2 19 6,27 31 13 26 4 10 2 4 3 3 2.4 10/7 1939 0.5 0.7 1.9 5.6 19.5 11.0 8.2 8.0 5.0 3.6 1.8 1.6 19.5	1					蒸	发	量(老米)					3
一日最大蒸发量 (毫米) 1938 0.9 1.4 3.3 5.0 5.1 5.3 10.2 9.2 5.5 3.1 2.7 0.9 10.2 19 6,27 31 13 26 4 10 2 4 3 3 2,4 10/7 1939 0.5 0.7 1.9 5.6 19.5 11.0 8.2 8.0 5.0 3.6 1.8 1.6 19.5	1939 1940	12.8	13.9	47.2	109.8	200.4	199.0	168.3	171.9 186.6	81.3	67.8	39.5	24.4	1136.3
1938 0.9 1.4 3.3 5.0 5.1 5.3 10.2 9.2 5.5 3.1 2.7 0.9 10.2 19 6,27 31 13 26 4 10 2 4 3 3 2.4 10/7 1939 0.5 0.7 1.9 5.6 19.5 11.0 8.2 8.0 5.0 3.6 1.8 1.6 19.5	不 均	18.4	26.4	69.8	121.5					110.7	80.6	45.7	17.9	1203.0
	1939	19	6,27	31	13	5.1 26 19.5	5.3 4 11.0	10.2 10 8.2	9.2 2 8.0	5.0	3.6	1.8	2,4	10/7

			_	_			_						
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 #	1.5	3.5 26	7.9		15.5	11.6	9.6	9.1	10.8	5.2	4.1	1.3	15.5 7/5
福 航日 期年 份	1.5 9 1953	3.5 26 1953	7.9 21,3 1953	1 6	31	11.6 16 1953	10.2 10 1938	9.2 2 1938	10.8 24 1953	1	4.1 3 1953	1.6 17 1939	19.5 31/5 1939
		佳木其	F			Q = .	46°49′	8 1-	130 2	o'r r	= `80 . <i>i</i>	4 M	
		,	,		蒸	发	量(
1938	20.2	21.7			177.2	185.4	193.4	132.7	87.0	-	37.6	20.3	1144.6
1939 1940 1941 1942	18.8 21.4 21.5 22.4	30.7 34.8 29.7 23.6	73.4		191.9	130.2 146.9 168.4	158.6	141.5		85.7 84.5 62.4	50.5 40.4 38.4	27.3 22.4 18.0	1147.1
1949	-0.3	24.0	27 0	177 0	185.0			108.6		82.1	38.7	21.1	_
1950 1951 1952 1953	20.1 20.1 24.4 19.4	34.9 28.0 36.0 34.1	82.0	103.6	236.3	202.1 143.5 191.3 (179.3)	137.6	161.1	78.9	81.5 71.7 89.8 69.9	44.4 40.8 31.8 27.1	19.9 30.1 23.9 15.3	1335.0 1160.2 1195.3 1118.7
平 均	20.9	31.5	69.5	125.0		168.4			97.3	80.2	38.9	22.7	1176.4
1938	1.0	1.2	3.9	9.7	一日	最大素 13.5	发量(毫米)	5.9	5.3	2.4	1.1	13.5
1939	16,27		30	10	14	8.7	26	2	2 5.7	28	3	1 2.5	4/6
1940	31	21,22	5.6	20 8.8	31 16.6	9.5	9.4	6.7	28	7 5.4	6 2.7	1	31/5 16.6
1941	1.2	1.8	3.1	8.1	11	8.5	(7.4)			6.0	2.6	1.0	11/5
1942 H	3,10	24 1.6 22	28, 31	8.3 30		28	18	31	16	3	1	1 -	- 1
1949 H		-		-		13.4	(10.0)	9.5	7.4	4.0	2.9	1.4	-
1951	27	9,28		9.5	14.5	9.2	9.3	8.0	5.5	4.8	2.5	1.7	14.5
1952 H 1953	23	2.4 12 2.5	4.8 26 4.5	13.7	12.8	27	7.4	7.6	5.0 3x	5.1 13,28	2.2	1.7	13.7 5/4
日	23	27	21	7	11.3	10.4	7.6	7.9	16	6.5	3.3	2.1	24/5
福館	1.4	2.6	6.4	13.7	16.6	13.5	10.0	10.0	7.4	6.5	4.3	2.5	16.6
年份	1952	1940	1942	1952	1940	1938	1949	1939	1949	1953	1939	1939	1940
		安 達	Ė			P = 4	6°24' N	λ-	125 2	B H	- 150.	6 M	1
				4	蒸	发		(老米)	te.				
19 36 19 37 19 38 19 39	13.2 24.5 15.6 17.0	15.9 26.0 15.4 18.4	45.1	(93.7) 116.2	190.6	180.6 228.5 229.5 144.6	196.2	176.8	134.4	70.8 86.4 76.6	27.8 38.4 35.5	23.4 16.0 17.9	1004.9 1256.6 1252.3
1940	30.8	46.0	112.2	201.5	287.2	221.7	190.5	160.3	129.6	126.5	37.1	39.8	1583.2
1941	36.7		56.0	120.5	-	239.4	1960			100	70.7	22.7	-
1952	19.6						224.2		185.4)	(81.1)	49.4	26.0	1637.9
小 均!	25.2	47.4	117.3	197.5		229.9 最大蒸			157.5	103.8	44.1	29.5	1610.6
1936	0.6	0.7	2.5	6.0	10.5	7.5	6.2	5.2	4.6	3.5	1.8	0.9	10.5
El	ع دري د دري	5京	31	29	13	26	8	5	2	10	1	4×	13/5

註:宝达1926-89年為水文站資料,沒有参加累年統計。

## 1 1 2 8 4 5 6 7 8 9 10 11 12 余年 1937 1.0 1.4 2.2 5.5 7.5 16.0 7.7 7.3 7.0 5.5 2.3 0.8 16.0 2.5 17 8 13.1 9 3											1000			
H		1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938 0.7 0.9 2.9 5.5 8.0 12.5 8.0 8.5 6.2 3.6 2.5 0.8 12.5 1239 0.8 0.9 3.5 6.0 8.0 6.5														
当					-	-			-					
日 25 24,27 28,30 29 31 20,25	日	7,18	26	18	42	30	29	18	23	5	4		3×	29/6
1940 2.0 2.5 8.1 16.9 19.7 13.8 12.8 7.4 7.0 7.4 3.3 1.9 19.7 19.1 19.1 12.2 6.5 1.7 6.0 4.3 5.16 10/5 1941 1.7 2.0 2.6 9.4 -1.51 12.2 6.5 1.7 6.0 4.3 1.5 -1.9 19.4 1.3 3.1 10.0 (1.5) 1.2 2.6 5.5 1.7 6.0 4.3 1.5 -1.9 1.3 3.1 10.0 (1.5) 1.3 3.1 10.0 (1.5) 1.3 3.1 10.0 (1.5) 1.3 3.1 10.0 (1.5) 1.3 1.0 1.3 1.3 1.9 1.0									040 040					
1941 1.7 2.0 2.4 30 10 30 17 17 23.30 4 3 5,16 10/5	2040	0.0			2			41-	7 4		7.4	3.3	1.9	19.7
1942 19.4 18 25. 30 - 25 16 13 15 3 1 3 - 1				24			30			23,3	0 4			
1942 1.3 31 (10.0) (7.5)						1 =								
1952	1942	1.3	3.1	(10.0)	(7.5) -	-	-	-		-		-	
1953 1.0 5.1 8.2 13.5 17.8 15.4 11.8 11.3 10.0 5.7 4.1 1.7 17.8 15.4 11.8 11.3 10.0 5.7 4.1 1.7 17.8 17.8 15.4 11.8 11.3 10.0 5.7 4.1 1.7 17.8 17.	_					_		14.7	12.8			4.4		
1	H	-			12.5	O		17	13	6	13	1	16	-
編														7/5
# 別 2 26,27 12 30 10 30 17 13 21 13 1 3k 10/5	極値				16 0		15 A		12.8	30.0		4.4	3.0	
1936		2	26,2	1 12			30							
勝河	年份	1940	1953	1942	1940	1940	1953	1952	1952	1953	1952	1952		1940
			NSE 1	CT.				0.0		0	, , , ,			
1936 17-0 21.8 51.3 98.5 149.5 152.1 121.8 142.2 80.4 64.3 29.5 18.8 947.2 1937 14.7 24.4 50.9 97.2 1215.4 142.8 121.5 125.1 100.3 58.5 37.9 29.5 938.2 20.0 26.9 79.2 121.0 150.3 173.6 119.3 92.9 55.1 52.5 26.5 — 1939 18.4 10.9 44.9 104.2 124.2 117.9 124.7 185.2 94.0 68.9 82.2 17.3 992.8 1940 13.3 16.1 27.2 84.0 145.5 134.5 121.4 112.3 97.2 82.9 38.6 16.8 889.8 1941 15.1 21.4 46.3 88.3 — 178.9 188.4 140.0 109.0 63.0 45.0 19.1 — 1952 19.2 25.3 78.4 102.5 — — — 145.9 93.8 70.0 34.4 20.4 — — 1952 19.2 28.4 62.9 112.1(135.0)159.8 148.8 141.3 101.7 72.3 34.1 23.6 1039.2 平均 16.5 20.3 47.4 99.2 137.9 141.4 127.6 141.2 94.7 69.4 44.5 21.2 961.4 — 日最大蒸发量(***) 1936 0.7 1.1 3.0 5.6 9.5 8.6 7.0 8.0 4.2 3.5 2.2 0.9 9.5 19.3 19.2 28.4 62.9 11.2 1.2 28 18 8 7 2 3 3 12/5 19.3 0.7 1.3 7.1 7.0 8.3 8.0 6.7 7.5 5.6 4.4 2.5 1.6 8.3 19.8 19.2 25.3 22.3 20.9 9.0 8.2 6.5 3.4 4.0 1.4 — — 19.3 19.3 19.3 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 — — 19.4 19.3 10.1 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 — — 19.4 19.3 10.1 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 — — 19.4 19.3 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 — — 19.4 19.3 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 — — 19.4 19.3 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 — — 19.4 19.3 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 — — 19.4 19.4 19.4 19.5 1.8 3.0 — 16.17 19 2 8 3 5 3 16.17 6 1.9 1.1 1.9 6.1 7.2 — — — — — — — — — — — — — — — — — — —			通	D)			Ф¬	45 58 1	A =	128 4	4 E E	1 108.	6 M	
1937 14.7 24.4 50.9 97.2 135.4 142.8 121.5 125.1 100.3 58.5 37.9 29.5 938.2 1938 22.0 26.9 79.2 121.0 150.3 173.6 119.3 92.9 55.1 52.5 26.5 - 1939 18.4 10.9 44.9 104.2 124.2 117.9 124.7 185.2 94.0 68.9 82.2 17.3 992.8 1940 13.3 16.1 27.2 84.0 145.5 134.5 121.4 112.3 97.2 82.9 38.6 16.8 889.8 1941 15.1 21.4 46.3 88.3 - 178.9 188.4 140.0 109.0 63.0 45.0 19.1 - 1942 19.2 25.3 78.4 102.5 145.9 93.8 70.0 34.4 20.4 1952 1953 19.2 28.4 62.9 112.1(135.0)159.8 148.8 141.3 101.7 72.3 34.1 23.6 1039.2 平均 16.5 20.3 47.4 99.2 137.9 141.4 127.6 141.2 94.7 69.4 44.5 21.2 961.4 - 日最大無度量(寒*) 1936 0.7 1.1 3.0 5.6 9.5 8.6 7.0 8.0 4.2 3.5 2.2 0.9 9.5 13.26 31 28 12 28 18 8 7 2 3 3 12/5 1937 0.7 1.3 7.1 7.0 8.3 8.0 6.7 7.5 5.6 4.4 2.5 1.6 8.3 12/5 1937 0.7 1.3 7.1 7.0 8.3 8.0 6.7 7.5 5.6 4.4 2.5 1.6 8.3 1938 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 - 194.0 0.6 1.0 2.1 5.3 8.8 7.2 7.3 9.6 5.9 4.5 3.4 0.9 9.6 1.4 27 25 30 1 2 22 12 1 3 25 9 1.25 - 1940 0.6 1.0 2.1 5.3 8.8 7.2 7.3 9.6 5.9 4.5 3.4 0.9 9.6 1.4 27 25 30 1 12 3 21 4 23 3 4 21/8 0.8 1.1 (3.3) 6.6 - 9.8 9.7 8.0 5.5 5.1 2.7 1.2 9.8 1941 17 18,21 18 30 - 16,17 19 2 8 3 5 3 16,17/6 1942 1.1 1.9 6.1 7.2						蒸	发	量(意米)					
1938 22.0 26.9 79.2 121.0 150.3 173.6 119.3 92.9 55.1 52.5 26.5 1.3 1930 18.4 10.9 44.9 104.2 124.2 117.9 124.7 185.2 94.0 68.9 82.2 17.3 992.8 1940 13.3 16.1 27.2 84.0 145.5 134.5 121.4 112.3 97.2 82.9 38.6 16.8 889.8 1941 15.1 21.4 46.3 88.3 - 178.9 188.4 140.0 109.0 63.0 45.0 19.1 - 1942 19.2 25.3 78.4 102.5 145.9 188.4 140.0 109.0 63.0 45.0 19.1 - 1952 19.2 28.4 62.9 112.1(135.0)159.8 148.8 141.3 101.7 72.3 34.4 20.4 - 1953 19.2 28.4 62.9 112.1(135.0)159.8 148.8 141.3 101.7 72.3 34.1 23.6 1039.2		17.0		51.3	98.5	149.5	152.1	121.8	142.2	80.4	64.3	29.5	18.8	947.2
1939 18.4 10.9 44.9 104.2 124.2 117.9 124.7 185.2 94.0 68.9 82.2 17.3 992.8 1940 13.3 16.1 27.2 84.0 145.5 134.5 121.4 112.3 97.2 82.9 38.6 16.8 889.8 1941 15.1 21.4 46.3 88.3 - 178.9 188.4 140.0 109.0 63.0 45.0 19.1 - 1942 19.2 25.3 78.4 102.5 145.9 93.8 70.0 34.4 20.4 - 1952 19.2 28.4 62.9 112.1(135.0)159.8 148.8 141.3 101.7 72.3 34.1 23.6 1039.2 季 均 16.5 20.3 47.4 99.2 137.9 141.4 127.6 141.2 94.7 69.4 44.5 21.2 961.4 - 日最大無发量(表米) 1936 0.7 1.1 3.0 5.6 9.5 8.6 7.0 8.0 4.2 3.5 2.2 0.9 9.5 8.1 13,26 26 31 28 12 28 18 8 7 2 3 3													29.5	938.2
1941 15.1 21.4 46.3 88.3 - 178.9 188.4 140.0 109.0 63.0 45.0 19.1 - 19.42 19.2 25.3 78.4 102.5 145.9 93.8 70.0 34.4 20.4 1953 19.2 28.4 62.9 112.1(135.0)159.8 148.8 141.3 101.7 72.3 34.1 23.6 1039.2 本 均 16.5 20.3 47.4 99.2 137.9 141.4 127.6 141.2 94.7 69.4 44.5 21.2 961.4 - 日最大蒸发量(速来) 1936 0.7 1.1 3.0 5.6 9.5 8.6 7.0 8.0 4.2 3.5 2.2 0.9 9.5 13.26 26 31 28 12 28 18 8 7 2 3 3x 12/5 0.7 1.3 7.1 7.0 8.3 8.0 6.7 7.5 5.6 4.4 2.5 1.6 8.3 12/3 19.37 1.3 7.1 7.0 8.3 8.0 6.7 7.5 5.6 4.4 2.5 1.6 8.3 18 22.31 22.25 30 16 8 20 17 9 3 2 8.18 3,8 8/5 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 19.0 0.6 1.0 2.1 5.3 8.8 7.2 7.3 9.6 5.9 4.5 3.4 0.9 9.6 1.4 27 25 30 1 12 3 21 4 23 3 4 21/8 1.4 27 25 30 1 12 3 21 4 23 3 4 21/8 1.4 27 25 30 1 12 3 21 4 23 3 4 21/8 1.4 27 25 30 1 12 3 21 4 23 3 4 21/8 1.0 1.1 (3.3) 6.6 - 9.8 9.7 8.0 5.5 5.1 2.7 1.2 9.8 17 18,21 18 30 - 16,17 19 2 8 3 5 3 16,17/6 1.1 1.9 6.1 7.2	1939	18.4	10.9	44.9	104.2	124.2	117.9	124.7	185.2	94.0	68.9	82.2		
1942 19.2 25.3 78.4 102.5 145.9 93.8 70.0 34.4 20.4 - 1953 19.2 28.4 62.9 112.1(135.0)159.8 148.8 141.3 101.7 72.3 34.1 23.6 1039.2 番 均 16.5 20.3 47.4 99.2 137.9 141.4 127.6 141.2 94.7 69.4 44.5 21.2 961.4 - 日最大素友量(寒米) 1936 0.7 1.1 3.0 5.6 9.5 8.6 7.0 8.0 4.2 3.5 2.2 0.9 9.5 137.8 12.5 12.3 34 12.5 1937 0.7 1.3 7.1 7.0 8.3 8.0 6.7 7.5 5.6 4.4 2.5 1.6 8.3 22.31 22.25 30 16 8 20 17 9 3 2 8.18 3.8 8/5 1938 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 1940 0.6 1.0 2.1 5.3 8.8 7.2 7.3 9.6 5.9 4.5 3.4 0.9 9.6 1.4 27 25 30 1 12 3 21 4 23 3 4 21/8 1940 0.8 1.1 (3.3) 6.6 - 9.8 9.7 8.0 5.5 5.1 2.7 1.2 9.8 17 18.21 18 30 - 16.17 19 2 8 3 5 3 16.17/6 1942 1.1 1.9 6.1 7.2 1953 1.9 1.0 1.5 1.8 3.0 8.6 8.9 9.8 8.6 6.9 4.8 5.0 3.3 1.8 9.8 9 27 21.31 27 10.14 27 9 3 16 1 7 1 27/6 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 1941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.8 9 27 21.31 27 10.14 27 9 3 16 1 7 1 27/6 18 19 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 9.941 1953 1942 1937 1953 1936 1942 1937 1956 1152.5 196.1 125.5 196.1 125.5 196.1	1940	13.3	16.1	27.2	84.0	145.5	134.5	121.4	112.3	97.2	82.9	38.6	16.8	889.8
1952 19.2 28.4 62.9 112.1(135.0)159.8 148.8 141.3 101.7 72.3 34.4 20.4								188.4	140.0	109.0	63.0	45.0	19.1	-
1953 19-2 28-4 62-9 112.1(135.0)159.8 148.8 141.3 101.7 72-3 34.1 23.6 1039.2 本		19.2	25.3	10.4	102.5		-		145.9	93.8	70.0	34.4	20.4	_
1936 0.7 1.1 3.0 5.6 9.5 8.6 7.0 8.0 4.2 3.5 2.2 0.9 9.5 13,26 26 31 28 12 28 18 8 7 2 3 3 12/5 1937 0.7 1.3 7.1 7.0 8.3 8.0 6.7 7.5 5.6 4.4 2.5 1.6 8.3 1938 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 1940 0.6 1.0 2.1 5.3 8.8 7.2 7.3 9.6 5.9 4.5 3.4 0.9 9.6 1,4 27 25 30 1 12 3 21 4 23 3 4 21/8 1941 0.8 1.1 (3.3) 6.6 - 9.8 9.7 8.0 5.5 5.1 2.7 1.2 9.8 17 18,21 18 30 - 16,17 19 2 8 3 5 3 16,176 1942 1.1 1.9 6.1 7.2	1953	19.2	28.4	62.9	112.1	(135.0)	159.8	148.8	141.3	101.7	72.3	34.1	23.6	1039.2
1936 0.7 1.1 3.0 5.6 9.5 8.6 7.0 8.0 4.2 3.5 2.2 0.9 9.5 13,26 26 31 28 12 28 18 8 7 2 3 3% 12/5 1937 0.7 1.3 7.1 7.0 8.3 8.0 6.7 7.5 5.6 4.4 2.5 1.6 8.3 1938 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 -	平 均	16.5	20.3	47-4	99.2	137.9	141.4	127.6	141.2	94.7	69.4	44.5	21.2	961.4
13,26 26 31 28 12 28 18 8 7 2 3 3次 12/5 0.7 1.3 7.1 7.0 8.3 8.0 6.7 7.5 5.6 4.4 2.5 1.6 8.3 1938 1.0 1.5 4.5 6.7 9.0 9.0 8.2 6.5 3.4 4.0 1.4 1940 0.6 1.0 2.1 5.3 8.8 7.2 7.3 9.6 5.9 4.5 3.4 0.9 9.6 1.4 27 25 30 1 12 3 21 4 23 3 4 21/8 1941 0.8 1.1 (3.3) 6.6 - 9.8 9.7 8.0 5.5 5.1 2.7 1.2 9.8 17 18,21 18 30 - 16,17 19 2 8 3 5 3 16,17/6 1942 1.1 1.9 6.1 7.2						— E	最大利	蒸发量	(毫米)					70.
1937				1										
1938								-						
1940 30 25 21 21 22 12 1 3 25 9 1,25						_				3				8/5
H	Ħ	30	25	21	21	22	12	1	3	25	9		-	
1941 0.8 1.1 (3.3) 6.6 - 9.8 9.7 8.0 5.5 5.1 2.7 1.2 9.8 17 18,21 18 30 - 16,17 19 2 8 3 5 3 16,176 1942 1.1 1.9 6.1 7.2														
1942	1941	0.8	1.1	(3.3)	6.6	-	9.8	9.7	8.0	5.5	5.1	2.7	1.2	9.8
日 31 28 31 24		17			30	-	16,17	1 19	2	8	3	5	3	16,17/6
1952						-	-		-	-	-	-		
1953	1952	-							9.7	5.4	4.4	2.4	1.2	
9 27 21,31 27 10,14 27 9 3 16 1 7 1 27/6 価値 1.5 1.9 7.1 8.6 9.5 9.8 9.7 9.7 5.9 5.1 3.4 1.8 9.8 男 9 28 30 27 12 3ま 19 20 4 3 3 1 3次/6 年 份 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 .941 1953 第 利						-	0.8	8.6	20	30	13	2	14	
日 期														
日期 9 28 30 27 12 3ま 19 20 4 3 3 1 3次代 年 份 1953 1942 1937 1953 1936 1941 1941 1952 1940 1941 1940 1953 .941 1953 第 利	_	1.5	1.9	7.1	8.6	9.5	9.8	9.7	9.7	5.9	5.1	3.4	1.8	9.8
初利		9	28	30	27	12	3#	19	20	4	3	3	1	31×/E
勃利	7 07	1973	1942	1931	1953	1936		1941	1952	1940	1941	1940	1953	
蒸发量(老米) 1938 30.6 34.4 111.2 156.8 192.6 213.9 218.0 135.5 89.1 106.9 54.5 30.7 1374.2 1939 29.3 50.5 82.6 132.5 198.1 123.2 157.1 175.6 84.7 100.2 57.1 29.9 1220.8														
1938 30.6 34.4 111.2 156.8 192.6 213.9 218.0 135.5 89.1 106.9 54.5 30.7 1374.2 1939 29.3 50.5 82.6 132.5 198.1 123.2 157.1 175.6 84.7 100.2 57.1 29.9 1220.8		勃	利				Ø = 4	15 46 1	1 λ-	130 3	E H	- 224.	5 M	
1938 30.6 34.4 111.2 156.8 192.6 213.9 218.0 135.5 89.1 106.9 54.5 30.7 1374.2 1939 29.3 50.5 82.6 132.5 198.1 123.2 157.1 175.6 84.7 100.2 57.1 29.9 1220.8						荥	1	旦,	to all 3					
1939 29.3 50.5 82.6 132.5 198.1 123.2 157.1 175.6 84.7 100.2 57.1 29.9 1220.8	1938	30.6	34.4	111 2	156 8					80.3	106.0	5 A E	20.7	1274 0
1940 31.0 45.8 93.7 145.7 221.5 157.3 183.0 151.7 124.8 121.3 55.4 31.6 1362.8	1939	29.3	50.5	82.6	132.5	198.1	123.2	157.1	175.6	84.7	100.2	57.1		
	1940	31.0	45.8	93.7	145.7	221.5	157.3	183.0	151.7	124.8	121.3	55.4		1362.8

e						_								
I	年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
I	1941	21.5	35.5 38.2	73.3 108.6	119.7	-	191.2	146.1	122.3	129.9	83.5	65.9	32.6	
۱	作划	30.3	43.6	95.8	145.0			186.0		99.5	109.5	55.7	30.7	1319.3
ı	1938	1.7	2.8	7.0	10.0	13.4	12.8	发量。 10.0 26	9.6	5.9	6.6	4.1	1.4	13.4
ı	1939 H	15, 29	23 2.9 23	19 4.6 31	10.6	14 14.8 31	9.2	8.6	8.4 11	3 5.9 28	6.5	4.4	1.9	14/5 14.8 31/5
ı	1940	1.7	2.6	6.1	10.9	12.3	8.6	8.9 15 (8.5	8.0	7.0 19 (8.3)	9.1 14 6.8	3.6	1.8	, -
1	1941 H 1942	1.3 20 1.9	2.2 25 3.9	4.3 12 8.3	10.7 30 9.9	-	9.1	18	22	17	3	4.2	2.0	-
l	田 航	20, 31	22	12	24	74.8	10.8	10.0	0.6	8.3	-	4.4	-	74.8
ı	日 切年 份	1.9 20,31 1942	3.9 22 1942	8.3 12 1942	10.9 22 1940	14.8 31 1939	12.8	10.0 26 1938	9.6 3 1938	8.3 17 1941	9.1 14 1940	1939	2.0 18 1941	14.8 31/5 1939
١			哈爾德	Ř			φ = .	45°45′1	r λ=	126°38	B'R H	i= 145.	1 M	
۱						燕	发	量(毫米)					
ı	1931	23.5	12.9	74.4	136.0	218.2	222.9	124.3	141.2	101.0 109.0 116.5	65.6	54.2	27.5	1065.2
l	1933 1934 1935	(23.3) 21.0 14.1	25.4 33.2 31.6	59.6	135.4		178.5	115.8		86.3	74.5	30.4 43.0 31.2	25.2 20.6 25.6	1274.4
ı	1936	22.0	24.1	56.5	134.0	229.9	199.1	152.7	138.5	123.3	82.4	46.0	26.2	1138.9
١	1938 1939 1940	19.9 17.9 15.7	20.7 33.8 32.5	75-3	166.9	226.8	161.0	166.3 169.8 191.4	186.1	96.9	90.1 101.6 97.2	44.3 48.1 32.7	21.7 20.9 16.8	1233.7 1305.1 1307.6
ı	1941 1942	15.4		107.1		_	-	178.2	***	-	79.1	55.7	18.5	-
ı	1949 1950 1951	21.0 20.9 21.9	27.8 29.5 32.5	80.9	189.7	188.0	176.2	194.4 158.2 181.6	153.9	109.5	74.7 85.5 69.4	28.5 42.4 47.1	20.6 19.7 28.9	1194.4 1254.4 1195.9
ı	1952 1953	21.9	31.0 35.7								95.1 (67.0)		21.1	1266.1 1116.2
١	平 均	19.8	28.5	69.8	140.8			167.9		104.3	83.4	41.6	21.1	1207.7
1	1931	1.0	0.8	1.9	5.8			10.0	名本 7 8.9	7.6	5.6	3.4	1.0	11.2
1	Ħ	4	26	9	24	21	23	31	29	23	3	16	2,3	21/5
1	1932	1.5	_	4.7	12.9	16.0	11.8	11.9	6.4	5.9	4.0	2.9	2.1	1111
1	1933	1.5	1.8	4.7	8.3	16.2	11.1	9.7	7.9	6.4	3.7	3.0	2,6	16.2 23/5
	1934 H	2,3,7	1.6	3.3	7.3	12.7	10.6	6.6	4.9	5.1	4.9	3.9	1.5	12.7
	1935	1.0	2.6	4.4	9.9	13.0 23	8.5	1 -	2.9	5.3	4.7	16 2.0 17	7,8 1.4 5	4/5
1	1936 E	1.1	1.4	3.1	7.5 28	12.0	11.6	8.8	7.5	5.9	5.0	3.0	1.6	12.0 9/5
1	1937	1.0	1.8	2.7	8.2	12.2	12.1	9.8	6.4	6.9	5.5	4.4	1.1	12.2
-	1938	0.9	1.5	6.1	13.1	12.6	12.4	8.7	7.4	5.4	4.6	4.0	1.2	13.1
1	1939	1.0	2.7	3.6	11.1	14.1	8.8	9.3	10.2	6.9	5.0	4.9	1.4	14.1
	1940 H	9,24	25 2.0 18,2	30 6.2 3 24	10 13.6 30	31 16.2 10	30 9.7 21	18 8.9 27	9 7•4 15	28 7•5 23	6.1	6 2.7 3	29,30 1.0 30	31/5 16.2 10/5
L														

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941 H 1942	1.1 17 1.3	1.8 18 2.5	2.9 27 10.2	14.1 30 10.0		12.2	11.2	7.1	6.6	(8,2)	4.5	(1.2)	-
1949 E	31 1.1 27	21 1.5 22,27	3.6 30	30 10.2 17	15.0	(15.7)	31	8.1	5.4	(4.9)	2.8	1.1	15.7 8/6
1951 H 1952	1.3 18,28 1.2	3.5 20 2.2	3.8 30 5.2	9.1 26 11.4	16.5	11.1 27 17.9	9.9 12,18 8.6	8.4 10 7.5	6.0 20 6.5	4.1 6,14 5.8	2.8 19 2.8	2.0 12 1.6	16.5 2/5 17.9
1953	22,23	29 3.8	13	5	13	9	7.4	13 7.5	7 5.8	13	3.1	11	9/6
31	9	27	21	7	7	15	1	15	16	1	30	1	7/5
極期年份	1.5 3x 1932 4933	3.8 27 1953	10.2 12 1942	14.1 30 1941	16.5 2 1951	17.9 9 1952	11.9 17 1932	10.2	7.6 - 23 1931	8.2 3 1941	4.9 6 1939	2.1 10 1932	17.9 9/6 1952
	100	密山				φ	45°33'1	λ-	131°45	'B. 'H	= 134.	4 M	
			-		蒸	发	量((老米)					
1937 1938 1939 1940 1941	16.1 24.4 21.4 19.9 19.4	23.9 27.0 43.9 32.1 28.1	72.6	116.8	156.8	166.6 125.7 126.9	144.4 200.6 165.5 157.1 106.6	123.0 195.8	79.1	75.1 77.4 81.2 84.8 61.6	47.7 47.4 44.6 43.9 44.2	24.3 22.7 23.6 22.7 21.9	942.2 1106.5 1123.2 1093.5
1942	23.8	31.8	81.6	97.2		~	-	~	_	-	-	-	
平均	20.5	31.7	64.2	106.6			166.9			79.6	45.9	23.3	1066.4
1937	1.1	1.7	2.3	(5.7)	(6.9)	最大.	蒸发量7.4	(老米)	5.2	(6.2)	(2.7)	1.2	7.5
1938 H	1.4	23 1.6 27	4 4.3 30	7.3 19	9.5 3	9.7 4	5 11.0 26	7.5	4.7	11 4.3 28	5 2.9 11	30	17/6 11.0 26/7
1939 H	1.2	2.9	3.9	6.7	7.4 31	7.4	7.9	3,4 8.6 16	5.3 16	5.2	3.0	3x 1.3 25	8.6
1940 H 1941	1.0 30 0.9	1.8 3x 1.5	5.7 25 3.4	6.7 30 5.5	11.1	7.3	11	6.7 1,16 6.8	6.6 30 (5.3)	5.5	2.8	1.2	2/5
1741	17,21		28	30	-	7.4	5.7	3	7	16	3.0	1	-
1942	1.2 3tt	2.1	5.4	(9.0)		-	ma ma	-	_	m-r m-r		-	-
極 値 期 份	1.4 17 1938	2.9 23 1939	5.7 25 1940	9.0 27 1942	11.1 2 1940	9.7 4 1938	11.0 26 1938	8.6 16 1939	6.6 30 1940	6.2 11 1937	3.0 7,2 1939	1.4 3x 1938	11.1 2/5 1940
		雞 西		- 3		m-	45 17 1	1 3-	130 57	יט פי	1941	9 W '	
-		708 8-			. ,		45 17 1		130 71	L A	- 510		
1949	50.4	36.1	-				170.7			78.7	30.7	14.1	-
1950 1951 1952	12.0 29.6 27.1	20.3 (29.9) 32.6	63.9	110.0	213.6	121.1	145.4	136.5	125.2 (68.7) (87.2)		52.5 45.7 43.7	28.4 39.7 32.2	1254.6 1069.0 1119.8
1953	23.2	41.8	76.5	137.9	155.5	174.5	151.5	170.7	130.4	90.6	33.5	22.0	1208.1
	2 300	31.02	10.0	130.0			蒸发量		102,9	00.7	43.9	30.6	1162.9
1949	5.0	1.9	-	-	9.8	6.2	9.1	9.0	5.5	(6.0)	6	4	-
1950 H 1951	1.1 27 1.5	1.9 24 1.6	3.9 30 3.9	13.2 10 8.8	9.8 3,14		10.0 3 6.8	7.9 30 6.8	7.7 10 5.6	4.7 3x 5.4	5.3 3.0	2.1	13.2 10/4 14.0
Ħ	23,27		23	6	12	20	4,24		1	7	4	20	12/5

			_										
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	1.6	1.7	4.2	9.9						4.2	2.7	1.8	19.0
H	22	20	14	5	13	13	18	30	9	6	4	14	13/5
1953	1.4	4.0	6.3	10.6	11.6	11.1	8.2	8.7	7.2	7.6	4.0	3.1	8/5
	24	20				30	-	-1	,	-	,	-	0/)
極値	5.0	4.0	6.3	13.2	19.0	11.1	10.0	9.0	7.7	7.6	5.3	4.5	19.0
日 朔		28	22	10	13	30	3	11	10	1	3	20	13/5
年 份	1949	1953	1953	1950	1952	1953	1950	1949	1950	1953	1950	1951	1952
	台	志高新	首子			φ _m	44 50	H 2-	128°5	1 B . I	I= 689.	.1 M	
					※	发	#	(老米)					
1938	13.4	19.5	94-1	135.9	141.2	183.1			76.4	84.9	46.2	22.5	1091.3
1939	18.4	23.9				106.8					34.8	19.9	932.8
1940	14.8	27.0							105.9	81.9	33.3	27.0	1005.7
1941	26.0	34.9	56.7	73.3		-	-	-	-	ma	-	-	040
平 均	15 6	03.6	67 7	115 1	355 6	220 5	3 43 6	3.00	00.0	00 (20 2		
-t- 10	15.5	23.5	0101	112.1		139-5			82.3	87.6	38.1	23.2	1009.9
					E	最大素	集发量	(毫米)					
1938	1.0	2.2	7.3	9.4		10.2	9.2		6.5	5.5	3.0	1.4	10.3
H	17	26	17	29	14	2	30	2	9	1	1	20	14/5
1939	1.5	1.5	2.6	7.5		7.1	7.8	7.0	4.5	9.1	2.7	1.4	10.0
1940	0.9	24	30 4.2	10.0	31 12.6	16 7.7	19 8.0	26 6.2	6.4	5.2	2,11		31/5
H	21	10	25	30	10	20	3	7	30	2,3	2.7	2.1	12.6
1941	1.8	2.1	3.8	5.2	_	-	_	-	_		-	-	20/)
B	17	8,22	20	30	-	_	946	-	-	-	-	-	-
in Ak	1.8	2.2	7 2	30.0	30.6	30.0			/ -				
極頻	17	26	7.3	10.0	12.6	10.2	9.2	7.8	6.5	9.1	3.0	2.1	12.6
年 4	1941	1938	1938	1940	1940	-	1938	1938	1938	1939	1938	1940	10/5
									-, -,	-, -,	-, 5-	->-	1,40
										,			1,40
		牡丹江					44°35'		129°36	,	- 240.		1,40
						φ _m	44°35'	N λ=		,			2740
		牡丹江	•		蒸	%	44°35'	N A=	129 °36	'R H	= 240.		2740
1937	17.6	牡丹江	48.6	101.5	蒸 227.5	安 发 165.7	44°35'3	a λ= 来米)	129°36	94.5	- 240. 66.9	3 M	1266.0
1938	17.6 23.8	牡丹江 26.0 32.6	48.6 112.1	101.5	<u>蒸</u> 227.5 200.5	安- 发 165.7 206.3	量(195.5 250.9	水 水米) 154.0 144.1	129°36	94.5 80.1	- 240. 66.9 50.2	3 N 25.4 22.8	1266.0 1406.6
	17.6 23.8 25.1	牡丹江 26.0 32.6 47.0	48.6 112.1 92.3	101.5 187.0 136.2	蒸 227.5 200.5 173.3	发 165.7 206.3 137.7	量(195.5 250.9	水 本米) 154.0 144.1 167.4	129 36 142.8 96.2 76.2	94.5 80.1 108.3	66.9 50.2 40.1	3 M 25.4 22.8 24.8	1266.0 1406.6 1202.8
1938 1939	17.6 23.8	牡丹江 26.0 32.6	48.6 112.1 92.3 87.3	101.5 187.0 136.2 127.6	蒸 227.5 200.5 173.3 190.1	发 165.7 206.3 137.7 149.9	量(195.5 250.9 174.4 175.9	東米) 154.0 144.1 167.4 149.3	129 36 142.8 96.2 76.2 120.9	94.5 80.1 108.3 83.9	66.9 50.2 40.1 39.1	3 M 25.4 22.8 24.8 23.8	1266.0 1406.6 1202.8 1206.4
1938 1939 1940 1941	17.6 23.8 25.1 23.5 18.0	牡丹江 26.0 32.6 47.0 35.1 29.0	48.6 112.1 92.3 87.3 53.3	101.5 187.0 136.2 127.6 107.9	蒸 227.5 200.5 173.3 190.1 161.7	发 165.7 206.3 137.7 149.9 165.4	量(195.5 250.9 174.4 175.9 155.5	x 米)154.0144.1167.4149.3120.7	142.8 96.2 76.2 120.9 116.2	94.5 80.1 108.3 83.9 57.3	66.9 50.2 40.1 39.1 50.0	25.4 22.8 24.8 23.8 26.3	1266.0 1406.6 1202.8 1206.4 1061.3
1938 1939 1940 1941	17.6 23.8 25.1 23.5 18.0	牡丹河 26.0 32.6 47.0 35.1 29.0	48.6 112.1 92.3 87.3 53.3	101.5 187.0 136.2 127.6 107.9	蒸 227.5 200.5 173.3 190.1 161.7	发 165.7 206.3 137.7 149.9	量(195.5 250.9 174.4 175.9 155.5	x 米)154.0144.1167.4149.3120.7	142.8 96.2 76.2 120.9 116.2	94.5 80.1 108.3 83.9	66.9 50.2 40.1 39.1	3 M 25.4 22.8 24.8 23.8	1266.0 1406.6 1202.8 1206.4
1938 1939 1940 1941 1942 1943	17.6 23.8 25.1 23.5 18.0 28.7 29.8	26.0 32.6 47.0 35.1 29.0 41.8 46.6	48.6 112.1 92.3 87.3 53.3	101.5 187.0 136.2 127.6 107.9	蒸 227.5 200.5 173.3 190.1 161.7	发 165.7 206.3 137.7 149.9 165.4	量(195.5 250.9 174.4 175.9 150.7	来来) 154.0 144.1 167.4 149.3 120.7	142.8 96.2 76.2 120.9 116.2	94.5 80.1 108.3 83.9 57.3	66.9 50.2 40.1 39.1 50.0	25.4 22.8 24.8 23.8 26.3	1266.0 1406.6 1202.8 1206.4 1061.3
1938 1939 1940 1941	17.6 23.8 25.1 23.5 18.0	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4	48.6 112.1 92.3 87.3 53.3 96.0	101.5 187.0 136.2 127.6 107.9	蒸 227.5 200.5 173.3 190.1 161.7 201.9	发 165.7 206.3 137.7 149.9 165.4 176.5	量(195.5 250.9 174.4 175.9 155.5	***) 154.0 144.1 167.4 149.3 120.7	129°36 142.8 96.2 76.2 120.9 116.2	94.5 80.1 108.3 83.9 57.3 82.5 68.8	66.9 50.2 40.1 39.1 50.0 53.8	25.4 22.8 24.8 23.8 26.3 24.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0
1938 1939 1940 1941 1942 1943 1949	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4	26.0 32.6 47.0 35.1 29.0 41.8 46.6	48.6 112.1 92.3 87.3 53.3 96.0	101.5 187.0 136.2 127.6 107.9 130.5	蒸 227.5 200.5 173.3 190.1 161.7 201.9	发 165.7 206.3 137.7 149.9 165.4 176.5	量(195.5 250.9 174.4 175.9 155.5 150.7	*** 154.0 144.1 167.4 149.3 120.7 119.1	129 36 142.8 96.2 76.2 120.9 116.2	94.5 80.1 108.3 83.9 57.3 82.5 68.8 86.0	66.9 50.2 40.1 39.1 50.0 53.8 -25.6 50.2	25.4 22.8 24.8 23.8 26.3 24.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0
1938 1939 1940 1941 1942 1943 1949 1950 1951	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8	48.6 112.1 92.3 87.3 53.3 96.0 55.2 67.2 61.5	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6	蒸 227.5 200.5 173.3 190.1 161.7 201.9 - 206.4 172.1 230.1	发 165.7 206.3 137.7 149.9 165.4 176.5 - 162.1 166.0 120.0	量(195.5 250.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9	***) 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2	129 36 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6	66.9 50.2 40.1 39.1 50.0 53.8	25.4 22.8 24.8 23.8 26.3 24.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0
1938 1939 1940 1941 1942 1943 1949 1950 1951	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8	48.6 112.1 92.3 87.3 53.3 96.0 - 55.2 67.2 61.5	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6	蒸 227.5 200.5 173.3 190.1 161.7 201.9 206.4 172.1 230.1	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0	量(195.5 250.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9	 *** 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 	129°36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0	94.5 80.1 108.3 83.9 57.3 82.5 68.8 86.0 63.6	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7	1266.0 1406.6 1202.8 1206.4 1061.3 1214.6
1938 1939 1940 1941 1942 1943 1949 1950 1951	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8	48.6 112.1 92.3 87.3 53.3 96.0 - 55.2 67.2 61.5	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6	蒸 227.5 200.5 173.3 190.1 161.7 201.9 206.4 172.1 230.1	发 165.7 206.3 137.7 149.9 165.4 176.5 - 162.1 166.0 120.0	量(195.5 250.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9	 *** 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 	129°36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0 1207.6 1289.9 1148.3
1938 1939 1940 1941 1942 1943 1949 1950 1951	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8	48.6 112.1 92.3 87.3 53.3 96.0 55.2 67.2 61.5 75.1 75.9	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6	蒸 227.5 200.5 173.3 190.1 161.7 201.9 - 206.4 172.1 230.1 221.1 142.8	次 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0	量(150.9 174.4 175.9 175.5 150.7 202.7 152.9 176.9 164.5 148.1	***) 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 143.9	142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0 - 1207.6 1289.9 1148.3
1938 1939 1940 1941 1942 1943 1949 1950 1951	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8	48.6 112.1 92.3 87.3 53.3 96.0 55.2 67.2 61.5 75.1 75.9	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6	蒸 227.55 200.55 173.3 190.1 161.7 201.9 206.4 172.1 230.1 221.1 142.8	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 177.7 154.0	# (195.5) 250.9 174.4 175.9 155.5 150.7 2022.7 152.9 176.9 164.5 148.1	***) 154.0 144.1 167.4 149.3 120.7 119.1 164.2 126.7 143.9	142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5	94.5 80.1 108.3 83.9 57.3 82.5 68.8 86.0 63.6	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7	1266.0 1406.6 1202.8 1206.4 1061.3 1214.6
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6	26.0 32.6 47.0 35.1 29.0 41.8 48.6 16.4 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 55.2 67.2 61.5 75.1 75.9	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6	蒸 227.55 200.55 173.3 190.1 161.7 201.9 206.4 172.1 230.1 221.1 142.8 193.4	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 177.7 154.0	量(195.5) 250.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9 164.5 148.1	来来) 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 143.9	129 36 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6 74-4 72-3 79-2	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7	1266.0 1406.6 1202.8 1206.4 1061.3 1214.6
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953 4: #)	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6 108.3 124.7	蒸 227.55 200.5 173.3 190.1 161.7 201.9 - 206.4 172.1 142.8 193.4 - 日 15.5	发 165.7 206.3 137.7 149.9 165.4 176.5 - 162.1 166.0 120.0 177.7 154.0 161.9 最大素	量(5 250.9 174.4 175.9 155.5 150.7 202.7 176.9 164.5 148.1 177.1 发量	***) 154.0 144.1 167.4 149.3 120.7 119.1 164.2 126.7 143.9 154.6 (毫米) 7.8	129 36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6 74-4 72-3 79-2	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 55.2 67.2 61.5 75.1 75.9 75.0	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6 108.3 124.7 130.6	蒸 227.55 200.5 173.3 190.1 161.7 201.9 - 206.4 172.1 230.1 142.8 193.4 - 日 15.5 23	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 161.9 最大素 9.2 25	量(5 1950.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9 164.5 148.1 177.1 发量	***) 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 143.9 154.6 (毫米) 7.8 8	129 36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6 74-4 72-3 79-2	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0 1207.6 1289.9 1148.3 1172.9 1076.4 1204.7
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953 4: ±)	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6 108.3 124.7	蒸 227.55 200.5 173.3 190.1 161.7 201.9 - 206.4 172.1 142.8 193.4 - 日 15.5	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 177.7 154.0	量() 195.5 250.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9 164.5 148.1 177.1 发量 9.3 5	***) 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 143.9 154.6 (毫米) 7.8 8 9.8	129 36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3	94.5 80.1 108.3 83.9 57.3 82.5 68.8 86.0 63.6 74.4 72.3 79.2	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.6 1207.6 1289.9 1148.3 1172.9 1076.4 1204.7
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953 4: ±)	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 230.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6 108.3 124.7 130.6	蒸 227.5 200.5 173.3 190.1 161.7 201.9 - 206.4 172.1 230.1 221.1 142.8 193.4 - 日 15.5 23 16.7 14	发 165.7 206.3 137.7 149.9 165.4 176.5 -162.0 120.0 177.7 154.0 161.9 最大素 25 11.1	量(5 250.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9 164.5 148.1 177.1 集 9.3 5 5 12.5 26 8.4	***) 154.0 144.1 167.4 149.3 120.7 119.1 164.2 126.7 143.9 154.6 (毫米) 7.8 8 9.8 5 7.9	129 36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6 74-4 72-3 79-2	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953 4: #)	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 55.2 67.2 61.5 75.1 75.9 75.0 2.7 29 7.7	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6 108.3 124.7 130.6	蒸 227.5 200.5 173.3 190.1 161.7 201.9 - 206.4 172.1 230.1 142.8 193.4 - 日 15.5 23 16.7 14	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 177.7 154.0 161.9 最大素 9.2 25 11.1 4 7.9	量(5) 250.9 174.4 175.9 155.5 150.7 202.7 1762.9 176.9 164.5 148.1 177.1 发量 9.3 5 12.5 26 8.4 3**	***) 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 143.9 154.6 (毫米) 7.8 8 9.8 5 7.9 7	129 36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6 74-4 72-3 79-2 5-8 31 4-7 28 8-0 13	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0 1207.6 1289.9 1148.3 1172.9 1076.4 1204.7
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953 4: #J	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 108.3 124.7 130.6	素 227.55 200.5 173.3 190.1 161.7 201.9 206.4 172.1 230.1 221.1 142.8 193.4 一日 15.5 23 16.7 14 10.2 16 11.8	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 177.7 154.0 161.9 最大素 9.2 25 11.1 4 7.9 1	量() 195.5 250.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9 164.5 148.1 177.1 次量 9.3 5 12.5 26 8.4 37	***) 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 143.9 154.6 (毫米) 7.8 8 9.8 5 7.9 7.1	129°36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3	94.5 80.1 108.3 83.9 57.3 82.5 68.8 86.0 63.6 74.4 72.3 79.2	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0 6.6 5 4.4 1 3.3 2.4	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0 1207.6 1289.9 1148.3 1172.9 1076.4 1204.7
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953 4: #)	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9	26.0 32.6 47.0 35.1 29.0 41.8 46.6 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 -5.2 67.2 61.5 75.1 75.9 75.0 2.7 29 7.7 19 6.0 30 50 50 50 50 50 50 50 50 50 50 50 50 50	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6 108.3 124.7 130.6	蒸 227.5 200.5 173.3 190.1 161.7 201.9 206.4 172.1 230.1 221.1 142.8 193.4 一日 15.5 23 16.7 14 10.2 16 11.8	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 177.7 154.0 161.9 最大素 9.2 25 11.1 4 7.9 1 9.9 8	量(5 250.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9 164.5 148.1 177.1 是 9.3 5 5 12.5 26 8.4 38 10.9	************************************	129 36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6 74-4 72-3 79-2 5-8 31 4-7 28 8-0 13 5-7 5	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0 6.6 5 4.1 3.3 2 2.5 4.5	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.6
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953 4: #)	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 108.3 124.7 130.6	素 227.55 200.5 173.3 190.1 161.7 201.9 206.4 172.1 230.1 221.1 142.8 193.4 一日 15.5 23 16.7 14 10.2 16 11.8	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 177.7 154.0 161.9 最大素 9.2 25 11.1 4 7.9 1	量(5 195.5) 250.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9 164.5 117.1 2 9.3 5 12.5 26 8.4 38,10.9 3 8.0	***) 154.0 144.1 167.4 149.3 120.7 119.1 164.2 126.7 143.9 154.6 (寒米) 7.8 8 9.8 8 5 7.9 7 7.1 16.7	129 36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3 7.8 3 6.5 9 4.9 16 6.7 30 5.9	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6 74-4 72-3 79-2 5-8 31 4-7 28 8-0 13 5-7 5-7 4-5	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0 6.6 5 4.4 1 3.3 2 2.5 4.5 3.8	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953 4: #) 1937 # 1938 # 1949 1940 # 1940	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9 1.2 31 1.5 29 1.2 20.9 21	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 55.2 67.2 61.5 75.1 75.9 75.0 2.7 29 7.7 19 6.0 30 5.0 25 3.7 20	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 108.3 124.7 130.6 8.5 30 13.7 2 8.4 29 9.5 30 6.4 12	蒸 227.55 200.5 173.3 190.1 161.7 201.9 206.4 172.1 230.1 221.1 142.8 193.4 一日 15.5 23 16.7 14 10.2 11.8 2 11.1	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 177.7 154.0 161.9 最大素 9.2 25 11.1 4 7.9 8 9.2 27	250.9 174.4 175.9 175.9 175.9 155.5 150.7 202.7 152.9 176.9 164.5 148.1 177.1 次星 9.3 5 12.5 26 8.4 38 10.9	***) 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 143.9 154.6 (毫米) 7.8 8 9.8 5 7.9 7.1 11 6.7 29	129 36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3 7.8 3 6.5 9 4.9 16.7 30 5.9 4	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6 74-4 72-3 79-2 5-8 31 4-7 28 8-0 13 5-7 5	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0 6.6 5 4.1 3.3 2 2.5 4.5	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.6
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953 4	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9 1.2 5 1.2 2 0.9 21	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 2 67.2 61.5 75.1 75.9 75.0 2.7 29 7.7 19 6.0 30 5.2 53.7 20 7.3	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 115.6 108.3 124.7 130.6	蒸 227.5 200.5 173.3 190.1 161.7 201.9 206.4 172.1 230.1 221.1 142.8 193.4 一日 15.5 23 16.7 14 10.2 16 11.1 17	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 177.7 154.0 161.9 最大素 9.2 25 11.1 4 7.9 1 9.9 8 9.2 27	量(5 195.5) 250.9 174.4 175.9 155.5 150.7 202.7 152.9 176.9 164.5 148.1 177.1 26 8.4 3x 10.9 3 8.0 4	ま来) 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 143.9 154.6 (寒米) 7.8 8 9.8 8 9.8 7.9 7.1 11 6.7 29 6.1	129 36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3 7.8 3 6.7 9 4.9 16.7	94-5 80-1 108-3 83-9 57-3 82-5 68-8 86-0 63-6 74-4 72-3 79-2 5-8 31 4-7 28 8-0 13 5-7 5-7 5-8	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0 6.6 5 4.4 1 3.3 2 2.4 5 3.8 5 3.8 5	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.6
1938 1939 1940 1941 1942 1943 1950 1951 1952 1953 4: #) 1937 # 1938 # 1949 1940 # 1940	17.6 23.8 25.1 23.5 18.0 28.7 29.8 14.4 23.0 26.0 28.1 23.6 22.9 1.2 31 1.5 29 1.2 20.9 21	26.0 32.6 47.0 35.1 29.0 41.8 46.6 16.4 26.2 30.8 34.7 41.6 32.8	48.6 112.1 92.3 87.3 53.3 96.0 55.2 67.2 61.5 75.1 75.9 75.0 2.7 29 7.7 19 6.0 30 5.0 25 3.7 20	101.5 187.0 136.2 127.6 107.9 130.5 116.3 180.6 108.3 124.7 130.6 8.5 30 13.7 2 8.4 29 9.5 30 6.4 12	蒸 227.55 200.5 173.3 190.1 161.7 201.9 206.4 172.1 230.1 221.1 142.8 193.4 一日 15.5 23 16.7 14 10.2 11.8 2 11.1	发 165.7 206.3 137.7 149.9 165.4 176.5 162.1 166.0 120.0 177.7 154.0 161.9 最大素 9.2 25 11.1 4 7.9 8 9.2 27	250.9 174.4 175.9 175.9 175.9 155.5 150.7 202.7 152.9 176.9 164.5 148.1 177.1 次星 9.3 5 12.5 26 8.4 38 10.9	***) 154.0 144.1 167.4 149.3 120.7 119.1 198.3 213.1 164.2 126.7 143.9 154.6 (毫米) 7.8 8 9.8 5 7.9 7.1 11 6.7 29	129 36 142.8 96.2 76.2 120.9 116.2 107.6 122.0 130.6 84.0 102.1 114.5 110.3 7.8 3 6.5 9 4.9 16.7 30 5.9 4	94.5 80.1 108.3 83.9 57.3 82.5 68.8 86.0 63.6 74.4 72.3 79.2	66.9 50.2 40.1 39.1 50.0 53.8 25.6 50.2 41.6 34.5 21.3 43.0 6.6 5 4.4 1 3.3 2 2.4 5 3.8 5	25.4 22.8 24.8 23.8 26.3 24.9 19.4 22.0 34.0 25.7 13.7 23.9	1266.0 1406.6 1202.8 1206.4 1061.3 1214.0 1207.6 1289.9 1148.3 1172.9 1076.4 1204.7 15.5 23/5 16.7 14/5 10.2 16/5 11.8 2/5 11.1

1 1				1									
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1943 B	1.7	2.8	-	-	~~	per	-				-	***	
1949 H	0.9	1.8	3.1	8.5	19.2	11.3	10.1	11.2	6.6	5.0	2.1	1.0	19.2
1950	1.4	1.5	3.8	12.2	9.4	8.7	8.5	9.2	6.4	4.3	4.8	1.2	12.2
1951	1.6	1.8	3.9	9.3	14.2	8.4	10.5	8.6	4.6	4.7	2.5	2.2	14.2
H	28,29	13	31	5	6	24	8	δ	3×	7	9	12	6/5
1952	1.3 3%	2.2	13	10.3	14.7	12.0	8.9	7.0	5.6	4.3	2.5	1.2	14.7
7.953	1.6	4.5	4.9	10.3	10.4	9.5	7.8	7,8	6.8	5.6	1.9	2.1	8/5
極値	1.7	4.5	7.7	13.7	19.2	12.0	12.5	11.2	7.8	8.0	6.6	2.2	19.2
日期	13	27 1953	19 19 38	1938	1949	13	26 1938	6 1949	1937	13	5 1937	12	9/5
	-743	-,,,,	-, 3-	-/3-	-, 4,		7.3				-, 5.	-,,-	-/ 4/
		綏芬河	I			φ= /	44 23 1	ų λ=	131°09	'B H	= 512.	4 M	
					蒸	发	量(毫米)					
1936	20.7	23.4					132.6		90.5	83.1	40.1 57.9	27.1	978.9
1938	25.5 18.8	32.7 36.8	96.3	136.9	141.1	160.2		97.5	64.3	68.8	38.7	17.4	1092.7
1940	18.5	38.7	87.6	132.7	193.8	114.7	163.4	132.0	128.3		43.0	28.2	1185.5
1941	24.2	33.0	55.7			174.8		90.1	95.5	65.2	59.7	27.9	1008.2
1942	33.1	38.8	91.0	133.0		10001	131.1	-	95.8	95.1	54.3	-	1164.6
1952 1953	24.7	43.5	74.8	119.7	135.6	134.8	127.2	108.0	92.0 (105.3)	83.0	42.1	31.9	1035.7
平 均	23.2	35.3	74.1	119.5	159.1	141.8	152.5	125.9	94.2	81.8	47.2	26.8	1081.3
	60	1	00				族发量						
1936	1.2	1.5	3.3	30	10.3	7.9	7.5	6.4	5.1	4.4	2.8	1.5	10.3 12/5 8.8
1937	3,18	3.6	3.1	7.4	3.8	7.1	7.5	6.6	5.7	4.1	4.3	1.3	10/5
1938	1.3	2.4	5.6	9.1	8.1	10.7	12.0	7.9	4.0	4.2	3.6	1.1	12,0
1939 H	1.2	2.2	4.2	9.0	10.4	9.1	10.2	8.3	4.2	5.4	3.4	2.9	10.4
1940	1.4	2.3	5.1	9.0	12.5	7.2	8.3	7.3	8.0	6.5	3.3	1.8	12.5
(773)	2		25		1		3	1	24	3	1	14, 30	
1941	1.9	2.1	4.6	30	9.9	10.2	7.2	6.3		4.3	4.8	3,19	
1942	25	3.6	6.0	10.0	12.2	9.9	5.8 7,19	6.2	5.9	5.8	2.8	1.3	12.2
1943 H	1.9	2.4	-	-		-	-	-	_			_	_
1952 H	-	-	-	-	-	-	-	6.7	4.7	4.3	2.8	1.8	-
1953 H	1.2 4x	4.2	5.0	11.2	10.0	8.2	8.9	6.6	5.5	4.6	2.8	1.8	11.2
極値	1.9	4.2	6.0	11.2	12.5	10.7	12.0	8.3	8.0	6.5	4.8	2.9	12.5
日 期 年 份	3x 3年	27,28	1942	27 1953	1940	1938	1938	23 1939	24 1940	3 1940	1941	30 1939	1/5 1940
		16. 14											
		東				φ	44 01'8	λ=	131 14	E H	= 98.0	М	
					蒸	发	量(
1937 1938	28.9	35.7	102.7	159.8	171.9	195.1	215.9	121.0	124.8	88.4	57·3 54·7	26.7	1215.9
1939	37.6	55.7	101.1	137.8	163.6	113.1	163.5	194.1	81.0	92.1	57.7	46.0	1243.3

12													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均	31.1	44-4	89.5	138.9	170.7	148.7	187.4	156.8	99.1	93-5	56.6	38.2	1254.9
1937 1938 1939	1.4 9,17 1.6 29 2.0 8	3.0 23,25 2.7 22 3.6 25	3.4 29 6.1 25 6.1 31	7.3 10 10.9 2 7.0 20	一日 10.3 8 9.3 4 9.0 31	最大蒸 8.6 25 12.8 3 7.0	发量((8.4) 27 10.9 26 9.0 15	を米) (7.8) 13 8.0 9 8.5	(7.0) 5 6.8 9 4.8 10,30	19 4.6 2 5.8	4.1 6 2.8 2 3.2 7	1.5 5 3.1 9 4.0 30	10.3 8/5 12.8 3/6 9.0 31/5.15/7
禮 值 日 期 年 份	2.0 8 1939	3.6 25 1939	6.1 25, 31 1938 1939	10.9 2 1938	10.3 8 1937	12.8 3 1938	10.9 26 1938	8.5 10 1939	7.0 5 1937	5.9 19 1937	4.1 6 1937	4.0 30 1939	12.8 3/6 1938
吉	林	白城	È			φ= 4	5 38'n	λ= 1	122 51	E H-	151.4	м	
					蒸	发	量 (毫米)					
1951 1952 1953	34·4 35·7 23·5	41.3	104.4	170.1	333.9	246.7	264.2	218.8	136.0 155.7)168.9	104.4 135.6 97.5	60.5 60.8 40.7	44.9 30.5 23.2	1737.4 1818.9 1550.7
平 均	31.2	44.8	104.4	176.9	302.7	259.7	227.7	202.0	153.5	112.5	54.0	32.9	1702.3
2052	0.5	2.6	5 5	20.0			发量(8 8	22.2	2.7	2.0	18 6
1951 1952 # 1953	2.5 28 2.3 22 1.7 24	3.6 20 2.7 29 4.9 27	5.5 23 7:0 13 8.7 21	10.2 25 12.6 28 12.0	18.5 2 19.8 13 16.9	19	11	30	1 11.5 7 8.1	11.3 6 8.4 13 7.9 3	3.7 2 4.6 1 4.2 3	3.0 19 2.3 11 1.6	18.5 2/5 19.8 13/5 16.9
極頻	2.5 28 1951	4.9 27 1953	8.7 21 1953	12.6 28 1952	19.8 13 1952	17.2 26 1952	13.7 11 1951	11.4 30 1951	7	6	4.6 1 1952	3.0 19 1951	19.8 13/5 1952
	1//1	2/)3	2775	27)-	2//-				4//-	-//-	27,70	-//-	-/ /-
		洲。	南			φ-	45 20'	N λ=	122 °4	5'K E	- 151.	OM	
					蒸	发	量(毫米)					
1924 1925 1926 1927 1928	25.2 24.5 30.3 35.7 20.2	41.1 37.8 38.9 50.7 50.0	74.4 98.9 114.0	239.6 233.5 257.3	304.4 401.3 310.5	358.5 433.1 414.4	183.7 323.6 303.7	216.9 205.7 235.5	217.5 205.0 112.4 174.4 157.2	149.3 130.9 138.3	62.3 74.6 71.2 69.0 56.6	33.4 34.3 32.0 30.8 31.6	2032.2 1903.0 2111.8 2134.3 1972.3
1929 1930 1931 1932 1933	25.4 24.4 16.0 39.5 25.9	43.2 26.1 39.5	117.8 112.4 94.8	273.0 232.4 222.6	418.9 267.1 314.6	280.1 214.4 291.6	249.3 246.9 141.4	144.0 196.7 139.1	147.5 131.8 (110.5 108.6 159.4	118.4)134.0 95.6	58.8 32.1 67.3 77.4 51.5	26.7 19.2 27.6 43.2 31.9	1935.9 1852.2 1651.4 1607.9 1782.4
1934 1935 1936 1937 1938	26.2 26.5 21.4 22.0 21.8	32.5 47.8	95.0 81.6	221.9 196.5 216.3	308.6 279.4 315.4	212.3 226.5 266.5	216.3 179.0 267.9	178.9 189.0 190.7	96.9 130.4 140.8 136.8 85.9	93.2 106.7 108.3	61.2 32.2 39.4 62.8 52.3	38.7 19.9 31.4 22.3 25.3	1441.8 1603.3 1537.6 1738.4 1429.5
1939 1940	20.3	33.9 49.4	81.3	175.8 239.2	298.1 271.0	195.1	162.9 268.8	214.0	112.1	80.7	59.7 36.9	43.9 18.0	1477.8
平 均	25.5	41.3	104.0	225.1	314.7	294.9	229.9	183.8	139.1	117.6	56.8	30.0	1762.7
1924	1.4	2.5	6.7	17.8	一日	最大素 26.5	发量 17.7	(老米)	17.6	8.6	4.5	2.9	26.5
1925	13	18,20		19	23 21.6	2 19.9	2	9	10	30	4 8.0	2 2.0	2/6
H	30	16	20	17	4	26	3	6	13	4	19	3#K	4/5

													13
年月	1	2	3	4	5	6	7	8	9	10	11	12	全年
1926	1.7	2.3	7.4	12.7	19.6	26.7	20.0	10.7	7.4	8.6	4.9	2.5	26.7
1927	27	2.7	29	8	25.5	26.7	21.0	16.9	12.4	8.6	5.2	29	8/6 26.7
1928	4,10	21	30 7.5	1	16 20.0	28	28.7	7 9.4	9 9 9	6.9	15	1,7	28/6 28.7
1720	16	20	28	25	29	7	11	13	27	4	3	30	11/7
1929	2.8	2.3	11.9	15.3	26.8	22.1	13.5	10.7	9.5	10.7	4.0	1.8	26.8
1930	17	19,20	6.2	26 22.1	30 26.6	17.9	17.2	30 15.3	7.8	7.2	2.5	1.0	30/5 26.6
1931	25	24	7.8	21 16.7	30 17.8	21	13.3	1 12.4	25 6.6	7.9	5.0	24	30/5 17.8
H	27	26	27	9	3	23	28	29	9	12	2	6	3/5
1932	2.2	3.6	4,26	24.0	23.4	18.5	7.3	6.9	7.7	6.9	6.2	2.6	24.0
1933	1.4	1.7	5.8	17.0	28.2	17.0	13.0	8.4	8.7	5.6	2.7	1.9	28.2
			3.8					8.5	7.6				
1934 H	1.5	2.3	7	14.6	15.0	14.3	9.7	16	1	7.5	3.9		15.0 28/5
1935	1.7	4.4	6.0	13.9	19.2	12.5	10.8	11.0	7.5	5.5	2.0	1.1	19.2 30/5
1936	1.0	1.7	6.8	13.5	17.0	12.5	9.7	10.1	8.2	6.4	2.3	_	_
1937	1,20	4.6	4.2	29 15.7	18.2	16.2	15.0	10.3	6.5	13 5•5	1,2,4	1.6	18.2
1938	4x	3.8	28 7.3	13.5	14	26	8.8	6.8	19	6.2	3.1	21	14/5
H	31	28	20	18	13	10	8	4	6	25	1	4	13/5
1939	1.1	2.0	4.0 26	9.2	16.0	12.7	10.2	13.6	8.3	5.0 14	5.7 7,8	5.5 30	16.0
極値	2.8	4-6	14.5	24.0	28.2	26.7	28.7	16.9	17.6	10.7	8.0	5.5	28.7
年 份	17	1937	30 1927	29 1932	1933	8,28	11 1928	1927	10	1929	19	30 1939	11/7
						1927			-,-,			-, 2,	
		老爺嶺	1			Φ= Δ	3 55 1	8 a.=	127°13	'E B	· 455	5 M	
		AC JAP BA									1,7,7		
2020	2 4 0	07. 4	=0.0	200 (蒸	发		毫米)		0 > 0			
1939	14.8	27.4		100.6		96.3			72.4	83.8	36.5	23.8	929.0
1941	18.0	23.4	47.7	85.5	-	-	-	-		-	-	-	-
平 均	16.8	30.4	64.6	102.3	156.8	104.7	139.8	115.6	89.8	84.5	33.7	21.5	960.2
2020	0.9	2.5	2.5	-		日最大素				6.0		0 (0.5
1939 Ħ	0.8	1.7	3.7	5.4	8.5	6.4	7.2	6.5	4.2	5.9	2.6	2.6	8.5
1940	1.7	2.0	4.1	7.5	9.4	6.7	6.1	5.9	4.7	5.3	2.4	1.2	9.4
1941	1.3	1.4	(3.5)	4.9	-	-	- 2, 24	- 10	-			_	8/5
日	17	24, 28	20	3	-	-	-	-	-		-	-	-
極値期	1.7	2.0	4.1	7.5	9.4	6.7	7.2	6.5	4.7	5.9	2.6	2.6	9.4 8/5
日期年份	1940	1940		1940	1940	1940	1939	1939	1940	1939	1939	1939	1940
		Ef ±					0_,		0	2	111		1500
		長 看				φ= 4	3 52'1	λ=	125°20	E H	- 215.	7 9	
					-14"	44	里,	- 4					100
1911	29.8	43.3	67 F	92.5	蒸 221 0	发150.4	-	毫米)	112.0	76 2	17 9	43.0	1176 2
1912	45.0	45.5	86.4	154.6	161.4	186.7	172.8	144.1	131.3	85.4	47.8	43.9	1176.2
1913	26.2	31.0	69.8	195.3	264.5	162.0	139.4	170.2	95.4	102.9	69.4	30.9	1406.1
1915	17.7	14.7				170.4				89.3	39.3	27.5	963.9

14													
年月	1	2	3	4	5 -	6	7	8	9	10	11	12	全 年
1916 1917 1918 1919 1920	21.1 13.9 18.8 15.9 21.9	19.1 26.0 27.1 34.8 27.2	77.0 68.3 78.9	150.5 139.2 95.3	202.1 167.5 167.4	278.1 148.0 151.6	155.5 156.2 147.1 228.8 214.7	118.2 107.2 177.7	91.0 111.0	85.8 81.8 76.1	47.3 37.6 36.2 41.8 40.0	26.0 17.0 19.3 22.5 21.0	1131.2 1275.5 1051.5 1201.8 1264.1
1921 1922 1923 1924 1925	23.6 16.5 18.0 19.3 16.8	27.4 31.0 28.0 22.8 24.7	91.4 59.5 44.5	132.0 118.4 95.5	158.1 171.0 132.4	207.7 151.5 176.0	121.7 133.6 132.8 119.3 116.0	140.8 99.0 112.0	90.2 86.4 111.8	90.5 61.2 87.7	34.6 30.7 22.1 35.9 54.8	20.0 21.1 20.2 24.4 37.1	1040.0 1143.6 968.1 981.6 1051.9
1926 1927 1928 1929 1930	21.5 30.1 15.4 28.1 19.1	32.8 42.7 25.2 33.9 33.1	70.6 66.1 87.2	173.2 182.8 163.1	167.9 216.2 192.7	202.9 181.4 215.9	184.2 147.7 178.9 168.7 192.9	154.7 142.5 148.6	126.2 147.9 132.5	73.9 94.3 107.5	48.5 42.1 41.0 67.5 30.4	21.8 31.2 31.3 15.0	1320.5 1253.8 1322.9 1377.0 1326.9
1931 1932 1933 1934 1935	15.1 26.8 18.0 22.1 28.5	23.5 31.6 18.4 46.3 60.9	70.5 49.3 66.3	152.1 140.7 130.8	213.2 213.7 190.6	222.5 171.8 145.6	220.3 137.9 163.2 124.4 134.8	129.3 142.4 128.2	113.6 138.5 100.5	72.2 72.2 89.1	60.3 46.8 45.3 59.4 38.7	21.3 22.0 26.2 33.7 21.4	1394.8 1238.5 1199.7 1137.0 1234.3
1936 1937 1938 1939 1940	22.6 27.7 25.9 21.0 28.8	35.0 38.5 38.4	61.0 119.9 110.1	148.2 200.6 179.0	276.0 182.6 263.6	228.9 208.2 188.6	134.6 266.5 183.1 225.7 233.9	155.0 150.7 177.3	136.1 110.9 104.9	98.2 107.0 113.4	40.4 70.1 63.5 67.7 41.1	22.9 28.1 23.5 39.6 24.2	1096.5 1530.8 1414.4 1529.3 1599.8
1941 1942 1947 1948 1949	26.8 40.8 31.7 25.8	38.9 49.1 21.2 43.7 31.0	139.6 45.4 66.8	172.5	_	168.2	218.4 139.8 166.4	107.9	127.0	81.1	73.3 39.6 22.3	37.5 18.8 27.3	1306.1
1950 1951 1952 1953	24.3 36.2 30.8 23.5	34.1	98.2	175.6	294.7	177.7	221.0	171.6	162.7	103.4 112.2 108.5 97.5	50.7	42.5	1460.3 1560.0 1520.9 1409.2
平 均	23.9	33.8	75.9	149.3	208.4	188.3	169.8	141.7	118.2	92.0	46.3	26.5	1274.0
					— H	最大表	族发量	(多米)					_
1911 1912 1913 1914 1915	1.5 2.4 1.6 2.3 1.1	2.8 2.0 2.5 1.0	3.3 5.7 6.0 5.0 1.4	6.1 10.8 14.2 13.8 5.0	15.2 12.1 14.2	10.4 9.8 8.5 14.1 9.5	8.3	8.1 9.7 7.8 7.9 5.8	6.1 7.0 7.1 5.9 5.8	4.4 7.5 8.0 5.8 6.8	3.4 2.8 4.1 2.2 3.3	2.4 1.7 1.9 1.7 2.1	15.2 12.1 14.2 14.2 10.0
1916 1917 1918 1919 1920	1.0 0.8 0.9 0.9	1.1 1.9 1.8 3.2 1.8	2.7 5.8 4.2 5.1 6.9	9.7 12.3 9.0 6.8 11.3	11.7	8.9 15.9 11.9 11.0	7.3	7.6 6.8 4.9 10.0 7.7	7.2 6.3 6.6 5.2 5.0	5.0 5.5 5.3 5.2 4.0	3.0 2.1 3.0 4.3 7.0	2.2 1.7 1.2 1.2	13.0 15.9 12.6 11.4 16.9
1921 1922 1923 1924 1925	1.9 0.8 1.1 1.1 0.8	3.0 1.7 1.5 1.1 1.8	5.2 8.2 3.9 2.8 2.7	8.2 8.2 10.8 7.4 10.6	13.1	9.5 12.8 10.7 10.3 12.2	8.0 7.9 9.4 8.1 8.5	6.5 7.5 6.3 5.4 6.1	5.8 4.8 4.6 6.3 5.4	5.4 5.7 4.8 6.6 4.8	2.4 2.1 1.3 2.3 3.2	1.3 1.2 0.9 2.6 2.2	10.3 13.1 10.8 10.3 12.2
19 <i>2</i> 6 1927 1928	1.4	1.9 2.5 1.6	3.3 7.0 4.7	10.5	12.9	16.7 10.7 10.5	12.3 8.2 8.8	8.8 8.7 7.0	7.5 6.1 7.8	8.0 4.3 6.8	3.6 2.1 2.6	2.2 1.0 1.5	16.7 10.9 13.4

													15
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1929 1930	1.3	2.4	5.1 4.1	11.0	14.0	12.7	10.1	7.9	6.8	6.0	3.6	2.4	14.0
1931 1932 1933 1934 1935	1.0 1.6 2.2 1.2	1.3 2.1 1.0 2.8 3.6	4.5 5.3 3.7 3.2 4.7	7.9 12.4 8.4 7.0 11.0	10.2 12.4 14.3 10.0 12.8	11.1 12.2 10.2 8.7 8.2	9.9 12.8 8.0 8.0	8.3 7.2 7.2 7.8 6.6	7.6 6.1 6.7 6.4 5.4	8.3 6.3 3.7 4.5 6.2	4.0 5.6 3.9 3.2 2.2	2.0 1.6 1.6 2.0 1.1	11.1 12.8 14.3 10.0 12.8
1936 1937 H 1938 H 1939 H 1940 H	1.1 (2.0) 4 1.2 14,28 1.4 28 2.3	2.5 3.1 24 2.8 28 2.5 3* 3.6 18	4.8 3.1 13 10.0 19 7.3 9 8.7 24	6.3 11.2 30 16.0 30 10.6 10 16.2	10.6 (17.3 16 12.4 13 15.0 31 25.9	9.9 (15.6) 22 11.4 2 13.1 19 10.5 34	8.0 13.4 8 11.0 19 16.6 25 15.2	6.8 (8.0) 2 7.4 26 19.0 27 7.3 1,7	5.4 6.6 3 8.5 3 7.4 11 9.2 23	4.4 5.5 1,18 5.2 22 6.9 6 9.1	2.6 5.2 4 5.5 1 6.2 6 2.7	1.5 1.6 7 1.6 1 3.9 24 1.6 29	10.6 17.3 16/5 16.0 30/4 19.0 27/8 25.9 10/5
1941 H 1942	1.9 17 2.6	3.5 18 3.9	3.8 20 8.7	13.5 30 13.5	=	12.7 26	11.1.	6.7	7.5	8.3	5.7	2.5	***
1949 1951 1952 1952	31 1.3 26,27 2.6 31 1.6 13,23	28 28 28 2.3 1 1.9 23	12 3.9 26 7.4 30 5.5	29 17.0 17 11.9 5 12.2	18.0 9 17.4 6,20 17.8 13	11.7 1 10.7 8 10 15.2 26	9.8 30 15.5 8 12.3	6.8 1 10.6 13 7.3	6.5 26 10.7 4 6.6 7,8	7.1 24 9.2 7 5.6 13	2.6 1 3.5 23 6.3 22	2.0 4 3.4 12 3.6 17	18.0 9/5 17.4 6,28/5 17.8 13/5
1953 #	1.8	5•4 27	7.5 21	12.7	11.6	14.2	11.9	7.0	9.6	8.1	3.4	2.1	14.2 15/6
極質別年份	2.6 31 1942 1951	5•4 27 1953	10.0 19 1938	17.0 17 1949	25.9 10 1940	16.7 3 1926	16.9	19.0 27 1939	10.7 4 1951	9.2 7 1951	7.0	3.9 24 1939	25.9 10/5 1940
		吉杉	k			φ= 4	13°52'1	1 2,=	126°32	2 B B	i= 194.	о м	
					蒸	发	量(毫米)					
1937 1938 1939 1940 1952	24.5 18.5 17.4 19.0 23.3	32.2 25.3 30.1 29.6 25.8	71.5	189.8 146.2 116.1	167.4 202.1 203.9	164.6 129.0 132.1	189.7 139.5 178.0 169.8 145.6)	114.4 135.5 101.8		73.0 74.9 75.7 110.2 79.6	56.8 43.1 63.5 40.7 40.6	21.0 16.3 22.7 24.5 26.2	1107.6 1098.9 1133.7 1141.6 1107.5
1953	19.3	35.0	79.5	112.2	119.9	147.5	145.1)	137.5	106.8	69.1	(26.0)	(16.7)	1014.6
平 均	20.3	29.7	68.8	123.8			161.3		90.1	80.4	45.1	21.2	1100.7
1952 H 1953	1.4 31 1.2 24	1.5 6 3.6 27	3.5 13 4.7 24	7.6 5 7.8 27	13.5 13 7.1 7	10.3 16 8.7 15	7.6 4 8.3 28	6.1 13 6.8 7	4.7 15 5.2 16	5.3 6 5.7	2.1 1,28 2.5 3	2.0 6 1.2	13.5 13/5 8.7 15/6
極 値 日 期 年 份	1.4 31 1952	3.6 27 1953	4.7 24 1953	7.8 27 1953	13.5 13 1952	10.3 16 1952	8.3 28 1953	6.8 7 1953	5.2 16 1953	5.7 1 1953	2.5 3 1953	2.0 6 1952	13.5 13/5 1952
		蛟 河	J		蒸	安= 4	13 42 N 量(2 =	127 19	B B	= 275.	1 11	
1950 1951 1952 1953	25.1 22.9 (22.4) 20.8	28.7	61.0	98.1	169.8 204.5 203.3	156.8 136.3 171.5	148.4 165.6(170.0(152.9	132.2)	66.1	81.0 63.1 68.2 71.1	45.9 51.4 32.9 32.4	22.9 27.3 26.5 29.1	1196.8 1060.0 1103.3 1070.5

			_									-	
年、	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1. E	22.8	29.7	63.9	117.6	176.8			143.4		70.9	40.7	26.5	1107.7
1950 H 1951 H 1952 H 1953	3.0 26 1.5 28 1.3 4,29 1.4 24	1.2 19,2 2.2 21 1.5 29 3.8 27	3.2 31 4.3 30 3.9 14 4.4 21	10.7 28 8.2 5 7.4 5 8.5 27	9.2 29 12.1 6 12.8 13 8.1 2	8.4 28,29 8.6 20,21 8.7 13,10 9.5	9.2 8.2 8.2 8.4 6.20	10.0 16 6.9 5 5.8 28 6.3	6.9 10 4.4 3 4.4 8 5.6	4.5 3 4.7 7 3.7 6,13 4.8	3.0 16 3.9 5 2.3 4 2.0 8	2.0 11 2.2 12 1.8 29 1.5	10.7 28/4 12.1 6/5 12.8 13/5 9.5 29/6
極傾即	3.0 26 1950	3.8 27 1953	4.4 21 1953	10.7 28 1950	12.8 13 1952	9.5 29 1953	9.2 2 1950	10.0 16 1950	6.9 10 1950	4.8 4 1953	3.9 5 1951	2.2 12 1951	12.8 13/5 1952
		雙道	Ě			φ = .	43 40 1	N λ=	123 29	e E	·= 116.	8 M	
1918 1919 1920 1921 1922	26.0 23.2 26.8 41.6 22.7	56.1 29.1 59.2	126.0 137.7 115.1	186.1 228.5 265.7	214.8 318.4 299.2 248.2 234.4	203.3 263.3 234.2	278.0 284.5 180.2	147.8 233.4 152.5 133.9	136.3 122.9 106.8	88.2 110.2 76.1	51.7 51.5 56.3 69.7 41.2	31.7 27.5 30.6 27.1 30.0	1387.4 1728.0 1741.6 1557.8 1505.2
1923 1924 1925 1926 1927	29.8 33.0 29.7 29.8 41.5	48.0 44.2 43.4	106.0 63.4 114.0	223.0 196.2 235.6	237.7 251.4 192.9 320.9 225.0	273.6 192.5 326.2	178.2 196.8 241.4	128.7 177.1 149.2	124.6 139.6 116.5	107.8 97.4 110.2	44.1 63.5 69.8 73.6 74.4	37.0 35.6 39.7 38.1 37.5	1455.9 1573.4 1439.3 1798.9 1695.6
1928 1929 1930 1931 1932	24.8 37.1 33.6 27.2 51.1	48.0 57.9 45.0	164.4 127.9 132.7	239.9 243.3 188.9	291.0 255.4 347.6 231.2 230.9	359.8 266.2 188.1	253.4 192.9 218.4	205.9 129.7 172.8	146.3 128.8 121.7	130.0 96.2 125.6	74.0 75.9 53.2 70.1 74.8	41.1 30.2 38.6 38.0 49.3	1697.0 1946.3 1715.9 1559.7 1477.1
1933 1934 1935 1936 1952	36.6 26.9 38.4 29.5		77.6	169.9 245.1	273.5 214.5 267.0 238.2	193.5	156.7	161.6	103.1		51.2 64.1 41.3	33.4 41.9 30.3	1510.3 1367.5 1532.4
1953	38.5	75.6	169.9	229.2	228.0	216.4	202.6	164.0	166.4	124.4	(56.7)	44.5	1716.2
平 均	32.5	52.2	117.8	218.8	256.9	235.9	200.6	160.4	127.1	101.2	60.9	35.9	1600.3
1000							发量						
1925 1926 1927 1928 1929	1.2 1.9 2.2 1.2 3.5 12	3.3 3.8 3.8 3.3 4.8 20	8.8	14.8 15.5 15.3 19.4 19.0		19.3	14.9	9.7 9.2 9.9 5.9 12.0	6.6	6.1	4.3 4.8 5.7 7.4 4.1	2.1 2.0 2.1 2.6	15.4 19.3 15.9 19.4 22.9 30/5
1930 1931 1932 1933 1934	2.0 1.5 2.3 1.7 1.2	3.7 3.2 3.1 2.4 3.2	6.4 9.1 7.3 6.3 4.0	16.1 11.8 14.4 10.0 8.1	17.6 12.3 12.8 17.8 10.7	13.7 11.7 12.2 12.1 13.8	17.8 12.4 6.7 13.0 8.2	6.9 8.1 8.0 9.1 8.7	6.8 6.4 6.3 6.8 5.8	5.8 8.3 3.9 4.3 5.3	3.5 4.8 5.0 3.1 4.1	1.7 2.4 3.4 2.1 2.2	17.8 12.4 14.4 17.8 13.8
1935 1936	1.9	4.1	5.9	17.1	14.1	9.1	8.9	7.8	6.5	5.2	2.1	1.6	17.1
1952 1953	3.2 24	6.9	8.3 24	14.1	14.4	14.6	9.9 16	8.6 7	8.7 17	7.1 1,3	7.3 4.4 7	2.2	14.6 15/6
包 切 年 份	3.5 12 1929	6.9 28 1953	11.2 31 1929	19.4 25 1928	22.9 30 1929	20.8 16 1929	17.8 3 1930	12.0 19 1929	9.0 20 1929	8.3 15 1931	7.4 4 1928	3.4 10 1932	22.9 30/5 1929

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		公主管	t			φ = 4.	3°31' W	λ= ;	124 ⁰ 48	E H-	203.0	м	
					燕	发	量(老术)					
1915 1916 1917 1918 1919	10.6 25.1 18.8 23.4 18.4	50.3	139.4	148.3 258.1 171.4	250.8 279.0 230.6	208.3 419.6 203.3	158.9	151.8 149.6 119.6	123.3 114.0 96.0	92.0 99.1 82.0 63.9 100.5	45.0 58.2 47.2 49.2 60.1	46.7 35.8 17.2 24.1 40.3	1058.3 1376.0 1760.7 1286.4 1654.3
1920 1921 1922 1923 1924	39.6 30.8 13.8 22.6 21.7	48.4 39.8 36.5	132.7 104.9 100.7 77.8 63.3	211.2 207.5 177.0	269.5 272.8 258.8	222.1 283.0 204.3	169.4 165.6 149.4	137.5 142.9 96.0	113.8 105.7 110.0	86.5 119.1 88.7	51.2 38.3 40.0 33.2 40.5	27.7 21.4 26.2 21.6 25.0	1676.1 1453.8 1517.1 1275.9 1354.8
1925 1926 1927 1928 1929	18.8 23.8 25.9 17.2 17.7	32.8 32.6 42.7 29.6 25.5	72.6 75.6 77.5	186.5 211.7 197.2	305.0 195.8 220.5	359.5 262.9 205.1	175.8 242.7 157.1 147.9 165.1	155.4 145.6 127.1	128.4 143.9 134.4	88.4	53.9 56.4 53.3 37.9 74.1	30.5 23.3 22.0 23.0 45.2	1296.0 1691.2 1424.9 1298.4 1418.0
1930 1931 1932 1933 1934	41.0 28.4 50.6 37.2 32.8	40.3 36.3 42.6 33.7 46.8	92.9 79.8 54.4	131.1 143.5 127.2	181.4 202.4 195.1	156.7 189.5 174.8	171.7 191.9 121.9 149.8 117.1	134.4 132.0 142.2	123.0 94.2 117.8	89.4 100.6 92.4 67.1 87.1	41.3 57.4 88.1 42.9 56.4	31.5 32.5 40.9 31.3 44.5	1288.4 1266.6 1277.9 1173.5 1161.7
1935 1936 1937 1938 1939	34.8 28.4 26.4 24.1 25.8	38.8 35.7 31.7		112.2 100.2 143.0	209.4 187.9 123.0	154.2 180.9 163.7	136.1 191.5 114.3	136.9 112.6 124.7	86.2	81.0 74.8 72.2 78.0 79.1	42.9 37.7 54.9 48.1 49.6	33.5 27.8 34.8 23.9 34.0	1338.6 1115.9 1162.9 1043.4 1107.5
1940 1949 1950 1952 1953	26.3 9.6 18.2 20.6 16.4		66.7	182.4 181.7 137.5	259.5 217.9 248.3	285.0 198.6 231.0		142.9 194.5 165.2	152.2 121.2 142.4	101.6	32.2 35.8 44.1 48.3 31.5	13.5 16.0 20.5 22.4 16.5	1261.3 1443.1 1345.6 1423.2 1221.7
平 均	25.0	37.4	83.4	164.5	222.8	213.2	165.6	141.9	116.9	91.7	48.3	28.5	1339.1
				-			发量						
1949 1952 H 1953	0.7 26, 28 1.2 13 1.3 23	1.4 25 1.5 23 6.5 27	4.9 29 7.0 13 7.6 22	16.4 23 11.5 8 11.0	19.0 9 13.6 1 9.9 7	14.7 28 13.7 26 12.6 15	9.0 30 10.8 1 7.6	8.2 1 8.0 26 6.5 7	7.1 24 9.7 24 8.4	7.5 4 6.0 13 6.0	3.0 5.0 1 2.8 3	1.3 1 2.0 12 1.5	19.0 9/5 13.7 26/6 12.6 15/6
極航日期年份	23	6.5 27 1953	7.6 22 1953	23		28	10.8 1 1952	1	9•7 24 1952	4	5.0 1 1952	2.0 12 1952	19.0 9/5 1949
11		敦 化	3		蒸	9 = .	43 21		128 1	LE H	= 500 ·	2 M	
1931 1932 1933 1934 1935	23.2	19.7	39.7 46.9 58.8	108.7 119.9 117.8	102.9 185.1 151.6 172.0	83.5 175.2 159.1 135.2	111.5	97.0 122.2 108.5 139.5	73.4 109.1 84.7	48.1 75.3 85.1 72.6	40.0	27.9	967.2 1023.4 1011.4 1035.5
1936 1937 1938 1939 1940	13.3 15.6 14.8 29.3 30.9	17.7 21.5 20.7 39.5 39.8	36.8 76.7 87.5	99.0 125.4 129.1	187.6 154.8 157.6	144.2 145.6 127.6	130.8 172.4 157.9 149.9 137.3	150.3 111.3 158.6	105.5 76.0 64.7	72.1 75.1 78.1 84.4 86.0	33.2 46.7 57.8 45.4 44.6	16.2 14.1 28.5 36.6 25.7	912.0 1068.8 1047.6 1110.2 1108.2

				_									
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952 1953		(37.7)	67.0	119.6	119.5	135.6	(119.4	X121.8)119.8	74.4	38.7	25 .1 28.6	1006.6
平 均	21.9	29.9	63.2	121.1			131.3			75.1	40.2	24.4	1029.1
1931	0.8	0.9	3.8	4.4	6.4	5.6		5.2	3.8			1.5	-
1932 1933 1934	1.0 0.9 1.5	1.5	3.7 3.7 3.5	9.3 7.0	8.8	9.6 9.5 9.1	7.7	6.2		3.0 7.3 4.5	2.2 3.2 2.1	3.2 1.2 1.5	9.5 9.9
1935	1.6	2.2	4.1	9.9	15.1	7.4	6.7	5.8	5.2	7.0	1.3	1.1	15.1
1936 H 1937	0.7 3x 0.9	0,B 6x 2,5	4.4 30 3. ₩	6.4 23 6.5	11	9.7 11 7.1	20	3,6	4.7 10,1 5.0		2.5 1,2 3.3	0.9	14.4 11/5 11.0
1938	17	24	30 4.8	6.3	13	9.2	8 7.5	13,1	7 4 4.2	29 4.4	3.0	2.8	13/5
1939 H	1.3 3#	28 2.6 26	19 5•4 29	18 5.7 17	9.9 31	9 9.5 11	7.7 15	9.3 27	2,7 3.7 10	31 5.1 11,13	2.9	4 · 4 30	9.9 31/5
1953 #	1.4	2.6	4.0	8.6	8.6	8.7		6.4	5.4	4.9	2.6	2.1	8.7 15/6
極値	1.6	2.6	5.4	10.0	15.1	9.7	8.1	9.3	6.0	7.3	3.3	4.4	15.1 28/5
年份	1935	1939 1953	1939	1932	1935	1936		1939	1934	1933	1937	1939	1935
		春	化			Ø: <u>-</u>	43 12 1	N 1-	131 0	, 2 E B	= 210	0.0 M	
					蒸	发	量(毫米)					
1938 1939	16.0	28.4 57.7	81.8	116.7	151.1	101.0	135.1	179.4	98-0	92.9	48.2	34.6 43.3	1070.4
1940 1941 1942	35.4 35.5 19.3	59.0 48.8 50.1	75.5	122.7 100.8 135.9	166.0	107.8	154.5 127.1	132.9 98.9	129.9	112.7	57.4 56.1	40.5	1229.9
平 均	27.3	48.4			152.3	123.4	153.1	133.0	109.0	100.0	53.6	39.5	1159.7
							蒸发量						
1938	1.0	1.9	7.2	9.5	8.3	3	7.5		5.5	4.4	2.6	1.8	15.5 3/6
1939 H 1940	1.7 29 1.8	3.7 16 3.3	5.8	6.6 10 8.2	8.8	8.1 14 7.5	9.1 15,18 8.1	9.2	6.0 30 6.2	5.1 11 6.1	2.9	30	9.2 7/8
1941	2.1	28	26 4.9	29 6.3	2	8.6	15 7•5	16 6.1	9,10		5.7 3 3.2	2.4 30 1.8	2/5
1942	18	25 3·4 22	5 · 2 20	7.7	-	12	4	2,4	5	1,2	5	22	-
極值	2.1	3.7	7.2	9.5	10.1	15.5	9.1	9.2	6.2	6.1	5.7	2.8	15.5
年份	18	16 1939	25 1938	1938	1940	1938	15,18	1939	9,10		3	30 1939	
		四平				91= 4	3 21 1	A;=	124 20	'R H	162.	8 M	
					蒸	发	量(1						Time !
1934	38.4	1305	127.0	231.0	300.4	184.7	160.3	173.7	171.1	112.2	69.8	48.6	1510.8 1657.0
19 36 19 37 19 38	33.0 37.5 34.1	2701	10.0	153.2	276.5	256 . 3	190.8 227.5 159.8	127.5	124.5	97.8	55.8 66.1 45.2	39.3 34.3 14.7	1457.2 1522.9 1348.7
19 39	12.7	28.6	95.7	174.6	251.1	218.5	202.3	190.8	103-4	100.0	64.6	29.2	1481.4
1941	34.1	40.9	1101.	150.7	230.2	229.9	202.6	157-6	140-6	171.4	44.7 77.7 56.4	28.6 61.4 28.1	1559.7 1533.2 1704.5
											-	-	

年 月 1 2 3 4 5 6 7 8 9 10 11 12 1943 20.8 39.5 94.3 142.3 228.6 304.3 253.3 161.8 140.5 106.2 59.1 29.6 1944 34.7 66.9 70.6 193.7 241.2 235.8 256.4 213.6 132.8 111.3 50.6 37.9 1949 179.6 - 309.3 162.0 170.8 140.1 96.5 45.7 35.1 1950 42.3 35.5 78.9 215.2 247.0 217.9 178.6 172.1 159.5 120.9 73.8 58.6 1951 58.6 45.8 93.4 189.7 328.8 192.5 242.2 141.5 124.1 88.4 49.0 42.6 1952 38.2 37.3 100.9 149.0 314.6 292.6 220.4 183.8 149.8 132.9 61.7 34.1 1953 28.7 61.9 131.7 189.7 179.0 185.4(164.0)(135.6)134.5 107.4 (51.2) 39.9 35.0 48.7 98.9 180.2 254.8 230.2 200.7 161.4 135.9 112.8 58.6 37.9 日最大蒸发量(毫米)	1645.2
1944 1949 1950 1950 1951 1952 1952 1951 1952 1953 1953 1953 1953 1953 1953 1953 1953	1645.2
1949 179.6 - 309.3 162.0 170.8 140.1 96.5 45.7 35.4 1950 42.3 35.5 78.9 215.2 247.0 217.9 178.6 172.1 159.5 120.9 73.8 58.1 1951 58.6 45.8 93.4 189.7 328.8 192.5 242.2 141.5 124.1 88.4 49.0 42.6 1952 38.2 37.3 100.9 149.0 314.6 292.6 220.4 183.8 149.8 132.9 61.7 34.5 1953 28.7 61.9 131.7 189.7 179.0 185.4(164.0)(135.6)(134.5 107.4 (51.2) 39.5 35.0 48.7 98.9 180.2 254.8 230.2 200.7 161.4 135.9 112.8 58.6 37.5	
3,00 4-0, 700, 2-00 2,00 200, 2-00, 2-00 3,00	1599.7 1596.6 1716.1
一日最大蒸发量(毫米)	1554.8
	- 0
1934 1.8 3.0 3.9 11.0 17.4 18.2 9.0 9.1 9.9 7.5 5.2 4.1 1935 2.0 6.5 9.3 18.2 20.0 10.6 8.5 8.4 10.5 11.1 4.3 2.0 1936 2.0 1.8 10.5 12.0 18.7 14.6 12.2 8.1 6.6 7.9 4.2 2.1 1938 1.7 3.7 9.8 18.3 14.8 12.6 8.0 8.8 7.3 5.7 5.3 1.6 8 3 22 1 2 1939 0.8 2.8 8.1 12.4 16.6 15.6 12.7 11.3 6.3 5.8 7.1 4.9 6.8 23,28 9 29 3 19 19 9 18 6 6 8	20.0 18.7 18.3 30/4
1940 3.0 5.1 8.5 16.1 19.3 12.9 11.3 7.2 12.3 10.0 4.7 2.6	
1 18 24 30 20 21 3 18 23 17 2 29 1941 1.9 4.5 4.0 17.7 - 16.3 10.9 7.9 8.1 9.3 6.4 4.3	20/5
17 18 19,20 30 - 26 16 16 9 4 1 30 1942 2.8 6.9 9.3 14.0	-
H 31 28 31 29	040
1949 16.7 - 17.5 11.0 12.7 6.6 5.2 3.5 1.6 H 17 - 17 15 21 5 16 20 16	
1950 4.3 2.4 6.5 15.7 13.8 13.7 12.7 8.0 10.2 9.7 8.2 3.6 15 26 30 28 11 4 9 5 24 7 2 28	
1951 3.9 3.0 12.0 15.2 20.6 14.6 15.4 7.3 7.6 6.0 3.0 3.6	
N 29 1 30 5 6 28 5 10 23 .7 4 11 1952 1.9 2.0 8.0 13.6 18.8 18.5 16.0 9.6 7.6 9.7 4.7 2.6	6/5
H 12,18 23,24 13 5 13 25 1 28 7 23 1 13 1953 2.4 7.8 13.3 15.3 12.0 16.3 9.7 6.9 9.7 7.4 3.7 2.6 20 27 6 7 2 15 9 7 1 1 2 1,1	13/5 16.3
機 値 4.3 7.8 13.3 18.3 20.6 18.5 16.0 12.7 12.3 11.1 8.2 4.5 明 15 27 6 30 6 25 1 21 23 — 2 8 年 分 1950 1953 1953 1958 1951 1952 1952 1949 1940 1935 1950 1935	6/5
延吉	
蒸 发 量(毫米)	
1937 15.8 28.1 65.7 148.1 250.6 181.4 256.5 165.9 156.0 95.7 53.3 22.9 1938 20.1 40.2 105.2 213.2 221.7 202.0 177.7 146.3 93.5 79.0 44.4 20.3	1439.6
1939 17.4 44.0 81.3 152.0 174.4 136.6 210.3 188.5 97.4 92.0 43.5 36.5	1274.3
1940 26.5 44.3 107.2 176.2 258.4 143.3 181.3 148.6 120.6 114.0 56.6 27.6 1941 24.1 40.7 72.8 127.9 183.2 210.2 179.4 118.9 121.4 76.8 49.1 33.8	1404.0
1942 43.4 55.1 105.3 145.8 216.3 201.0 165.2 116.3 105.5 94.9 76.7 37.8	1.363.3
1943 42.7 52.4 1953 23.7 36.4 (69.8)126.5(126.2)(127.9)(108.6)128.3 116.1 (80.4) 45.7 15.6	1005.2
平 均 24.4 41.3 86.8 155.7 204.4 171.8 182.7 144.7 115.8 90.4 52.8 27.7 一日最大蒸发量(毫米)	1298.3
一口取入無及星(笔木) 1937 1.0 3.6 3.6 8.5 14.9 10.3 14.8 10.0 8.1 5.9 4.7 1.9	14.9
	13/5
H 5,7,8 23 20 26 13 25 5 17 3 10 6 10	18.0
H 5,7,8 23 20 26 13 25 5 17 3 10 6 10 1938 1.4 2.7 7.4 18.0 12.3 15.7 9.9 8.9 5.6 4.1 2.6 1.4 31 23 25 3 16 3 4 6 7 10 19 1.6	15.4
H 5,7,8 23 20 26 13 25 5 17 3 10 6 10 1938 1.4 2.7 7.4 18.0 12.3 15.7 9.9 8.9 5.6 4.1 2.6 1.4 31 23 25 3 16 3 4 6 7 10 19 1.6 1939 1.2 2.7 4.4 8.3 10.3 8.7 15.4 9.5 5.5 5.9 3.1 6.2	4 / /
H 5,7,8 23 20 26 13 25 5 17 3 10 6 10 1938 1.4 2.7 7.4 18.0 12.3 15.7 9.9 8.9 5.6 4.1 2.6 1.4 31 23 25 3 16 3 4 6 7 10 19 1,6 1939 1.2 2.7 4.4 8.3 10.3 8.7 15.4 9.5 5.5 5.9 3.1 6.2 1939 1.2 2.8 8.6 11.7 17.0 7.7 8.8 8.5 7.0 9.2 3.8 2.3	17.0
H 5,7,8 23 20 26 13 25 5 17 3 10 6 10 1938 1.4 2.7 7.4 18.0 12.3 15.7 9.9 8.9 5.6 4.1 2.6 1.4 31 23 25 3 16 3 4 6 7 10 19 1.6 1939 1.2 2.7 4.4 8.3 10.3 8.7 15.4 9.5 5.5 5.9 3.1 6.2 31 19 19 20 17 7 15 6 4 30 1940 2.2 2.8 8.6 11.7 17.0 7.7 8.8 8.5 7.0 9.2 3.8 2.3 H 2 19 26 30 2 30 15 16 10 23 7 4 1941 1.9 3.0 5.8 7.8 10.5 10.9 9.7 6.9 5.6 4.2 3.0 2.0	17.0
H 5,7,8 23 20 26 13 25 5 17 3 10 6 10 1938 1.4 2.7 7.4 18.0 12.3 15.7 9.9 8.9 5.6 4.1 2.6 1.4 31 23 25 3 16 3 4 6 7 10 19 1,6 1939 1.2 2.7 4.4 8.3 10.3 8.7 15.4 9.5 5.5 5.9 3.1 6.2 H 31 26 31 19 19 20 17 7 15 6 4 30 1940 2.2 2.8 8.6 11.7 17.0 7.7 8.8 8.5 7.0 9.2 3.8 2.3 H 2 19 26 30 2 30 15 16 10 23 7 4	17.0 2/5 10.9

20													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1942	2.4	3.3	5.5	8.3	12.1	10.7	8.9	6.2	6.4	4.9	4.1	2.1	12.1
1053	26	22	17	26	23	14_	2,10		3	27	7	10	23/5
1953	18	2.7	3.7	6.9	9.2	8.5	6.8	6.8	5.8 17	5.5	3.2	1.9	9.2
					_		-		-1	~	-3	-	7/3
福留別	604	3.6	8.6	18.0		15.7	15.4			9.2	4.7	6.2	18.0
年份	20	23 1937	26 1940	3 1938	1940	1938	17 1939	17 1937	1937	1940	1937	30 1939	3/4 19 3 8
1	2740	-/31	2740	-/3-	-,4-	2730	~/3/	2/31	4731	1940	2731	1737	1930
		1.0m 70	te			0	42 26	. 1	125 5	, ,			
1		海	包			Ψ=	42 26	N 1 =	125 5	5 E E	290	O M	
					蒸	发	县(毫米)					
1922	-		67.8	118 5		216.9			63 3	(57.0)	346	22.0	
1923	31.5	36.5	60.2			156.5			84.9	(57.9) 63.5	34.6	33.7	956.3
1924	27.1	36.5		109.4	115.2	143.6	130.4	176.0	117.9	75.4	41.4	29.4	1057.0
1930	30.0	23.5	97 4	96.8	213.3	188.3	158.9	127.7	115.7	80.5	40.6	26.4	-
1931	30.9	33.4	01.4	101.0	170.3	129.2	101.0	114.5	-	_	-	-	-
1932	35.6	37.6	64.9	116.7	174.6	195.6	138.5	142.4	105.6	60.4	39.2	30.3	1141.4
1933	33.4	36.1	62.6	118.3	148.3	141.9	111.7	94.7	106.7	59.3	53.6	56.9	1023.5
1934	47.9	44.3	62.7	130-5	176-7	122.3	117.0	131.4	78.3	69.3	40.4	28.6	965.5
1936	16.5	30.0	51.0	80.6	135.5	123.5	129.6	108.7	74.6	62.4	26.1	15.4	1074.5 855.6
1937	17.6	28.3	38.1			142.6		80.3	87.8	67.0			
小 均											35.6	20.1	936.8
4- 25	30.0	37.5	01.0	101.0		145.4			95.1	64.0	37.7	28.6	1001.3
3000			4.0	0 =		最大素							
1922	-	_	4.0	8.5	10.3	11.6	8.0	5.8	3.6	4.2	2.0	1.5	- 00
1923	1.6	1.9	3.2	6.4	7.4	9.3	8.4	5.6	3.9	4.9	2.0	1.4	9.3
H	19	27	23, 25		13	25	1,2	7	18	17	1	7,25	
1924	1.7 5x	2.2	3.2	8.9	7.5	8.5	8.7	9.1	6.8	3.9	2.2	1.6	9.1
1930	-	1.7	-	7.3	11.7	11.5	10.2	6.7	6.4	6,9	2.4	1.2	12/8
11	-	22		28	26	23	. 3	8	8	12	. 1	1,24	26/5
1931	1.9	1.8	6.2	5.6	10.3	7.7	8.1	6.3		-	-	-	-
		20	-/	- 2	20	23	30	0	-		-		-
1932	1.6 3#	2.0	5.0	8.8	9.4	9.7	7.8	6.5	6.2	3.9	3.2	2.1	9.7
1933	1.8	29	31	6.6	8.5	18	26 6.5	4.7	6	27	3	10	18/6
日	27	3枚	31	28	18	10	10	25	5.7	3.7	3.3	3.3	8.5 18/5
1934	2.8	2.3	3.7	5.0	8.4	8.2	6.7	5.9	5.0	4.5	2.1	1.8	8.4
1935	1.3	2.8	31	8.4	10.0	10.2	8.0	13,14		25	9	9	10/5
H	4×	20,27	18	21	31	1	6	7.9	5.7	4.7	3,15	1.0 3X	10.2
1936	1.4	1.8	3.1	4.9	8.1	8.0	6.9	5.6	4.4	3.4	2.0	0.9	8.1
-	29	26	25	24	10	30	18	5	11	4	1	4	10/5
1937		1.9		6.4	8.1	6.7	7.9	5.7	4.0	3.9	3.3	1.1	8.1
H	26	23,24	10,26	29	16	20	23	17	2,5	1	5	1	
征机	2.8	2.8	6.2	8.9	11.7	11.6	10.2	9.1	6.8	1.0	3 3	2.2	77 7
日初	9	20,27	29	18	26	27	3	12	13	4.9	3.3	3.3	26/5
年份	1934	1935	1931	1924	1930	1922	1930	1924	1924	1923	1933	1933	1930
											1937		
		3 dfs 21 -					0 ,		0	,			11111
		通 化	å			φ = 4	1 44 H	λ-	125°55	E H	- 412.	8 M	
					蒸	发	量(注	*)					-0
1936	8.5	7.5	10.1	104.0	234.7	-	153.7	112-6	97.1	67.9	40.2	43.8	1 10 1
1937	32.5	33.3	32.2	81.0	159.8	169.3	173.0	99.3	90.7	68.7	44.8	43.0	0
1938	25.5	39.9	69.7	138.5	112.3	146.3	137.5	123.9	65.0	71.2	55.7	31.8	1017.3
1940	18.9	37.2	97.9	157.0	252.2	148.4	168.7	133.7	81.7	93.7	48.9	14.8	1107.9
					,			07	-4/66	22700	53.8	24.2	1321.4
			-										

1 2 3 4 5 6 7 8 9 10 11 12 全 年 1941 1941 1943 1943 1943 1944 1943 1943 1944 1943 1945 1944 1943 1945 1944 1943 1945 1944 1943 1945 1944 1945														21
1942 19+3 32-5 82-3 144+5	年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949							179.6	174.6	128.6	115.5	86.9	50.2	23.4	****
1951 31.6 (34.9)(76.1)135.0(266.3)159.1(155.1(114.5) 99.6 64.5 37.1 (31.2) 27.0 - 1952 (21.2) 30.9 60.1 126.7 203.3 206.7 172.0(148.2)111.1 79.8 34.2 18.9 1213.1 17.0 40.7 (57.5)117.6(140.6)136.1 135.6(105.5)105.9 73.3 26.7 (15.5) 974.4 平 20.8 35.6 71.8 135.0 188.4 159.8 129.6 122.8 97.1 83.6 43.1 22.7 1140.2 - 日景大紫葉(後来) 1939 1.1 2.3 4.3 4.3 9.5 13.1 8.3 9.9 8.0 5.0 6.7 4.0 1.5 13.1 8.3 12.2 1 5.4 12.7 14.2 9.2 2.6 12.15 11 6 30 3/5 1940 1.8 2.1 5.4 12.7 14.2 9.2 9.9 5.8 5.8 6.4 (4.7) 3.4 14.2 12 2 10 25 30 20 21 3 12 3 17 5 6 20/5 1941 1.2 2.7 5.5 10.5 - (9.5) 8.0 6.3 (7.1) (8.0) 4.2 (1.9) 2/5 1941 1.2 2.7 5.5 10.5 - (9.5) 8.0 6.3 (7.1) (8.0) 4.2 (1.9) 2/5 1941 1.2 2.7 5.5 10.6					144.5	200.9)151.7	105.7	75-4	(54-1)	41.8	-
1952 (21.2) 30.9 60.1 126.7 203.3 206.7 172.0(148.2)111.1 79.8 34.2 18.9 1213.1 1953 17.0 40.7 (57.5)117.8(140.6)136.1 135.6(105.5)105.9 73.3 26.7 (15.5) 974.4 平 約 20.8 35.6 71.8 135.0 188.4 159.8 159.6 122.8 97.1 83.6 43.1 22.7 1140.2 一日景大燕发星(ま*) 1939 1.1 2.3 4.3 9.5 13.1 8.3 9.9 8.0 5.0 6.7 4.0 1.5 13.1 25 23 9 30 3 20 21 6 122.5 11 6 30 3/5 1940 1.8 2.1 5.4 12.7 14.2 9.2 9.9 5.8 5.8 6.4 (4.7) 3.4 14.2 9.2 19.9 5.8 5.8 6.4 (4.7) 3.4 14.2 9.2 19.9 5.8 5.8 6.4 (4.7) 3.4 14.2 9.2 19.9 5.8 5.8 6.4 (4.7) 3.4 14.2 9.2 19.5 1.3 1 3.7 5.6 20/5 1941 1.2 2.7 5.5 10.5 - (9.5) 8.0 6.3 (7.1) (8.0) 4.2 (1.9) 1.4 (2.5) 5.2 10.6	1950		-	-	-		440	-		-		49 - 4	27.9	-
1953 17.0 40.7 (57.5)117.8(146.8)136.1 135.6(105.5)105.9 73.3 28.7 (15.5) 974.4 本物 20.8 35.6 71.8 135.0 188.4 159.8 139.6 122.8 97.1 83.6 43.1 22.7 1140.2 1939 1.1 2.3 4.3 9.5 13.1 8.3 9.9 8.0 5.0 6.7 4.0 1.5 13.1 1940 1.8 2.1 5.4 12.7 14.2 9.2 9.9 5.8 5.8 6.4 4.7 3.4 14.2 1	1951	31.6	(34.9)(78.1	1135.0	(200.3)159.1	(155.1)	(114.5) 99.6	64.5	37.1	(31.2)	1207.0
本														
一日最大無放量(連米) 1939 1.1 2.3 4.3 9.5 13.1 8.3 9.9 8.0 5.0 6.7 4.0 1.5 13.1 1940 1.8 2.1 5.4 12.7 14.2 9.2 9.2 9.9 5.8 5.8 6.4 (4.7) 3.4 14.2 9.1 1940 1.8 2.1 5.4 12.7 14.2 9.2 9.2 9.9 5.8 5.8 6.4 (4.7) 3.4 14.2 19.1 1941 1.2 2.7 5.5 10.5 - (9.5) 8.0 6.3 (7.1) (8.0) 4.2 (1.9) 1.3 12 3 17 5 6 20.5 1941 1.2 2.7 5.5 10.5 - (9.5) 8.0 6.3 (7.1) (8.0) 4.2 (1.9) 1.3 12 1.4 (2.5) 5.2 10.6			40.1	()(0))11(00	(140.0	130.1	137.0	(10).7	110209	1303	20.1	(1505)	914-4
1939	平 均	20.8	35.6	71.8	135.0	188.4	159.8	159.6	122.8	97.1	83.6	43.1	22.7	1140.2
出 25 23 9 30 3 20 21 6 12,15 11 6 30 3/5		,												
1940														
1941 1-2 2-7 5-5 10.5 - (5-5) 8.0 6.3 (7.1) (8.0) 4.2 (1.9) -7	1940	1.8	2.1	5.4	12.7	14.2	9.2	9.9	5.8	5.8	6.4	(4.7)	3.4	14.2
1942 1.4 (2.5) 5.2 10.6 - 13 7 2.20 2 3 15 7 7 1 1942 14 (2.5) 5.2 10.6 - 1 1.1 7.9 6.5 4.5 3.7 2.5 15.6 1949														
1949	_	-	18	20	30	-	13	7	2,2			15	-7	
1951 1.8 1.9 6.8 10.3 15.5 13.6 8.2 6.6 7.1 4.8 2.0 3.0 15.5 15.5 13.6 8.2 6.6 7.1 4.8 2.0 3.0 15.5 15.5 13.3 9.6 8.0 7.0 5.5 4.0 1.7 11.3 13 31 6.27 16 6 13 16 18.23 11 13 13 4 11 16/6 1.5 5.1 4.8 9.4 9.3 9.2 7.8 5.9 4.8 4.3 2.4 1.8 9.4 1.8 5.1 6.8 12.7 15.6 13.6 11.1 8.0 7.1 8.0 4.7 3.4 1.8 9.4 1.8 5.1 6.8 12.7 15.6 13.6 11.1 8.0 7.1 8.0 4.7 3.4 15.6 1.8 5.1 6.8 12.7 15.6 13.6 11.1 8.0 7.1 8.0 4.7 3.4 15.6 1.9										11	-			940 940
1951 1.8 1.9 6.8 10.3 15.5 13.6 8.2 6.6 7.1 4.8 2.0 3.0 15.5 13.3 1.12 30 5 11 1 17 5 1 6 38 11 11/5 1.3 1.6 4.5 9.2 12.3 13.3 3.6 8.0 7.0 5.5 4.0 1.7 13.3 1 8.27 16 6 13 16 18.23 11 13 13 4 11 16/6 1953 1.5 5.1 4.8 9.4 9.3 9.2 7.8 5.9 4.8 4.3 2.4 1.8 9.4 11 15/5 1.5 5.1 4.8 9.4 9.3 9.2 7.8 5.9 4.8 4.3 2.4 1.8 9.4 1.8 2.3 2.3 1.8 2.3 2.														
1														9/5
1952 1-3					-									
1955	1952	1.3	1.6	4.5	9.2	12.3	13.3	9.6	8.0	7.0	5.5	4.0	1.7	13.3
1926 188 1														
日														
日 期 2,31 27 30 1951 1940 1949 1951 1949 1939 1941 1941 1940 1940 1949 1951 1949 1939 1941 1941 1940 1940 1949 1951 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1949 1952 1951 1952 1951 1952 1951 1949 1952 1951 1952 1952 1952 1952 1952 1952 1952 1952	_	1.8	5.1	6.8	12.7	15.6	13.6	11.1	8.0	7.1	8.0	4.7	3.4	15.6
1951 1952 1951 1952 1953												5	6	9/5
中								1747			1741	1940	1940	1949
中														
中 - 42 36 N														
1926 35.4 49.4 94.1 229.3 322.1 380.7 250.4 148.4 125.3 91.0 47.0 28.1 1801.2 26.2 38.1 67.0 227.3 208.5 297.4 193.6 173.2 170.2 109.2 54.0 30.1 1594.8 1928 27.3 35.6 91.1 240.6 257.1 239.5 173.9 154.0 159.4 115.1 56.9 32.9 1585.4 1929 38.0 42.3 110.8 192.3 229.2 321.3 181.4 174.6 176.3 163.8 78.7 41.3 1750.0 1930 35.2 50.2 97.6 232.1 329.1 319.2 200.6 146.8 133.2 101.0 41.7 32.1 1718.8 1931 31.1 37.0 123.1 203.6 247.7 208.3 235.0 135.3 139.8 113.3 58.6 32.9 1565.7 1932 40.0 32.8 78.3 195.4 266.6 260.8 163.9 159.2 117.8 69.8 61.6 27.0 1473.2 1933 21.1 26.3 55.3 186.6 266.8 240.2 220.6 148.3 140.4 95.4 45.6 22.9 1473.1 1934 15.8 36.7 69.0 163.3 249.2 177.2 137.3 130.7 117.7 97.4 45.6 22.9 1473.1 15.8 36.7 69.0 163.3 249.2 177.2 137.3 130.7 117.7 97.4 55.2 36.9 1286.4 1935 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1938 22.9 42.2 120.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1569.7 1938 22.9 42.2 120.4 212.6 172.4 221.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 129.9 21.3 44.2 102.7 185.7 24.2 202.7 229.0 174.8 113.7 65.3 56.9 23.5 1450.2 129.9 21.3 24.2 102.7 185.7 24.2 202.7 229.0 174.8 113.7 65.3 56.9 23.5 1450.2 129.0 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 1926 3.1 3.2 6.9 15.3 20.1 27.4 17.8 6.2 10.0 8.4 4.4 1.7 20.6 12.5 2.1 6.7 21.4 18.0 15.9 10.1 7.2 8.5 9.4 5.1 3.7 21.4 12.9 22.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 19.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2	-													
素 皮 量(寒米) 1926 35.4 49.4 94.1 229.3 322.1 380.7 250.4 148.4 125.3 91.0 47.0 28.1 1801.2 26.2 38.1 67.0 227.3 208.5 297.4 193.6 173.2 170.2 109.2 54.0 30.1 1594.8 1928 27.3 35.6 91.1 240.6 257.1 239.5 173.9 154.0 159.4 115.1 56.9 32.9 1585.4 1929 38.0 42.3 110.8 192.3 229.2 321.3 181.4 174.6 176.3 163.8 78.7 41.3 1750.0 1930 35.2 50.2 97.6 232.1 329.1 319.2 200.6 146.8 133.2 101.0 41.7 32.1 1718.8 1931 31.1 37.0 123.1 203.6 247.7 208.3 235.0 135.3 139.8 113.3 58.6 32.9 1565.7 1932 40.0 32.8 78.3 195.4 266.6 260.8 163.9 159.2 117.8 69.8 61.6 27.0 1473.2 1933 21.1 26.3 55.3 186.6 268.6 242.0 220.6 148.3 140.4 95.4 45.6 22.9 1473.1 1934 15.8 36.7 69.0 163.3 249.2 177.2 137.3 130.7 117.7 97.4 55.2 36.9 1286.4 1935 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1936 26.8 43.9 62.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1560.7 1938 24.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 1939 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 1940 21.2 52.5 121.2 199.9 310.8 211.2 249.4 130.0 165.0 157.9 41.7 23.0 1692.8 45 122.2 23.0 7.3 15.3 201.2 27.4 17.8 7.2 6.6 9.5 2.7 1.9 27.4 1928 1.4 2.1 5.2 14.9 20.6 18.8 11.2 8.2 10.0 8.4 4.4 1.7 20.6 1.5 24.0 15.0 15.9 10.1 7.2 8.5 9.4 5.1 3.7 21.4 1929 2.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 1930 2.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7	319F	*		3			Ø = 4	12 36 1	i), n		A RE F	I= 93.0	M	
1926 35.4 49.4 94.1 229.3 322.1 380.7 250.4 148.4 125.3 91.0 47.0 28.1 1801.2 26.2 38.1 67.0 227.3 208.5 297.4 193.6 173.2 170.2 109.2 54.0 30.1 1594.8 1928 27.3 35.6 91.1 240.6 257.1 239.5 173.9 154.0 159.4 115.1 58.9 32.9 1585.4 1929 38.0 42.3 110.8 192.3 229.2 321.3 181.4 174.6 176.3 163.8 78.7 41.3 1750.0 1930 35.2 50.2 97.6 232.1 329.1 319.2 200.6 146.8 133.2 101.0 41.7 32.1 1710.8 1931 31.1 37.0 123.1 203.6 247.7 208.3 235.0 135.3 139.8 113.3 58.6 32.9 1565.7 1932 40.0 32.8 78.3 195.4 266.6 260.8 163.9 159.2 117.8 69.8 61.6 27.0 1473.2 1933 21.1 26.3 55.3 186.6 268.6 242.0 220.6 148.3 140.4 95.4 45.6 22.9 1473.1 1934 15.8 36.7 69.0 163.3 249.2 177.2 137.3 130.7 117.7 97.4 45.6 22.9 1473.1 1934 15.8 36.7 69.0 163.3 249.2 177.2 137.3 130.7 117.7 97.4 45.6 22.9 1473.1 1936 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1936 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1937 26.8 43.9 62.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1569.7 1938 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 1939 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 1940 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 27.2 41.0 94.3 199.2 263.5 251.6 207.2 157.7 140.8 106.8 54.3 29.6 1573.1 1926 3.1 3.2 6.9 15.3 20.1 27.4 17.8 7.2 6.6 9.5 2.7 1.9 27.4 1927 1.4 2.1 5.2 14.9 20.6 18.8 11.2 8.2 10.0 8.4 4.4 1.7 20.6 1.5 2.1 6.7 21.4 18.0 15.9 10.1 7.2 8.5	146		DI3 "	1				, , ,		224 0.		- /500		
1927 26.2 38.1 67.0 227.3 208.5 297.4 193.6 173.2 170.2 109.2 54.0 30.1 1594.8 1928 27.3 35.6 91.1 240.6 257.1 239.5 173.9 154.0 159.4 115.1 56.9 32.9 1585.4 1929 38.0 42.3 110.8 192.3 229.2 321.3 181.4 174.6 176.3 163.8 78.7 41.3 1750.0 1930 35.2 50.2 97.6 232.1 329.1 319.2 200.6 146.8 133.2 101.0 41.7 32.1 1718.8 1931 31.1 37.0 123.1 203.6 247.7 208.3 235.0 135.3 139.8 113.3 58.6 32.9 1565.7 1932 40.0 32.8 78.3 195.4 266.6 260.8 163.9 159.2 117.8 69.8 61.6 27.0 1473.2 1933 21.1 26.3 55.3 186.6 268.6 242.0 220.6 148.3 140.4 95.4 45.6 22.9 1473.1 1934 15.8 36.7 69.0 163.3 249.2 177.2 137.3 130.7 117.7 97.4 55.2 36.9 1286.4 1935 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1936 20.8 26.8 94.8 132.9 279.8 185.3 203.9 170.1 121.1 103.8 64.7 31.0 1435.0 129.7 129.9 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 129.9 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 129.4 129.2 120.2														
1928 27.3 35.6 91.1 240.6 257.1 239.5 173.9 154.0 159.4 115.1 58.9 32.9 1583.4 1929 38.0 42.3 110.8 192.3 229.2 321.3 181.4 174.6 176.3 163.8 78.7 41.3 1750.0 1930 35.2 50.2 97.6 232.1 329.1 319.2 200.6 146.8 133.2 101.0 41.7 32.1 1718.8 1931 31.1 37.0 123.1 203.6 247.7 208.3 235.0 135.3 139.8 113.3 58.6 32.9 1565.7 1932 40.0 32.8 78.3 195.4 266.6 260.8 163.9 159.2 117.8 69.8 61.6 27.0 1473.2 1933 21.1 26.3 55.3 186.6 268.6 242.0 220.6 148.3 140.4 95.4 45.6 22.9 1473.1 134 15.8 36.7 69.0 163.3 249.2 177.2 137.3 130.7 117.7 97.4 55.2 36.9 1286.4 1935 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1936 20.8 26.8 94.8 132.9 279.8 185.3 203.9 170.1 121.1 103.8 64.7 31.0 1435.0 1937 26.8 43.9 62.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1569.7 1938 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 1939 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 1940 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 27.2 41.0 94.3 199.2 263.5 251.6 207.2 157.7 140.8 106.8 54.3 29.6 1573.1 上最大蒸发量 (未来) 1926 3.1 3.2 6.9 15.3 20.1 27.4 17.8 7.2 6.6 9.5 2.7 1.9 27.4 1927 1.4 2.1 5.2 14.9 20.6 18.8 11.2 8.2 10.0 8.4 4.4 1.7 20.6 1.5 2.1 6.7 21.4 18.0 15.9 10.1 7.2 8.5 9.4 5.1 3.7 21.4 1929 2.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 1930 2.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7														
1930 35-2 50-2 97-6 232-1 329-1 319-2 200.6 146.8 133-2 101.0 41.7 32.1 1718.8 1931 31.1 37.0 123.1 203.6 247-7 208.3 235.0 135.3 139.8 113.3 58.6 32.9 1565.7 1932 40.0 32.8 78.3 195.4 266.6 260.8 163.9 159.2 117.8 69.8 61.6 27.0 1473.2 1933 21.1 26.3 55.3 186.6 268.6 242.0 220.6 148.3 140.4 95.4 45.6 22.9 1473.1 1934 15.8 36.7 69.0 163.3 249.2 177.2 137.3 130.7 117.7 97.4 55.2 36.9 1286.4 1935 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1936 20.8 26.8 94.8 132.9 279.8 185.3 203.9 170.1 121.1 103.8 64.7 31.0 1435.0 1937 26.8 43.9 62.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1569.7 1938 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 1939 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 1940 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 本均 27.2 41.0 94.3 199.2 263.5 251.6 207.2 157.7 140.8 106.8 54.3 29.6 1573.1 上景 表示 24.4 18.0 15.9 10.1 7.2 8.5 9.4 5.1 3.7 21.4 1928 2.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 1930 2.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7			35.6	91.1	240.6	257.1	239.5	173.9	154.0	159.4	115.1			
1931 31.1 37.0 123.1 203.6 247.7 208.3 235.0 135.3 139.8 113.3 58.6 32.9 1565.7 1932 40.0 32.8 78.3 195.4 266.6 260.8 163.9 159.2 117.8 69.8 61.6 27.0 1473.2 1933 21.1 26.3 55.3 186.6 268.6 242.0 220.6 148.3 140.4 95.4 45.6 22.9 1473.1 1934 15.8 36.7 69.0 163.3 249.2 177.2 137.3 130.7 117.7 97.4 55.2 36.9 1286.4 1935 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1936 20.8 26.8 94.8 132.9 279.8 185.3 203.9 170.1 121.1 103.8 64.7 31.0 1435.0 1937 26.8 43.9 62.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1569.7 1938 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 1939 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 1940 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 41.9 24.0				110.8	192.3	229.2	321.3	181.4	174.6	176.3	163.8			
1932 40.0 32.8 76.3 195.4 266.6 260.8 163.9 159.2 117.8 69.8 61.6 27.0 1473.2 1933 21.1 26.3 55.3 186.6 268.6 242.0 220.6 148.3 140.4 95.4 45.6 22.9 1473.1 1934 15.8 36.7 69.0 165.3 249.2 177.2 137.3 130.7 117.7 97.4 55.2 36.9 1286.4 1935 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1936 20.8 26.8 94.8 132.9 279.8 185.3 203.9 170.1 121.1 103.8 64.7 31.0 1435.0 1937 26.8 43.9 62.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1569.7 1938 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 1939 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 1940 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8			30											
1933 21.1 26.3 55.3 186.6 268.6 242.0 220.6 148.3 140.4 95.4 45.6 22.9 1473.1 15.8 36.7 69.0 161.3 249.2 177.2 137.3 130.7 117.7 97.4 55.2 36.9 1286.4 1935 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1936 20.8 26.8 94.8 132.9 279.8 185.3 203.9 170.1 121.1 103.8 64.7 31.0 1435.0 1937 26.8 43.9 62.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1569.7 1938 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 1939 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 41.7			37.0	78.3	203.6	247.7	208.3	235.0	135.3	139.8	113.3	58.6	32.9	
1935 24.4 57.0 126.4 240.3 310.1 213.5 167.0 189.6 181.3 116.1 35.8 21.7 1683.2 1936 20.8 26.8 94.8 132.9 279.8 185.3 203.9 170.1 121.1 103.8 64.7 31.0 1435.0 26.8 43.9 62.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1569.7 1938 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 1940 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 27.2 41.0 94.3 199.2 263.5 251.6 207.2 157.7 140.8 106.8 54.3 29.6 1573.1	1933	21.1	26.3	55.3	186.6	268.6	242.0	220.6	148.3	140.4	95.4	45.6	22.9	1473.1
1936 20.8 26.8 94.8 132.9 279.8 185.3 203.9 170.1 121.1 103.8 64.7 31.0 1435.0 26.8 43.9 62.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1569.7 1938 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 27.2 41.0 94.3 199.2 263.5 251.6 207.2 157.7 140.8 106.8 54.3 29.6 1573.1 ——日最大蒸发量(毫米) 1926 3.1 3.2 6.9 15.3 20.1 27.4 17.8 7.2 6.6 9.5 2.7 1.9 27.4 1927 1.4 2.1 5.2 14.9 20.6 18.8 11.2 8.2 10.0 8.4 4.4 1.7 20.6 1928 1.5 2.1 6.7 21.4 18.0 15.9 10.1 7.2 8.5 9.4 5.1 3.7 21.4 1929 2.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 1930 2.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7			57.0	126.4	240.3	310.1	213.5	137.3	130.7	181.3	97.4			
1937 26.8 43.9 62.4 145.8 259.0 290.9 280.5 127.5 136.3 111.4 61.2 24.0 1569.7 1938 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 1939 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 1940 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 平均 27.2 41.0 94.3 199.2 263.5 251.6 207.2 157.7 140.8 106.8 54.3 29.6 1573.1														
1938 22.9 42.2 120.4 212.6 172.4 223.5 222.0 174.8 113.7 65.3 56.9 23.5 1450.2 1939 21.3 44.2 102.7 185.7 242.9 202.7 229.0 194.3 114.0 92.2 52.2 36.4 1517.6 1940 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 本	1937	26.8	43.9	62.4	145.8	259.0	290.9	280.5	127.5	136.3	111.4			
1940 21.2 52.5 121.2 199.9 310.8 211.2 249.4 139.0 165.0 157.9 41.7 23.0 1692.8 本均 27.2 41.0 94.3 199.2 263.5 251.6 207.2 157.7 140.8 106.8 54.3 29.6 1573.1 一日最大蒸发量(速米) 1926 3.1 3.2 6.9 15.3 20.1 27.4 17.8 7.2 6.6 9.5 2.7 1.9 27.4 1927 1.4 2.1 5.2 14.9 20.6 18.8 11.2 8.2 10.0 8.4 4.4 1.7 20.6 1928 1.5 2.1 6.7 21.4 18.0 15.9 10.1 7.2 8.5 9.4 5.1 3.7 21.4 1929 2.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 1930 2.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7			42.2	120.4	212.6	172.4	223.5	222.0	174.8	113.7	65.3			1450.2
一日最大蒸发量 (連米) 1926 3.1 3.2 6.9 15.3 20.1 27.4 17.8 7.2 6.6 9.5 2.7 1.9 27.4 1927 1.4 2.1 5.2 14.9 20.6 18.8 11.2 8.2 10.0 8.4 4.4 1.7 20.6 1928 1.5 2.1 6.7 21.4 18.0 15.9 10.1 7.2 8.5 9.4 5.1 3.7 21.4 1929 2.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 1930 2.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7			52.5	121.2	199.9	310.8	211.2	249.4	139.0	165.0	157.9			
一日最大蒸发量 (恋米) 1926 3.1 3.2 6.9 15.3 20.1 27.4 17.8 7.2 6.6 9.5 2.7 1.9 27.4 1927 1.4 2.1 5.2 14.9 20.6 18.8 11.2 8.2 10.0 8.4 4.4 1.7 20.6 1928 1.5 2.1 6.7 21.4 18.0 15.9 10.1 7.2 8.5 9.4 5.1 3.7 21.4 1929 2.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 1930 2.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7	平 均	27.2	41.0	94.3	199.2	263.5	251.6	207-2	157-7	140.8	106_8	54-3	29-6	1573-1
1926 3.1 3.2 6.9 15.3 20.1 27.4 17.8 7.2 6.6 9.5 2.7 1.9 27.4 1927 1.4 2.1 5.2 14.9 20.6 18.8 11.2 8.2 10.0 8.4 4.4 1.7 20.6 1.5 2.1 6.7 21.4 18.0 15.9 10.1 7.2 8.5 9.4 5.1 3.7 21.4 1929 2.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 1930 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7	1211	-	1							2.4343		7403	-700	-71302
1927 1.4 2.1 5.2 14.9 20.6 18.8 11.2 8.2 10.0 8.4 4.4 1.7 20.6 1928 1.5 2.1 6.7 21.4 18.0 15.9 10.1 7.2 8.5 9.4 5.1 3.7 21.4 1929 2.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 1930 2.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7					15.3		27.4	17.8		6.6		2.7	1,9	27.4
1929 2.2 3.0 7.3 15.3 19.5 18.6 9.7 7.8 13.5 13.8 6.8 3.1 19.5 1930 2.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7	1927	7 - 1	2.1	5.2			18.8	11.2	8.2	10.0	8.4	4.4	1.7	20.6
1930 2.0 5.2 4.6 19.7 17.9 16.7 13.4 7.8 7.0 5.2 3.6 2.2 19.7				67	27 4	18 0	16 0							
1931 2.1 2.5 7.8 19.5 14.3 14.9 14.8 7.3 5.7 7.5 3.8 3.2 19.5	1928 1929	1.5	2.1 3.0	7.3	15.3	19.5	18.6	9.7	7.8					
	1928 1929	1.5	2.1 3.0	7.3	15.3	19.5	18.6	9.7	7.8	13.5	13.8	6.8	3.1	19.5

22												_	
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1932 1933 1934	2.7	1.8	7.3 4.7 4.0	16.0 13.3 12.5	14.5 17.5 14.3	15.9 14.2 11.4	10.6 11.6 6.7	7.6 7.5 7.1	5.7 7.6 7.6	3.9 5.6 5.6	6.2 4.5 4.0	2.7 1.9 3.2	14.3
1935	1.5	4.7	9.8	18.5	20.0	13.7	9.2	9.4	7.0	6.0	3.5	1.6	20.0
1936	3.1	5.2	9.8	21.4	20.6	27.4		9.4		13.8	11.0	3.7	27.4
年 份	1926	1930	1935		1927	1926	1926	1935	1929	1929	1936	1928	1926
		彰 武	5			φ= ,	42 24 1	γ λ =	122 25	'B E	l= 82.0	M	
					茶	发		毫米)					
1937 1939 1940 1952	31.2 31.0 29.7	36.8 34.2 86.7	99.9	216.6 218.3	278.5	221.0	442.1 213.8 211.7	173.9	120.0	103.6	53.0 82.5 80.8 76.4	32.6 83.5 64.6 42.0	1975.7 1658.5 1721.3
1953	38.9	60.8								(116.2)			1510.0
平 均	32.7	54.6	97.1	185.2	265.0	258.0	265.2	191.5	138.5	105.0	69.2	54.3	1716.4
		阜 兼	F			φ= ,	42 10 1	1 A =	121 38	B'R E	I= 167.	5 M	
					蒸	发	量(老米)					
1950 1951 1952 1953	48.6	45.3	114.0	208.7	292.8	263.9	276.2	204.0	174.0			46.7 54.8 43.3 42.1	1642.0 1861.5 1886.9 1577.4
平 均	44.3	54.1	115.7	193.1			224.8		167.2	121.7	67.5	46.7	1742.0
1950 1951 H 1952 H 1953	2.6 25 2.8 28 3.1 16 2.5 24	3.6 26 3.3 1 2.6 9,17 4.1 26,28	30 7.4 16 5.7 29,30 6.7		13.0 28 14.8 2 15.7 19 (11.7)	14.4 8 16.5 1 17.8 25 13.8 15	10.9 3 14.2 5 14.7 1 12.4	9.0 12 10.7 31 10.0 13 9.3	7.7 15 9.8 1 9.0 2 7.6 17	7.3 7 7.3 27 8.1 13.6.4	4.1 3 3.8 1 4.7 4 4.1 7	2.4 29 3.5 11,12 1.9 14 3.3 1,3	14.4 8/6 16.5 1/6 17.8 25/6 13.8 15/6
個 值 期 作 份	3.1 16 1952	4.1 26,28 1953	7.4 30,16 1950 1951	5,29		17.8 25 1952	14.7 1 1952	10.7 31 1951	9.8 1 1951	8.1 13 1952	4.7 4 1952	3.5 11,12 1951	17.8 25/6 1952
-		撫ル	ĺ			g= 1	41°50′1	g λ=	124 0	7 B E	1- 79.8	м	
					蒸	发	量(毫米)					
1936 1937 1938 1939 1940	25.2 30.4 19.3 15.4 17.6	26.0 37.5 29.5 31.7 30.8	58.7	97.4 117.5 101.5	138.8 101.7 121.7	126.3 122.7 111.8	126.7 126.7 114.4 122.6 140.0	72.9 110.8 117.5	81.2 85.6 68.9 64.6 94.9	63.6 70.5 61.5 60.5 75.7	31.6 40.7 38.7 38.8 34.0	30.8 22.9 17.5 23.5 19.0	903.0 898.1 866.7 868.3 948.8
1949 1950 1951 1952 1953	20.9 16.7 18.5 15.2	25.8 20.8 22.5 27.4	53.8	120.7 105.7 87.5	169.4	109.2 122.7 157.3	77.9 96.1 141.8 153.7 104.4	103.6	87.4 80.3 78.0 96.7	51.4 51.0 50.0 50.9 58.3	24.2 34.2 24.7 29.0 33.3	23.9 18.8 24.2 19.1 21.7	913.7 936.8 809.9
本 的	19.8	28.3	59.7	100.7			128.8		81.3	61.4	33.9	22.3	893.2
1949 #	-	-	-		— 日 8.9 4	最大烈	蒸发量 4.6 19	(老米) 5.1 31	4.1	2.7	2.0	1.4	-

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	1.0	1.7	5.0	6.0	10.5	7.8	8.1	5.8	5.3	3.1	1.5	2.0	10.5
1952	27,31	20	30	21 5.9	8.6	8.0	9.3	6.6	4.7	2.8	3,13	1.6	10/5
Ħ	. 3	25	21	8	.18	26	4.	28	7	3K	- 5	11	4/7
1953	1.1	2.9	3.7	7.8	7.0	5.9	5 10	6.1	6.5	2.9	3.8	1.4	7.8
H	9,24	61	21	-1	-	1491	, 10	.0	10	11	30	1	27/4
祖位日期	1.1	2.9	5.0	7.8		8.0	9.3	6.6	6.5	. 3.1	3.8	2.0	10.5
年份	9,24	27 1953	30 1951	1053	1951	26 1952	1952	28 1952	18	1951	30 1953	1951	10/5
	1973	4773	7771	1773	17)1	1776	1772	17)2	1773	17.74	1773	1771	1901
		-saz 21	B (.)				41 48'1		123 2				
		潘仙	号(一)			φ	41 48 1	y λ=	123 2	3 E H	1= 43.6	3 M	
					蒸	发	里(毫米)					
3006	(0.2	- ((305.0	370 0					3/3 0	226 5	(10	40 0	26226
1906	62.7				254.0						64.9	48.8	1633.6
1908	33.6	42.9			217.6						71.7	65.7	1616.4
1909	48.7				246.4						81.7	43.5	1611.7
1910	39.9	55.7	104.8	167.4	302.4	213.1	250.5	154.7	133.1	94.3	67.4	46.4	1629.7
1911	42.3	42.0	64.2	111.8	278.3	230.8	178.6	146.5	132.9	91.9	60.0	39.7	1419.0
1912	40.3	47.5	98.3	190.1	191.7	246.5	205.2	167.1	130.9	96.4	47.7	29.8	1491.5
1913	32.4				263.9						81.8	41.5	1758.5
1914	48.7	58.9			366.2					73.0	31.8	28.8	1594.4
2/2/		30.5	7,701	22200	2,000	10,00	20)0)	2,004	1000)	0001	7404	,000	220380
1916	31.5	31.1			247.0						59.4	34.6	1490.8
1917	25.8	45.4	108.0	219.2	284.1	396.1	238.3	154.9	113.8	95.8	42.2	23.4	1747.0
平 均	39.7	47.7	94.4	179.4	253.0	244.7	202.6	165.1	131.7	103.8	59.8	41.3	1563.0
					-	最大素							
1906	2.0	0.7		77 0					7 0	6 7	2.77	0.5	35 6
1907	2.9	2.7	5.5	11.8	15.6	13.1	8.6	7.6	7.8	5.7	3.7	2.5	15.6
1908	2.1	2.7	6.5	16.5	12.9	16.1	10.4	9.3	7.3	5.9	3.8	3.6	16.5
1909	3.2	3.7	5.7	11.0	17.4	15.7	11.7	8.9	6.9	7.2	5.4	2.4	17.4
1910	2.5	3.2	7.4	10.6	16.5	11.3	13.2	8.4	7.0	4.4	3.7	2.3	16.5
1911	2.0	2.6	3.2	7.4	16.0	12.9	11.8	7.0	7.4	5.2	4.3	2.4	16.0
1912	2.4	3.4	7.1	17.1	12.7	11.7	12.0	11.0	6.8	9.0	2,6	2.2	17.1
1913	2.4	3.0	9.5	10.3	18.4	12.9	12.5	10.5	9.8	12.2	5.5	2.8	18.4
1915	1.2	4.5	5.9 3.2	16.2	18.8	15.9	13.9	8.2	5.4	3.8	4.5	3.0	18.8
							,						
1916	1.6	2.0	6.5	8.3	15.6	11.3	10.8	9.2	7.6	7.3	4.4	2.3	15.6
171	2.1	3.0	7.3	13.0	16.2	18.7	13.7	9.2	6.3	5.5	2.4	1.6	18.7
極位	3.2	4.5	9.8	17.1	18.8	18.7	13.9	11.0	9.8	12.2	5.5	5.2	18.8
年 份	1909	1914	1907	1912	1914	1917	1915	1912	1913	1913	1913	1907	1914
							0		0	. =			
		潘阳	島(二)			φ= 4	11 47'1	1 λ=	123 24	4'B H	= 43.0	M	
					蒸	发	量(毫米)					
1918	26.8	44.5			159.5				92.2	76.2	37.7	29.2	1146.9
1919	28.2	46.0			168.2				92.0	62.0	46.7	35.0	1223.9
1920	35.3	27.4			207.8				87.8	97.7	46.1	30.9	1365.6
1922	24.3	38.9			159.7				79-3	78.1	40.7	30.4	1172.4
3003	20.0	26.2	E6 .	209 0	242.0	3.45.7	206	205 (0.7				
1923 1924	30.7	36.3			143.0				90.6	68.6	36.5 47.7	28.9	973.5 991.6
1925	28.1	37.9	52.8	126.0	111.3	138.6	129.8	98.1		67.7	50.4	31.6	964.7
1926	29.4	36.8	75.0	142.7	171.2	267.6	179.4	96.3	89.8	69.8	42.9	23.0	1223.9
1927	27.4	38.0	51.5	148.3	136.1	186.1	132.2	127.8	107.9	70.4	49.2	22.2	1097.1
1928	17.8	33.8	66.6	159.3	169.0	159.3	128.9	116.3	107-3	79.9	52.8	28.2	1119.2
1929	25.8	36.9	88.8	127.2	149.8	186.8	107.5	130.4	106.3	68.3	43.1	22.5	1093.4
1930	22.8	31.7	81.5	215.7	342.8	292.6	185.8	169.5	137.9	105.0	47.3	34.2	1666.8
						-			-			_	

24													
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1931 1932		49.4			238.2						64.5	32.4	1520.5
19 33 19 34 19 35 19 36 19 37	19.5 29.4 12.1	35.7 44.6 58.3 18.1 28.3	80.3 107.2 83.4	140.2 178.6 128.1	242.5 193.3 195.6 248.0 191.9	147.4 95.8 180.0	153.4 94.0 221.9	150.6 150.6 193.8	125.2 182.3 141.8	99.5	53.7 75.5 34.7 45.0 54.1	30.2 43.4 15.8 19.2 18.6	1373.8 1282.3 1241.8 1399.7 1178.7
1938 1939 1940 1941 1942	12.8	29.0 35.2 36.5 19.8 32.6	88.0 99.8 56.6	164.7	155.4 200.8 226.6	175.8	200.8	131.8	87.5 138.4		54.3 53.4 36.3 66.6	23.9 23.6 13.3 14.8	1215.4 1273.2 1301.8
1947		34.1 27.3			165.2			119.3	106.8	79.9	41.2	16.2	1064.9
1949 1950 1951	21.0	35.9 28.8 31.3	64.1	125.5	196.8 164.3 (197.7)	163.6	158.4	159.2	116.7		29.5 46.4 40.5	20.1 29.3 31.4	1132.1 1145.8 1138.9
1952 1953		27.0)192.1 (125.9)					77.2 74.6	45.5 38.4	25.9 (20.9)	1220.0
平均	25.6	36.1	73.8	144.3	185.6				109.7	82.0	47.0	27.1	1211.6
1918	1.3	3.3	4.3	10.0	10.6	最大素 10.3	8.5	(毫米)	6.1	4.7	2 3	1.6	10.6
1919	1.5	3.0	4.2	8.2	10.2	9.2	9.1	9.8	5.7	4.2	2.3	1.5	10.6
1920	1.6	3.1	5.5	10.0	9.5	15.6	17.5	8.3	5.1	4.6	7.7	1.7	17.5
1922		2.2	4.6	8.1	11.0		7.4			4.1	2.7	1.3	14.4
1923		2.2	3.0	7.7	7.1	7.2	7.6 5.5	5.0	4.0	3.6	2.0	1.3	7.7
1925	1.2	2.4	3.2	9.5	7.7	8.1	7.3	5.8	5.8	3.7	2.9	1.4	9.5
1926		2.4	4.3	9.1	9.3	13.5	6.3	5.5	5.8	4.4	3.8	1.5	13.5
1928		2.0	4.3	11.9	10.8	8.2	7-3	6.2	4.9	5.2	3.5	1.5	11.9
1929		2.6	5.2	8.8	11.3	9.4	5.6	6.6	5.2	3.5	3.0	1.7	11.3
19 31 19 32		2.8	7.0 5.1	12.6	11.7	11.9	10.5	8.9	7.0	7.5	4.3	2.6	12.6
1933	2.8	2.6	4.5	10.8	15.5	12.3	10.1	6.7	6.0	4.6	5.6 3.9	2.0	11.6
19 34 19 35		2.4	4.1	7.9	11.1	8.8	8.4	8.4	7.0	5.5	4.9	3.2	11.1
1936	0.8	1.2	7.3	10.1	13.0	10.5	11.9	9.8	8.2	6.2	4.0	1.6	13.0
1937		2.3	2.5	8.6	12.0	10.0	9.0	7.9	5.3	4.5	4.7	1.3	12.0
B	10	28	31	30	13	22	15	3	8	4.3	4.2	2.0	12.8
1939	0.8	2.7	6.7	10.5	12.8	9.8	13.5	8.7	5.4	5.4	4.2	2.5	13.5
1940 H	1.3	2.3	5.9	9.5	16.5	9.2	10.9	5.5	7.2	6.1	3.5	0.8	16.5
1941	0.8	1.8	4.7	9.4	-	(10.6)		6.8	19	5.7	4.7	0.9	20/5
1949	7	18	3.5	30 9.6	10.9	9.7	7.0	13	15 5.5	3 3.5	7 2.0	19	10.9
1053	27	22,28	3 28	17	3	21	12	3	10	3ak	1	19	3/5
1951	1.6 38	2.1	4.7	7.4	10.9	11.8	9.0	6.6	5.1	4.0	2.6	2.4	11.8
1952	1.3	1.4	3.8	5.9	10.7	11.9	11.0	6.4	6.9	4.1	2.8	1.5	11.9
1953	1.6	3.5	5.3	7.9	7.0	8.9	10.7	7.5	6.6	7	10 5.0	3.0	3/6
Edit file	24	28	6	24,20		12	26	8	9	3,11		1	26/7
B 10)	-	4.2	7.3	17.7	17.9	15.6	17.5	9.9	10.2	10.3	7.7	3.8	17.9
年 纷	1933	1935	19 36	1930	1930	1920	1920	1935	1935	19 35	1920	1932	1930

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		朝湯	1		=	$\varphi = A$	0 33 W	i.	1 20 27	B H=	167.0	M	
					蒸	发	-	毫米)					
1936 1937 1938 1939 1952	27.8 25.1 33.9 55.9	57.8	75.7 115.0	222.7 306.0 332.0	339.5 274.2 406.5	286.8 252.3 369.2	242.4 204.5 223.1	104.1 154.9 272.2	104.1 110.5 142.4	111.5 99.0 74.4 136.2 199.4	96.3	34.2 52.1 45.7 76.7 45.2	1725.7 1677.3 1719.6 2296.2
1953	38.3	72.8	151.7	225.5	246.7	(190.2	075.4	X137.8)158.7	129.4	75-7	(48.4)	1650.6
平 均	36.2	59.5	110.3	257.2	319.9	273.5	213.9	170.8	126.2	110.1	84.8	51.4	1813.9
		達	場		蒸	9=		(张米)		о'в н	= - ¥		
1934 1935 1936 1937 1938	57.6 32.8 51.9 40.0	34.4	96.0	141.5	351.3 262.6 311.9	175.9 105.2 196.8 277.7	172.7 87.2 244.3 209.9	95.3 107.1 143.1 119.4	92.8 119.4 126.1 123.3	78.2 86.7 93.4 114.4 87.3	70.9 45.7 48.3 37.6 85.8	74.1 35.9 46.5 49.4 61.0	1556.5 1465.8 1605.7 1749.4
1939 1940	62.0									106.8 158.1		80.7	1812.1 1950.1
平 均	47.4	70.5	125.4	226.6	299.6	232.1	205.8	139.5	123.2	107.8	60.2	52.0	1689.9
		錦外	Н	٠. ٨ ٤	٠.	φ = ,	41°07′1	N λ-	121 0	7'R H	= 21.8	М	
					蒸	发	量(毫米)					
1936 1937 1938 1939 1940	53.1 57.6 50.6 37.8 48.5	78.4 70.3 56.7	118.4 81.6 122.2 106.5 160.8	208.7 284.2 242.2	318.0 200.3 339.9	270.4 195.5 319.2	174.3 134.0 242.3	114.7 129.9 245.9	117.7 103.4 175.3	113.7 82.1 135.3	86.1 76.5 67.8 94.6 83.5	58.2 47.6 45.6 79.4 54.3	1672.3 1659.2 1485.9 2075.1 2096.9
1941	61.1		129.4		_	205.9	217.7	170.2	168.7	157.0	89.9	52.7	and 648
1949 1950 1951	49.1 40.1	56.2 45.7	104.4 122.0	152.5 191.6	188.8 267.5	210.9	149.7 143.7 254.4	172.2	143.4	106.8	61.2 64.2 50.2	47.7 44.8 44.6	1437.0 1712.5
1952 1953	37.7 34.5	46.9	103.9 115.2	178.1 184.7	271.2 204.9	290.1	236.3	234.5	173.7	131.3 (116.3)	64.9	39.2 51.4	1807.8 1467.4
本 均	45.4	60.3	115.0	210.5		234.1	201.5		150.4	127.7	73.2	51.7	1712.7
19 39	2.6	3.4			18.0	18.5	13.8	18.2	8.8	9.9	5.6	7.4	18.5
1940	25 3.5	28	9 9.2	27 21.0	27.3	14.5	31 13.4	8.3	3 10.5	2 11.4	5.0	30 3.4	4/6 27.3
1941	4.1	20, 24	10.1	28	20	11.5	18	7.8	8.1	8.1	6.3	1,9	20/5
1942	3.4	19	20	13	_	26	6	12,20	-	6	1 -	31	
1949 H	4 -	28	25	9 -	-	13.7	12.0	9.2	7.5	9.9	4.2	3.6	-
1951	2.7	3.2	8.0	11.2	18.0	16.3	14.3	8.7	8.7	6.4	3.5	3.3	18.0
1952	28	2.6	23 5.5	9.3	17.6	17.8	11 16.1	31	9.5	8.0	3 4.5	13	10/5
1953 H	29 2.9 24	20 4.2 28	6.2 21	29 9.7 23	21 10.8 17	25 10.9 15	8.4 19	16 7.8 15	3 7.7 4	13 7.1 11	4.1	13 3.7 1	25/6 10.9 15/6

N P													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極傾		5.0	10.7	21.0	27.3	18.		18.2	10.5	11.4	6.3	7.4	27.3
年 份	00.00	1942										1939	1940
	,	鞍	Ц			φ.,	41°05	н 2.	122 5	O'B	H=15.3	м	
	1				苯	发		(毫米)	,				
1926	50.1				318.8	394.9	267.0	120.2			64.7	39.0	1964.8
1927	37.3	52.0	110.2	263.4	327.7	265.6	206.5	151.6	160.5	139.7	84.3	41.8	1841.7
1929 1930		45.8	153.8	214.8	311.5	338.9	171.9	170.1	180.1	107.3	71.9 55.2	38.4	1819.1
1931							215.0				78.3	45.0	1630.9
1932 1933	44.4	47.4	77.8	196.5	242.4	194.8	171.7	133.9	157.8	98.4	94.8	58.5	1646.5
19 34 19 35		83.5	135.6	242.3	284.4	174.2	179.3	173.0	182.2	131.2	80.5 57.6	58.3	1459.3
1936 1937	35.9	31.6	105.4	141.6	255.5	209.7	214.7	147.8	112.0	106.0	61.0	41.4	1462.6
1938 1939	40.2	61.4	128.7	295.2	262.2	260.3	184.6	183.7	125.2	-	75.6	47.3	-
1940	38.8	87.7	167.9	267.5	396.3	264.3	233.8	89.2	84.6	106.1	51.4	36.0	1793.4 1823.6
1950 1951	84.5	76.0	166.4	244.5	344.6	289.8	252.1	226.4	203-5	1 39_8	112.7	70.2	2214.5
1952 1953	40.9	44.1	102.9	196.1	343.2	325.8	201.3	163.9	147.1	1 36 . 9	64.8	49.3	1816.3
平 均	46.0				285.7	258.5	210.0	154.4			72.5	47.4	1731.5
1926	4.4	4.7	7.9	14.9	一日 19.5	最大差 23.6	太 发量		6.0	~ .			
1927	2.4	4.5	6.7	16.3	20.5	24.0	9.8	6.4 8.1 7.2	9.4	7.4	3.6	2.4	23.6
1929 1930	3.4	5.6	8.2	14.8	17.8	18.6	10.8	8.9	8.5 9.5 8.6	10.7	5.5	3.0	18.6
1931	3.7	3.5	6.5	10.9	13.0	15.4	11.3	8.8	9.2	8.8	3.7	3.2	18.0
1932	4.3	2.8	8.7	12.7	14.4	10.8	9.3	9.9	7.9	5.4	7.4	3.9	14.4
1934 1951	2.2	3.6	4.8	11.4	15.5	10.5	9.4	7.1	8.1	6.1	5.2	4.3	15.5
Ħ	31	20	30	51	11	1	17	10	. 3	6	20	11	1/6
1952	2.2	2.7	8.5	11.9	21.5	17.7	15.0	8.3	6.7	8.3	5.9	3.9	21.5
1953	2.5	5.6	28	13.7	11.4	12.5	8.8	8.2	8.1	6.5	4.7	1.9	13.7
通館	4.4	5.6	12.6	22.1	21.6	24.0		11.7	11.6	11.8	7.4	6.7	24.0
年份	1926	1929	1951	16	1928	1927	17	10 1951	3 1951	6 1951	1932	11 1951	19/6
		1953											= 1
	本	溪連山	1開			φ= 4	ю [°] 58'и	λ=	123°45	'B H	= 273.	5 M	-
					蒸		量()						1
19 39	22.3	4102	05.3	124.3	194.1	138.6	136.2	94.7	110.1	108.3	43.2	32.9	1007.9
1941	26.2	2207	69.0	110.7	_	142.3	135.9	104.0	108.2	81.5	43.1	34.5	1125.8
不 均					166.5	129.7	131.4	110_9	94-9	90-8	43.2	30.4	1066.9
i									, 40,	, - 60	4302	2004	200069

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1	_	- 1.	: .			县十五	蒸发量	(水水)					
2020	3.0		2.2	6 7	8.8				4 2	э. В	2 5	2.3	8.8
1939	1.2	3.5	3.3	6.7	3	7.1	7.7	7.6	4.3	3.8	2.5	2.1	3/5
1940	1.6	2.5	5.1	7.7	11.0	8.5	7.7	5.1	4.8	5.8	3.1	1.6	11.0
H	2	18	24	30	14	21	18	28	11	5	1	9	14/5
1941	2.0	2.3	5.5	8.3	-	(7.3		5.8	5.7	(4.5)		1.6	
Ħ	21	18	20	30	-	18	4,21			5	1	17	-
1942	1.7	2.4	4.7	7.8	-	-	-		_		_	grat grat	045
智	29	20	15	19	_	- ,						-	
極値	2.0	3.5	5.5	8.3	11.0	8.5	7.7	- 7.6	5.7	5.8	3.1	2.1	11.0
日期	E-p	28	20	30	. 14	21			3	5		. 30	14/5
年份	1941	1939	1941	1941	1940	1940	1939,4	0 1939	1941	1940	1940,4	1 1939	1940
						-	0 3		0	, .			
		雪 口	1 .	4.8	9.3	φ _m ,	40 40 1	N 1-	122 1	E E	= 2.4	M	
					-25	ib.	127	- 11 >					
					杰	友	量(毫米)					
1905	22.7	37.1	81.5	106.4	170.8	172.4	134.1	144.0	114.3	74-4	53.3	35.6	1146.6
1906	33.3		85.3								74.3	49.8	1584.4
1907	47.6		112.5								61.9	51.4	1683.3
1908	37.0 59.7		121.7								83.1	68.6	1810.8
2303	7701	14.0	11004	TOTOE	2010)	21003	21100	200.5	47601	20,00	010)	2102	X12700
1910	41.1	70.9	109.5								61.5	39.9	1562.6
1911	31.9	30.5		97.7						96.3	74.5	44.0	1316.5
1912	44.8	46.2		177.1						96.6	53.7	30.4	1561.2
1913	31.3	56.3	113.4						119.7		72.9	33.4	1609.5
1714	30.5	70.3	00.2	170.4	27)02	200.0	11401	171.00	11701	,000	37.00	20.0	775107
1915	22.8	41.1	72.0	113.7	179.9	180.9	149.3	168.6	143.4	100.6	52.5	43.5	1268.3
1916	30.8	38.4							163.4		51.9	36.5	1481.2
1917	34-9		105.4								50.5	35.9	1572.9
1918	42.3	53.2							129.1		48.8	37.4	1445.7
1717	29.9	90.4	7401	101.0	201.0	17104	220.1	23001	. 1900)	100,3	0)01	4503	1))!04
1920	40.3	34.2	98.8	207.2	279.8	236.3	243.5	149.5	110.5	134.9	57.0	39.0	1631.0
1921	35.8	51.1	95.8	154.8	192.1	223.1	173.2	146.3	127.3	111.8	58.8	31.7	1401.8
1922	27.9	39.8							123.5		51.4	35.6	1439.4
1923	40.4	54.7 56.6							128.5		45.4	33.7 43.5	1352.1
1724	40.0	,0.0	10.0	13001	2000)	101.03	1)1.0	22).0	1)2.0	110.7)100	430)	*4410J
1925	43.4	60.6	91.8	161.2	163.6	179.1	196.1	149.8	153.2	117.6	67.8	39.6	1423.8
1926	41.8	54.3							123.6		69.3	28.7	1554.4
1927	24.8	36.8							142.6		55.8	26.1	1304.7
1928	20.9	28.5							123.7		42.8	28.2	1289.4
1727	2)07	210)	70.4	A 37 + A	10001	23701	10403	14100	140.0	7403	40.0	2000	T 3310T
1930	18.9	27.1	66.3	156.7	245.5	239.4	161.6	176.7	141.4	92.0	36.5	24.3	1386.4
1931	23.5	29.0	89.0	132.9	191.9	193.9	193.4	135.7	131.2	104.3	53.9	19.4	1298.1
1932	29.4	20.9	10 1	2 10 1	200 0	A (27) A		200 1	130.1	O 4 00	64.7	33.3	1406.0
1933										96.5		35.4	1321.6
27.54	2302	3040	1000		10)02	2)102	-)) • 3	1360)	2)001	,00)	72.00	2704	123003
1935	31.6		105.8								44.3	26.7	1448.3
19 36	25.5	29.2							120.8		58.8	33.0	1362.2
1937	30.5	46.8		131.6	209.9	221.0	215.5	134.4	124.7	101.5	55.5	33-5	1371.2
1938	29.8	44.6	95-0	148-5	181-1	197.5	211-2	209-2	113.3	107-2	56.0	32.3	1323.7
1 -/3/	32.0	7400	,,,,,			->10>		/		20102	-160	3743	24,000
1940	29.1		105.7								59.1	36.4	1586.9
1941			86.9								68.9	41.6	1479.2
1942	42.9	56.5	108.6	170.8	100.4	294.5	195.1	100.6	104.8	125.1	67.7	43.4	1620.3
1949	20.84	20.00		146-1	243-4	229.4	159.3	128-9	152.6	102-4	43.7	31.2	
					-,5-4		-,,-3	,					
1950		45.0							147.2		58.9	36.5	1486.8
1951	37.3		85.3								44.6	39.1	1392.9
1952	(34.2)		71.0								53.7		1388.1
1773	(3402)	4107	101.2	107.0	102.1	110.9	103.9	127.0	141.0	100.0	45.8	25.7	1341.3
	_												

Se.

28								_					
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平均	33.6	44.8	88.1	157.9					139.5	106.0	57.1	35.8	1450.8
							发量			,			1
1905	2.1	2.4	4.8 8.1	6.4 9.9	11.8	11.1	7.0	10.6	5.5 7.4	5.4	2.7	2.0	11.8
1907	3.2	3.2	7.2	10.6	11.0	17.8	11.2	7.6	7.1	8.1	3.3	2.7	17.8
1908	3.1	2.7 5.3	9.9	13.4	12.9	16.4		9.8	8.7	5.8	3.4	4.1	16.4
1910	2.4	4.1	6.5	9.7	15.1	10.0	14.0	15.3	6.8		3.3	2.4	15.3
1911	1.8	1.8	3.1 5.0	5.9	11.9	10.6	9.9	9.9	5.9		4.0	2.7	11.9
1913	3.8	3.9	10.3	8.5	12.7	9.8	15.9	8.9	10.6	9.1	4.2	1.5	15.9
1914	2.6	4.5	4.8	11.6	17.0	12.5	10.8	9.2	6.2		2.6	1.4	17.0
1915	2.5	4.3	4.7 6.5	7.1 8.2	11.4	10.4	9.6	8.2	8.8	5.3 8.1	3.5	2.9	11.4
1917	2.3	3.8	6.0	10.5	11.1	11.6	11.6	8.0	7.0	6.6	3.0	2.2	11.6
1918	2.0	3.8	4.9 5.9	9.0	10.9	10.0	10.0	8.3	7.4	5.9 5.2	7.2	2.0	12.7
1920	1.9	1.6	5.2	11.9	13.3	15.3	15.6	7.8	5.8	6.1	4.9	2.1	15.6
1921	1.9	3.5	7.7	9.7	12.6	12.1	11.0	6.7 9.1	7.7	7.0	3.0	1.9	12.6
1923	2.9	3.0	7.1	8.4	9.0	10.5	11.4	6.9	5.7	5.7	2.6	2.0	11.4
1924	3.2	3.6	4.4	8.2	11.9	9.7	9.9	9.4	7.6	6.9	3.0	2.3	11.9
1925 1926	2.3	3.3	9.3	11.0	9.1	9.4	9.9	7.2	8.5	8.6	4.0	2.8	11.0
1927	1.8	2.3	3.6	9.4	9.4	11.0	11.4	7.3	6.9	5.7	3.0	1.4	11.4
1929	1.2	2.4	5.2	8.0	16.4	11.9	9.3	7.6	5.5	5.0	2.9 3.7	2.1	11.9
1930	1.6	1.8	3.4	10.7	11.6	12.0	9.4	8.8	7.5	5.4	3.0	1.4	12.0
1931	2.5	1.7	5.6	7.9	10.2	11.1	10.1	9.7	6.6	6.4	3.6	1.7	11.1
1933	1.8	2.1	5.6	9.1	12.2	8.8	10.3	6.9	7.0	6.2	2.8	1.8	12.2
1934	1.4	2.4	3.5	7.9	10.2	9.6	7.7	7.4	6.0	4.6	2.9	2.0	10.2
1935	1.5	3.5	5.2	10.7	11.7	9.5	7.5	7.4	8.3	7.6	2.5	1.8	11.7
1937 1938	1.5	4.0	3.3	7.5	12.5	9.9	9.9	7.5	5.5	4.9	3.7	2.3	12.5
H	14	12	31	29	13	22	25	3	6	25	1	2.3	13.3
1939	2.4	2.6	5.5	8.4	10.2	10.7	11.9	6,1	8.2	9.7	4.1	2.0	11.9
1940	2.2	3.4	5.1	10.5	13.3	14.0	12.4	6.5	7.1	7.2	3.0	3.0	14.0
1941	2.3	23	24	30	6	20	15	17	22	17	1,2	29	20/6
H	17	3.5	6.0	9.7	11.4	10.9	10.9	8.0	7.1	7.8	5.3	2.6	11.4
1942	2.0	5.2 28	7.4	10.9	11.1	15.2	10.1	8.4	7.8	7.7	4.7	2.0	15.2
1943 H	2.0	5.8	-		-	-	-		-	-	-	-	
1949	-			11.0	14.8	12.4	8.5	6.3	8.0	4.8	2.7	1.9	
8	-	-	-	25	8	17	14,19		7	1,2	1,10		- 11
1950	2.2	3.4	5.8	13.1	14.6	11.1	10.7	7.8	7.3	5.0	3.3	2.2	14.6
1951	2.0	2.6	5.3	8.6	12.2	13.6	10.1	7.7	9.8	5.0	2.8	2.7	13.6
1952	1.5	1.8	4.4	7.1	12.1	11.2	11.1	8.4	6.2	6,10 5.8	3.7	1.6	1/6
1953	10,12	27 3.9	5.3	9.8	9.7	12	2 11.1	28	8.0	13	3.0	11,14	21/5
1	24	28	28	24	23	14	28	19	9	23	13	1	14/6
御竹り	3.8	5.8	10.3	13.4	17.0	17.8	15.9	15.3	10.6	9.7	7.2	4.1	17.8
4. 69	1913	1943	1913	1908	1914	1907	13	1910	1913	1939	1919	1908	27/6 1907
													100

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		鬼 加			,	φ=.	40 36 1	N 1-	120 3	4'B E	i= 10.0	M	
					蒸	发	量(毫米)					
1936 1937 1938 1939 1940	90.0 89.9 91.0	103.2 94.4 98.2	125.4 147.3 148.6	206.0 276.7 234.0	318.3 220.9 272.6	312.8 179.0 244.2	247.5 247.5 213.3	145.4 153.0 214.4	132.8 138.6 119.0	185.4 150.8 124.5 106.0 132.2	115.9 113.7 99.0	86.9	1538.2 2036.5 1872.4 1942.1 1816.3
1941 1949 1950 1951 1952	78.6 52.7 69.0 35.0	69.2 63.7	116.8	167.6 158.9 195.5	185.9	208.2	179.0 170.4 227.3 206.2	169.0	155.5	115.0 106.4	62.6 85.0 56.6 70.8	45.8 80.6 53.7 36.2	1567.2 1641.7 1591.5
1953	31.8	41.5	109.6	182.3	(180.7))137.5	158.6	133.1	140.6	120.2	65.0	44.6	1345.5
4 均	61.9	70.4	121.7	196.9			211.5		145.4	130.2	89.0	65.2	1705.7
1949	-	-	5.0	11.9	10.2	-	9.5	(7.8)	10.7	5.0	4.8	2,2	-
1951 H 1952 H 1953	3.2 25,27 1.7 16 2.6 24	4.8 2 2.4 26 4.9 28	11 5.1 23, 29		14.8	10.3 21 13.2 18 7.0 29	17 11.5 3	6.8 24 10.2	7.7	5.4 7 6.7 5 6.4	1 4.4 4 4.6 4 5.0	16 2.9 17 2.5 11 3.8	14.8 10/5 14.6 21/5 10.8 14/5
在 值 期 年 份	-33-1	4.9 28 1953	7.2 20 1953	23,21	10	18		16	8	6.7 5 1952	7	3.8 1 1953	14.8 10/5 1951
	,	虱 城	t			Ø= 1	40 26 1	1 λ=	124 02	2 B B	- 73-3	м	
				13	蒸	发.	量(毫米)					
1925 1926 1927 1928 1929	26.7 23.5 19.0 24.1	34.8	78.5 54.9 64.9	130.1 115.8 123.2	127.9 109.7 127.4	222.7 135.0 135.7	135.8 124.6 104.5 113.5 110.5	101.5 147.2 134.3	96.1 94.9 110.4	73.8 65.0 64.7 66.9 71.2	42.2	26.2 23.7 23.3 24.5 17.0	1061.8 950.5 985.6 972.3
1930 1931 1932 1933 1934	20.0 23.7 35.8 23.9 23.8	25.7 35.4 39.3 33.2 35.7	73.4 68.1 52.2	93.6 112.8 119.8	148.9 132.0 148.3	115.4 173.4 122.3	106.1 117.8 123.5 124.8 104.7	78.2 147.2 118.2	88.4	53.2	36.9 44.7 34.5 29.8 41.5	26.6 39.3 25.9 24.0 28.5	991.0 946.4 1034.1 969.9 870.5
19 35 19 36 19 37 19 38 19 39	27.7 21.4 20.9 36.1 22.3	30.8 25.8 38.0	53.6 40.3 61.9	97.4 94.9 119.6	125.5 146.3 97.7	109.9 142.4 110.1	101.1 133.4 134.5 100.2 121.1	104.6 77.1 130.8	77.3 85.3 77.8	56.8 59.5 58.2 51.6 55.7	37.1 29.1 41.8 45.1 45.7	25.2 20.1 32.5 21.5 26.4	1060.4 862.6 900.0 890.4 886.9
1940	29.3	43.6	80.7	116.3	170.2	132.1	102.7	110.7	112.5	87.5	43.4	19.2	1048.2
平 均	25.2	34.2	64.2	114.0	135.9	136.5	114.9	114.3	93.1	66.1	38.4	25.2	962.0
100							蒸发量			, ,			0.5
1933 1934 1935 1936	1.4 1.1 1.4 1.3	1.7 2.0 2.3 1.8	3.8 3.3 3.9 3.1	6.3 7.1 8.0 5.2	8.5 6.9 9.9 6.2	6.2 6.5 9.0 6.9	7.0 6.2 7.9 8.3	6.6 4.8 6.7 7.6	6.2 6.5 4.9 4.2	4.2 3.4 3.0 3.1	1.8 2.3 3.0 2.3	1.6 1.7 1.4 1.1	8.5 7.1 9.9 8.3
				- 17									

30													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
福 航年 份	1.4 1933 1935	2.3	3.9 1935	8.0 1935	9.9	9.0 1935	8.3			1933	1935	1.7	9.9 1935
1		岫岩	5			P = 1	10°16 I	ι λ=	123°17	BH	= 76.6	м	w
					蒸	发	量(毫ん)			,		
1936 1937 1938 1939 1940	26.5 27.7 13.9 25.9 40.0	26.3 18.1 44.1	46.0 41.4 104.2	108.1 125.7 114.1	155.8 116.0 181.5	143.1 115.2 188.4	114.0 92.8 159.5	78.9 126.6 134.4	80.0 85.4 82.4	93.4 55.1 53.5 87.4 96.2		31.6 16.0 30.4 44.3 12.8	1120.2 877.9 865.1 1223.9 1299.6
1952 1953	35.8	41.4	83.5	121.6	153.9	116.70	100.7)	130.9	122.8	90.8	57.9	37.2 38.1	1094.1
平 均	28.3	38.4	74.2	119.3	169.3	149.1	139.8	113.8	93-7	79-4	46.0	28.9	1080.1
	3	5平崩	岳			φ= ₄	0 ,		122 11	, H	= 22.2	M	
		E 1 766	Irri		> +								
1914	32.7	35.9	26 A	180 1	茶		量(94.5	90.7	38.6	38.3	1271.3
1914 1915 1916 1917 1918	24.0	40.6 34.1 54.0	67.9 60.2 101.3	136.8 145.8 178.4	208.1 219.6 213.8	215.3 180.9 281.7	155.5 206.0 193.4	177.6 146.4 152.7	144.1	103.1 110.8 116.9	59 · 4 65 · 4 45 · 3 39 · 2	49.7 40.6 43.7 31.8	1382.1 1369.3 1527.4 1295.4
1919 1920 1921 1922 1923	23.1 27.3 41.9 25.9 35.1	40.6 32.4 51.1 45.6 48.1	86.0 95.5 92.3	181.4 147.5 209.1	242.0 167.8 179.7	218.1 221.1 243.1	219.2 163.7 184.3	152.8 99.8 143.8	126.4 101.7 106.1 100.7 103.3	117.9 91.5 116.7	·51.8 49.0 59.4 41.2 39.9	39.1 39.5 35.1 33.5 33.8	1400.2 1467.3 1280.5 1415.9 1206.9
1924 1925 1926 1927 1928	36.4 32.2 34.0 29.6 26.2	47.4 48.3 38.8 47.2 38.7	81.8 97.9 56.5	182.7 189.7 189.2	177.1 211.6 214.3		222.2 235.8 180.5	120.0 122.5 156.7	100.8 121.0 156.7		53.4 52.8 51.4 70.5 51.0	37.2 30.7 25.8 30.9 39.5	1437.0 1306.2 1552.8 1441.3 1445.4
1929 1930 1931 1932 1933	39.9 30.5 36.0 43.7 41.9	37.8	73.9 114.1 74.8	177.4 149.2 152.7	225.7 188.4 164.7	217.5 165.4 186.8	143.3 156.8 169.6	127.3 94.7 118.1	132.3 132.5 117.6 81.4 155.0	87.6 85.2 72.2	51.6 45.7 45.7 67.1 77.6	27.1 37.4 26.9 41.3 40.5	1447.8 1336.6 1219.7 1201.1 1667.0
1934 1935 1936 1937 1938	34.6 41.1 41.1 45.0 44.4	67.6 41.0 56.5	138.9 91.6 75.5	240.7 153.5 170.3	295.9 242.2 247.6	187.0 242.4 243.5	133.3 229.8 190.0	169.5 166.8 119.7	147.7 190.3 124.2 118.0 116.7	118.5 31.2 107.3	80.3 53.7 75.3 72.1 68.2	46.2 40.2 44.2 46.2 39.6	1503.7 1676.7 1483.3 1491.7 1479.5
1939 1940 1941	44.2	74.3	105.9 140.1 89.3	188.8	236.9 278.7	254.6 264.7	270.8 261.8	197.4	100.0	109.6 253.1	85.6 66.7	59.1 43.8	1660.1 1875.9
1949	30.5	100	98.5	164.5	253.6	231.5	138.8	119.6	113.6	86.8	48.4	46.4	1416.8
195, 1952 1953	12.6 46.4 46.3	46.0	91.0	163.5	250.7	228.10 265.0 188.3	181.0	149.8	127.7 113.6 119.0	89.6 93.2 97.7	57.3 61.5 65.8	55.2 42.5 48.8	1610.5 1504.2 1343.8
7: 14)	37.3	48.6	91.3	176.8					122.9	100.1	58.9	40.6	1442.5
1949		140	5.1	12.3	16.1	最大素 13.1	友童(8.1	卷米) 8.7	5.6	4.7	2.4	2.6	
1950	1.8	- 1.3	31 6.6	16	9	10.7	19	31 -	24	4.7	2.4	6	-
B	29	26	31	28	11	25	4	6.5	18	4.1	4.9	3.4	14.7

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	3.2	4.6	9.5	12.3	17.5	13.6	8.9	6.7	6.8	6.2	2.8	3.3	17.5
1952	27	2.4	30 5.6	9.5	18.4	13.8	9.4	7.0	1,3	5.2	4.9	2.2	18.4
H	10	14	21	8	21	21	1	12	10	13	4	14,17	
1953		4.6	6.5	13.9	12.0	11.5	7.0	6.3	6.6	5.2	4.1	3.3	13.9
日	9	27	28	24	26	3,1	4 8	3	5	14	2	1	24/4
極値	707	4.6	9.5	14.6	18.4	13.8	9.4	8.7	6.8	6.2	4.9	3.4	18.4
日期		1,2		28	21	21	1	31	1,3	6	2,4	28	21/5
年长	1953	1951	1951	1950	1952	1952	1952	1949	1951	1951	1950 1952	1950	1952
		1773									27)4		
							0 ,	. 4	124 0		0		
		安耳	E			Ψ= /	10 05 1	N -	124 0	/ E	3= 58.9	M	
					蒸	发	量(;	6米)					
1936	24.2	41.6			121.8			99.1	80.6	87.1	45.2	29.0	860.8
1937	32.2	12.5			124.7				79.1	62.3	48.5	64.3	823.4
1939	40.6								102.3		59.8	45.6	1291.4
1940	45.6								142.4		79.5	57.8	1391.7
1949		-		_	199.3	181.6	112-5	121.5	137.3	111-3	56.9	36.5	_
1950	46.0	51.1	103.0	150.6	169.1					89.9	68.6	44.4	1295.4
1951	43.7	50.0	73.6	139.8	(195.6)	168.7	159.5	101.2	118.1	79.3	61.4	47.6	1238.5
1952		56.3			200.5					94.4	63.9	46.3	1277.1
1953	39.1	40.7	10.0	109.5	130.7	(122.0)	104.2	144.5	140.9	00.9	59.9	50.5	1116.1
平 均		48.3	87.1	126.7	163.0	144.4			114.7	91.5	62.9	48.0	1174.9
3040									F 0	6 2	4.9		
1949	-			_	11.3	11.6	8.8	9.0	5.9 9,28	6.7	4.8	2.2	-
1951	2.7	3.3	4.0	8.0	11.2	10.4	10.6	6.9	7.2	5.6	4.8	3.4	11.2
H	9	14	10,20		9	21	8	31	1	4	3	7	9/5
1952	2.9	2.9	4.6	8.4	12.2	8.9	7.8	7.0	6.1	4.7	3.9	2.4	12.2
1953	-	2.8	5.8	7.5	9.0	6.6	5.7	6.9	7.8	4.6	3.7	3.7	9.0
目	10	26	28	23	15	18	15	10	18	11	5	1	15/5
6 E 16	2.9	3.3	5.8	8.4	12.2	11.6	10.6	9.0	7.8	6.7	4.8	3.7	12.2
B 30	10	14	28	12	22	20	8	26	18	22	1,3	1	22/5
年份	1952	1951	1953	1952	1952	1949	1951	1949	1953	1949	1949	1953	1952
											1951		
		ala s	ndet			m- ·	38 54 1		121° 3	, ,	I= 95.6	w	
		大	車			7.	30 74 1		121 %		1- 97.0		
					蒸	发		毫米)					
1905											151.0		1680.0
1906	44.4	24.8							238.4		97.6	76.7	1831.7
1908		41.8	102.3	172.3	215.2	207.6	173.5	170.4	138.2	101.6	72.9	56.2	1484.6
1909	40.9	58.3							130.0			90.6	1556.8
1910	73.8	76.3	91.8	143.9	236.3	195.4	150.1	160.8	180.5	127.4	71.7	46.8	1554.8
1911	41.5	45.3	72.1	123.3	243.0	251.5	164.9	141.8	110.2	110.8	69.1	43.8	1417.3
1912		50.7							140.1		95.6	36.9	1495.6
1913 1914	41.1	46.8			248.9				152.5	105.5	72.7	46.0	1460.9
			1 304		-7104	/0 /	70017	A J A 9 %	20009	7701	0/04		230707
1915	32.4	35.7			194.1					98.1	75.4	58.5	1391.3
1916	44.4	50.6							129.4		54.8	46.8	1409.9
1918	60.2	63.4							148.4		67.0	51.6	1413.6
1919	32.6								147.3		79.0	60.9	1594.6
1920	50.3	47.4	87.0	168 4	272 2	27.2.2	182 E	188 8	126.3	7726	68.4	55 3	1504 3
1921	52.8	58.9							151.3		79.9	55.1 47.9	1594.3
1922		39.2							104.4		89.3	64.3	1455.9

35													
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1923 1924	53.8	45.2	51.7 78.4	112.1	183.0	177.9	152.4	15.3	146.0	142.8	81.8	56.5 78.8	1333.5
1925 1926 1927 1928 1929	58.3 58.1 39.7 39.7 63.0	58.1	131.9 67.1	227.6 167.4 198.8	161.3	264.0 231.3 185.9	185.6 165.5 199.0	129.2 188.5 162.3	141.4 175.6 175.9	124.3	59.0	64.8. 46.4 53.0 47.2 43.3	1628.6 1595.5 1592.8 1647.3 1711.4
1930 1931 1932 1933 1934	46.6 58.4 65.5 44.9 43.8	58.3	125.8	187.4 168.6	231.0	186.5 188.7	153.8 159.4 188.2	130.6	141.6 134.2 157.3	159.2	93.8	70.1 52.6 70.6 49.9 70.9	1684.9 1552.4 1557.0 1536.9 1557.6
1935 1936 1937 1938 1939	67.0 48.4 58.2 51.3 56.9	50.4 66.0 61.6	101.3 91.3 122.3	161.0 16 ⁸ .3 226.5	214.9 274.7 195.0	195.0 251.9 183.2	193.3 195.3 163.5	153.5 139.3 208.2	159.2 123.7 192.8	148.2 199.5 137.0 141.9 132.4	116.9 96.2 122.7	53.8 70.5 59.4 62.1 72.8	1893.2 1663.9 1661.3 1731.1 2047.0
1940 1950 1951 1952 1953	58.1 - 40.4 43.9 34.9	41.0	81.9	143.6 0.48.0	171.2	201.6 189.1 (236.8	149.4 197.0 159.4	149.9 101.8 165.9	150.3 143.7 164.8	176.4 97.2 87.1 (132.1 107.1	67.3 64.3) 60.0	36.3	1854.8 1321.4 1525.2 1210.0
4 地	48.5	54.6	100.2	171.3	217.6	209.6	173.2	159.0	153.1	131.9	86.2	57.9	1563.1
1905 1906 1907 1908 1909	1.9 4.9 4.1 1.9 2.2	3.4 1.5 4.5 2.5 3.4	8.8 8.5 6.4		13.2 13.3 11.7 12.3	12.8 18.4 11.2 12.5	11.7 11.0 11.2 8.6	11.1 6.9 8.0	7.8 11.1 6.7 6.8	9.4 6.3 5.3	6.2 3.9 3.7	5.5 4.0 3.1	15.3 18.4 12.1 12.5 14.0
1910 1911 1912 1913 1914	4.4 3.5 2.2 2.2 2.0	5.6 2.3 3.3 3.0 3.3	5.1	10.1 9.9 13.5 8.2 8.6	12.0 10.8 15.1	11.7	8.1 10.9 10.2 11.8 7.8	7.0 8.2 8.8	6.0 6.5 7.8	6.7 5.2 5.5	5.8 3.2 4.5	2.2 2.2 3.0	15.1
1915 1916 1917 1918 1919	2.1 2.1 2.3 4.2 1.8	2.7 3.2 2.8 4.5 4.0	7.1 6.9 6.1	9.7 8.5 9.4	12.3 12.6 9.5	13.1	12.5 12.0 8.5	8.6 8.3 7.2	7.2 9.1 8.0	5.2 5.5 6.5	2.9 4.0 4.6	3.5 4.5 4.0	13.1 12.6 10.2
1920 1921 1922 1923 1924		3.1 3.8 2.8 2.0 2.9	5.2 6.2 3.3	10.9 9.3 6.5	11.4 9.3 9.7	11.0 12.9 9.1	8.8 11.2 9.5	8.2 8.5 6.0	7.8 6.3 8.9	6.3 8.0 8.6	4.9 5.6 4.6	2.8 5.4 2.7	13.7 11.4 12.9 9.7 13.2
1925 1926 1927 1928 1929	2.7 3.6 3.1 2.0 3.6	4.9 3.4 3.2 3.8 4.3	7.4 6.1 8.2	10.4	15.0 12.0 13.5	14.7 16.0 12.2	12.3 8.8 13.4	7.4 11.0 8.3	9.5	7.4	3.5 5.9 6.2	3.2 3.0 3.0	15.0 16.0 13.5
1930 1931 1932 1933 1934	2.6 3.1 3.5 3.0 2.9	3.7 5.3 2.9 2.9 4.3	7.1 8.2 8.8	10.0	11.4 11.6 15.9	11.8 12.5 11.0	8.2 9.5 10.8	7.0 10.3 8.6	6.8 8.1 8.9	7.7 5.8 9.0	3.8 6.4 6.6	3.4 5.0 3.4	11.9 12.5 15.9
19 35 19 36 19 37 19 38 19 39	3.1 2.5 3.6 3.6	4.4 2.7 3.9 4.3	6.4 5.6	11.1		13.2	11.3 10.7 7.8	7.7 7.9 10.1	9.2 6.5 12.0	7.7	9.1 7.7 7.5	6.0 3.5 5.0	13.2

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1940 1951 H 1952 H 1953	2.8 2.3 27 2.6 10 2.7 24	5.1 2.7 19 2.5 14 3.5 28	8.3 5.4 15 6.5 29 5.9	13.2 8.4 21 9.9 30 12.7 24	16.9 8.4 9 15.6 13 10.7 25	13.1 8.8 28 12.5 5 8.9 3	12.4 9.7 8 8.3 2 8.0 16	7.7 6.8 31 7.9 8 5.0 10,2	11.8 10.6 11 7.7 25 7.4 2 12	11.6 4.4 15 6.9 2 6.7 14	4.6 4.8 15 6.9 5 4.5	4.1 5.1 13 2.9 14 3.5 1,14	16.9 10.6 11/9 15.6 13/5 12.7 24/4
祖 值 明 份	1906	5.6	1938	13.5 27 1912	17.3 21 1935	18.4 10 1906	16.1	13.7	1935	15.3 31 1905	13.0	7.6	18.4 10/6 1906
		旅	A			Ø= ;	38 48 1	g i=	121 1	3 E E	I= 16.1	M	
					蒸	发	量((毫米)					
1906 1907 1908 1909 1910	56.8 49.0 46.0 59.9 63.3	59.1 55.8 92.9	100.5 98.8 113.2	156.9 140.6 174.2	190.8 203.0 210.7	214.2 190.5 187.3	141.8 144.5 137.3	153.4 190.9 166.0	160.8 144.1 167.3		84.5 89.0 122.9	63.0 68.6 86.5 81.8 79.5	1670.4 1509.7 1516.5 1662.3 1796.1
1911 1912 1913 1914 1915	65.3 80.5 34.6 53.0 36.5	85.4	150.5 107.5 84.9	233.7 146.2 164.3	243.7 228.5 247.8	242.3 166.1 208.3	181.3 167.1 172.7	148.8 173.8 147.9	153.3	149.1	129.4 73.7 96.1 69.2 96.7	89.9 50.7 56.6 61.5 67.7	1733.2 1751.4 1560.7 1513.3 1604.8
1916 1917 1918 1919 1920	49.1 44.7 59.7 32.3 36.8	56.5	92.1 113.5 104.9 107.7 81.6	177.6 155.9 155.3	230.1 155.7 174.5	213.9 176.2 179.9	160.0 177.0 211.1	171.1 166.8 216.4	136.4	133.9 122.7 117.9	76.2 76.8 76.4 76.4 75.9	47.5 49.6 49.5 61.0 56.5	1542.5 1564.1 1466.0 1532.2 1537.1
1921 1922 1923 1924 1925	51.4 45.9 48.7 58.1 54.8	61.4 47.2 55.8 52.9 59.1	104.4 79.3 88.3	177.2 134.1 145.7	173.9 212.2 231.4	214.1 195.5 221.0	228.3 150 1 148 1	152.1 130.1 202.0	159.2 117.2 139.1 170.1 137.5	121.5 134.3 123.6	95.0 87.2 75.8 73.4 87.9	56.7 59.8 58.7 53.0 51.7	1435.3 1528.8 1413.7 1567.6 1414.0
1926 1927 1928 1929 1930	51.9 39.3 39.6 44.9 43.0	44.1		139.9 170.6 171.0	200.0 201.3 185.0	195.6 171.1 218.4	161.8 172.9 168.5	178.6 158.0 164.5	153.9	113.8 111.8 131.9	60.4 93.8 69.5 100.7 79.8	39.7 49.2 48.7 37.5 66.5	1393.3 1429.6 1435.6 1567.6 1467.8
1931 1932 1933 1934 1935	47.3 67.5 56.2 51.0 55.7	52.1 58.1 65.1	109.3 101.7 84.3 95.2 117.1	148.7 145.8 143.9	183.1 198.9 207.6	171.9 167.1 176.1	148.3 178.4 144.8	172.1 151.5 131.7	135.2 139.1 127.8	135.5 134.7 116.8	76.4 95.9 82.6 85.4 62.4	51.1 67.6 53.9 52.5 48.6	1378.5 1479.6 1450.6 1397.9 1573.1
1936 1937 1938 1940	45.9 58.2 56.9 52.5	62.4	95.1	163.1 202.8	245.4	195.5	164.1	151.9	155.8	113.6	90.8 89.9 101.2 89.2	60.7 71.8 54.8 71.6	1406.6 1545.0 1534.4 1678.7
平 均	51.1	57.2	101.4	162.9					155.3	131.1	86.6	59.5	1531.1
1906 1907 1908 1909 1910	3.0 3.6 3.0 3.4 4.2	4.0 3.4 4.3 4.6 5.8	7.5 7.7 8.1 6.3 7.2	13.0 8.4 8.5 14.0 13.2	-E 12.1 13.2 15.2 13.1 18.2	最大表 9.0 15.0 12.9 11.1 15.4	繁发量 9.3 9.4 7.4 6.9 8.8	(毫米) 15.4 9.3 10.0 10.3 8.2	14.1 12.5 9.0 13.7 11.7	9.5 9.6 7.7 12.2 7.2	8.4 6.9 6.7 8.6 6.4	3.7 3.8 5.1 5.8 4.4	15.4 15.0 15.2 14.0 18.2
1911 1912 1913 1914 1915	4.5 3.7 1.9 2.8 2.7	4.5 5.1 2.8 4.5 3.3	6.1 10.2 7.9 5.0 6.3	12.2 12.6 7.7 10.0 8.5	12.9 13.1 10.7 12.9 11.4	12.5 14.4 10.8 11.0 10.3	10.3 9.6 9.7 9.2 10.8	9.4 7.7 10.0 7.8 9.7	11.9 7.0 9.2 7.5 9.3	12.7 5.8 9.2 8.6 7.0	8.3 4.3 5.7 3.8 5.6	5.1 3.6 3.2 3.3 4.3	12.9 14.4 10.8 12.9 11.4

24									100				
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1916 1917 1918 1919 1920	2.8 2.3 3.0 2.3 2.6	2.8 3.5 3.8 3.2 2.2	7.0 7.0 6.3 6.6 4.8	8.9 9.6 9.0 8.6 10.0	12.7 9.6 8.5	11.6 12.7 7.7 9.8 10.7	12.4		8.8	5.5 6.6 6.5 5.4 6.9	4.4 4.0 4.0 5.1 5.2	3.6 3.6 3.0 3.8 3.6	12.8 12.7 10.2 11.5 12.0
1921 1922 1923 1924 1925	3.0 2.5 2.4 2.9 2.8	5.2 2.7 2.9 2.5 3.2	5.5 6.5 4.1 4.6 5.2	9.2 8.0 7.7	10.0	11.4	9.3	8.1 7.8 7.2 9.2 7.6	7.4 7.6 7.2 8.2 7.4	6.0 7.2 7.7 6.8 6.8	6.1 5.2 5.3 5.1 5.2	3.5 4.3 3.8 2.9 3.0	11.4 13.0 12.2 12.6 11.3
1926 1927 1928 1929 1930	2.5 2.7 1.9 2.8 1.9	3.0 2.5 3.3 3.3 2.5	5.4 4.4 6.0 8.2 5.9	8.3	9.5	10.9 11.0 9.8 12.5 10.7	10.7 9.6 9.3 8.7 8.2	7.3 8.8 7.6 7.7 6.8	6.2 7.5 8.6 10.0 8.0	5.8 6.0 5.2 5.9 7.9	3.9 6.2 5.2 6.6 7.7	3.8 4.0 2.7 2.2 4.5	10.9 11.0 11.8 12.7 12.2
1931 1932 1933 1934 1935	2.6 5.0 4.0 2.7 3.0	3.2 3.8 2.9 3.6 3.3	6.5 6.9 5.4 4.9 6.1	11.4	9.8	8.8 9.4 8.2 8.5 10.2	7.8 7.4 8.2 7.8 6.9	6.7 9.0 7.1 6.7 7.6	8.7 7.8 7.1 7.3 9.4	6.4 6.7 7.5 5.5 7.6	4.4 7.0 4.9 5.1 3.8	3.2 4.5 3.2 2.8 3.1	11.6 11.4 11.2 11.2 12.5
1936 1937 1938 1940	2.4 3.3 3.6 3.2	2.1 3.7 3.6 5.3	4.6 5.3 6.7 7.2	8.1 10.9 12.3 14.5		9.0 10.7 10.3 15.4	9.0 7.8 7.2 9.2	7.7 7.3 8.4 6.7	6.8 6.9 11.4 11.5	11.0 7.1 10.0 10.2	5.3 4.6 6.2 4.7	3.1 3.4 3.7 5.2	11.0 12.2 12.3 15.7
福 60 年 157	5.0 1932	5.8 1910	10.2	14.5 1940	18.2 1910	15.4 1910 1940	13.0 1922	15.4 1906	14.1	12.7	8.6	5.8 1909	18.2
內蒙白	治區	滿州!	里		-15-		19 35 1	N 1=	117 26	'E B	= 640.	6 M	
1936 1937 1938 1939 1940	10.5 12.5 16.8 15.5 16.6	16.6 17.5 20.3 30.8 18.5	34.5 77.1 57.6	115.7 178.7 147.4	215.8 222.7 243.6	268.4 300.5 226.8	207.8 248.5 256.9 240.8	187.1 171.1 194.9	124.4 113.7 109.9 136.0 129.9	98.6 90.4 85.3	29.9 33.9 33.5 35.1 30.3	17.6 17.9 17.2 19.5 15.6	1276.0 1364.1 1495.1 1433.3 1303.4
1941	15.2	19.6		116.6 138.0	-	253.4	227.3	161.9	137.0	75.3	29.0	14.7	-
平 均	14.4	20.7	54.8	134.8		254.0			122.8	93-9	32.5	17.6	1374.4
19 36 19 37 19 38 19 19 19 40	0.5 18 0.7 16 0.8 9 0.9 26 0.9	0.8 3* 1.0 7;20 1.2 3* 1.8 26 1.3	2.7 29 1.8 29,30 (6.9) 31 3.2 31 3.7 21,33	7.9 22 8.4 28 7.6 22,26	10.3 30 11.1 8 16.6 27 14.1	14.7 19 (14.0)	10.8 9 15.3 15 (13.4)	10.3 15 11.0	(8.3) 7 6.8 12 6.2 6 6.3 1 10.7 5	5.8 8 9.3 11 5.1 9 5.3 1 7.6	(2.4) 7 2.5 6 2.9 1 2.3 1 2.6	1.6 4 1.2 8 (1.0) 11 1.4 7 2.0 13	14.7 19/6 15.3 15/7 16.6 27/5 14.1 27/5 12.4 21/5
1941 B 1941 B	1.2 16,17 0.8 16	1.2 25, 27 1.2 27	2.8 18 3.4 22,30	10.6 29 11.6 30	1 1 1	(11.4)	12.9	8.8	8.5	3.9	1.9	0.7	
63 6 0 8 9 67	1.2 16,17 1941	1.8 % 1939	6.9 31 1938	11.6 30 1942	16.6 27 1938	16.2 10 1938	15.3 15 1937	11.0 29 1937	10.7 5 1940	9.3 11 1937	2.9 1 1938	2.0 13 1940	16.6 27/5 1938

						_							
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		!		1									
		海拉爾	i .			φ= .	49°13°1		119 45	E E	I= 676.	6 M	
1025	35.0	03 (354.0	蒸	发		(老米)	204.0	306 5	30.3	30.0	3700 4
1935	9.4	21.6	34.7	120.6	237.1	273.8	203.9	210.6		93.3	19.1	13.7	1700.4
1937 1938	9.9	13.0	68.4	143.3	213.0	258.6	219.0		97.8	95 .9 83 . 9	40.1	17.1	1392.5
1939	15.9	18.6						171.0		73.5	26.6	15.8	1188.2
1940	11.3	20.0	50.6 43.7	99.0				165.6		98.9	25 . 7	12.9	1204.9
1942	11.6	16.5		137.9	280.5	309.6	414.5	232.9	186.1	107.6	29.5	11.2	_
1951	19.3	29.1						249.0		73.3	56.8	16.5	1740.0
1952 1953	9.6	13.4					293.0		99.4	95.6	29.5 (34.6)	15.1	1441.9
作 均	13.1	18.0	51.6	129.7				197.3	123.9	92.0	29.9	13.6	1403.8
10.15	1 7	2.6	2.0	30.5		最大剂 20.1	蒸发量		30.4	7.0	1.0	0.7	20.5
1935	1.3	27	3.9	10.5	20.0	11	7	(22.5)	. 1	7.2	3,5,12		31/8
1936	1.2	(0.5)	3.3	7.6	18.3	15.2	11.1	4	(10.2)	10	1.3	4, 29	18.3 23/5
1937	0.7	0.8	2.4	(7.3)	8	17.7	14.6	9.6	8.2	(7.6)	3.4	0.9	17.7 24/6
1938	0.6	1.3	4.6	7.5 18	13.6	15.7	11.7	9.4	4.8	4.7	2.0	1.0	15.7 2/6
1939	1.0	1.6 28	2.5	7.4	11.8	10.0	11.0	10.6	6.1	4.7	1.8	1.4	11.8
1940	0.6 4×	1.3	2.7 25	9.2	11.6	11.3	9.3 12	7.7	8.6	7.6	2.0	0.7	11.6
1941	0.9	1.2	2.4	10.4	_	11.4	10.0	8.3	8.5	7.0	2.1	C.8	
1942	(0.7)	25,27	4.3	11.3		_	_			-	-	_	
1951	1.0 5x	1.7	3.8	9.0	19.2	18.8	17.7	17.4	10.5	6.8	3.3	1.2	19.2
1952	1.5	1.1	3.4	13.7	19.3	16.5	15.6	14.3	6.1	7.4	3.1	0.9	19.3
1953 Ħ	1.1	2.0 27	4.4	10.8	12.1	11.9	9.1	8.5	9.8	7.2 16	3.0	0.4	12.1 6/5
徑 值	1.5	2.0	4.6	13.7	20.0	20.1	17.7	22.5	10.5	8.0	3.4	1.4	22.5
年 份	22 1952	27 1953	31 1938	1952	27 1935	19 35	1951	31 1935	21,22	1936	1937	30 19 39	31/8 1935
		(B)					0,			3	= 981.		
		興 安			-14-		-		121 40	E H	= 981.	4 M	
1935	-	-	-		茶	发	-	(老米)	-	-	14.5	6.7	
1936	5.3	7.1	30.7	90.0	139.0	178.7	116.7	122.3	68.1	54.5 64.8	25.7	6.7	777.4
1938	3.6	9.6	52.9 29.5				131.5		65.8 83.5	62.1 55.0	22.2	7.1	841.2
1940	11.1	14.5	42.9		148.3	152.9	140.4	139.5	100.2	84.3	29.0	18.1	958.7
1941 1942	17.1	18.2	32.8 52.5	85 .7 97 . 2	_	134.1	122.4	98.6	84.1	55.8	36.2	18.7	64F
作 坳	6.8	12.5	38.6	87.1			136.0		77.7	64.1	22.7	10.4	869.3
1925						日最大	蒸发量	(毫米)			1 0	0.8	
日	-	-	-	-	-	-	-	-	-	-	5,12	3	1-

36				_			-	_					
年	1	2	3	4	5	6	7	8	9	10	11	12	全年
1936	0.3	0.7	3.3	(5.3)	8.5	9.0	(7.3)	4	4.9	4.2	1.1	29,31	20/6
1937	0.4	(1.6)	(2.3)	5.0	7.8	10.5	7.9	6.5	(5.8)	(3.4)	2.4	0.5	25/6
1938	0.5	0.9	4.2	4.8	9.0	9.3	6.8	(6.5)	27	3.6	2,3	1.0	10/6
1939	0.7	27	2.1	5.5 22,28	8.4	8.0	7.5	7.7	4.7 5,27	4.5	1.9	1.0	16/
1940	0.9	1.0	3.0	5.0 29	8.7	9.0	9.7	6.4	5.5	5.4	2.6	1.0	22/
1941	1.6	1.2	2.4	6.9	_	6.7	6.5	5.3	6.8	3.6	1.9	(1.0)	-
1942 W	0.8	1.0	2.8	9.2 30	_	_	-	-	_	_	_	-	_
tu (fil)	1.6	1.6	4.2	9.2	9.0	10.5	9.7	7.7	6.8	5.4	2.6	1.0	10.
日 期 年 份	16 1941	1937	1938	30 1942	26 1938	25 1937	1940	1939	1941	1940	1940	4年	193
	1	博克圖					18 46 1	1 A=	121 55	E H	= 738.	7 M	
	-0.0	0	<i>(</i>	02 (蒸	发		(毫米)	96 5	63.8	28.3	16.4	1082.
1951 1952 1953	28.8 (12.9) 14.5	24.8 18.1 20.6	60.5 49.1 (60.0)	79.60	157.7)	(172.2)	150.4 187.6 149.2	96.8	86.5 72.4 147.3	(74.6)	27.7	15.5	963. 1100.
平 均	18.7	21.2	56.5	94.5			162.4		102.1	73.9	31.1	17.2	1049.
1951	1.6	1.3	3.5	7.0	10.3	取入系	8.2	7.0	5.2	4.1	1.6	0.8	10.
1952	16	6,7,24	25	29 5.8	10.7	19	16.0	9 5•2	20 9.8	6 9.9	8 2.1	4,10,1	17.
1953	8,27,31	5x	21,31	30	13 9.7	15 9.1	8.3	19	30 8.5	25 5.8	3.0	1	15/
W	24	26-28	16	27	18	13	12	12	16	3	2	11	18/
祖祖	1.6	1.6 26-28	4.1	8.9	10.7	17.2	16.0	7.5 12	9.8 30	9•9 25	3.0	3.1	17.
年份	1951	1953	1953	1953	1952	1952	1952	1953	1952	1952	1953	1952	195
	A	新巴爾 原	地方.翼	族	-0.07		48 14 1		118 1	S.B B	1=(590.	M(O	
1938	4.0	11.2	64.1	181.0	蒸 250.0	发317.7		(毫米)	117.5	96.2	22.5	10.6	1525.
1939	13.9	21.8					238.1	257.7		92.3	43.8 34.4	20.0	1539.
本 幼	11.3	19.2	61.1	151.0					142.0	104.5	33.6	15.0	1517.
1938	0.4	0.8	6.3	11.0	16.9		· 发量	10.9	(7.2	6.0	(3.0)	0.5	20,
1939	29	13,28		4 7.3	27	9	31	30	16 7.8	26 8.0	3.1	29,30	
1940	27	23	26	21	27	3	17	7	3	12	6	3	27,
*	1	20, 26	31	29	10	19	9	28	5	3	3	0.9	10,
個 值 日 期 年 份	1	1.4 23 1939	6.8 31 1940	11.0	27	9	31	15.7 7 1939	5	9.5 3 1940	3.2 3 1940	1.2 3 1939	20, 9, 19.
					-, 50		D 9		0	,			19.
		布特哈	i DC			gp _m	48 00	H l-	122 4	4 B 1	H= 310.	.3 M	

1939 11.7 32.6 74.3 186.5 239.5 146.7 149.3 156.9 112.4 77.5 41.4 20.0 1248.3 1940 14.6 26.4 94.1 159.1 236.1 188.0 164.0 176.8 130.5 112.9 27.9 15.3 1345.7 1941 15.7 23.3 54.1 146.8 - 195.9 146.4 127.9 116.4 81.0 39.2 25.5 -

### 1 2 3 4 5 6 7 8 9 10 11 12 金 年 1952 - 38.0 76.4 119.4 245.0 209.7 179.7 157.5 96.0 78.1 22.6 17.6 - 1953 21.9 17.5 83.2 44.1 (106.3) 173.0 (136.6 5) 177.3 170.4 110.6 (49.7) (23.1) 1325.7 4 16.1 32.2 83.9 163.1 214.6 169.2 160.0 170.3 137.8 100.3 39.7 19.5 1306.6 - 日最大業産量(本参) 16.1 32.2 83.9 163.1 214.6 169.2 160.0 170.3 137.8 100.3 39.7 19.5 1306.6 - 日最大業産量(本参) 1939 0.8 2.1 4.3 10.2 10.9 9.6 10.2 8.8 8.5 4.9 2.8 1.5 10.9 1.9 19.9 38 27 1 10 11 15 11 5 30 1/5 10.9 19.9 19.9 10.5 5.6 6.6 33.5 1.1 12.3 1.9 10.9 10.5 5.6 6.6 33.5 1.1 12.3 1.2 9 22 1.2 4.25 22/5 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9														
1952	年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1939 0.8 2.1 4.3 10.2 10.9 9.6 10.2 8.8 8.5 4.9 2.8 1.5 10.9 1 19 38 27 1 30 11 15 11 5 30 1/5 1940 0.8 2.4 6.1 10.5 12.3 11.9 10.9 10.5 5.6 6.6 3.5 1.1 12.3 18 8.19 29 24 30 22 2 31 12 9 22 1 24.25 22/5 1941 1.5 1.5 3.6 13.3 - 11.1 (11.8 (6.7) (6.1) 5.1 2.6 1.9 - 1 19 1 30 30 - 27 4 4 6 2 1.4 29 - 1 19 2 2.7 7.3 9.3	1952	-	38.0	76.4	119.4	245.0	209.7		157.5	96.0			17.6	1325.7
1939 0.8 2.1 4.3 10.2 10.9 9.6 10.2 8.8 8.5 4.9 2.6 1.5 10.9 1 19 3 27 1 1 0 11 5 11 5 50 15 18 8,19 29 24 30 22 2 32 9 22 124,25 22/5 1941 1.5 1.5 3.6 13.3 11.1 (11.8) (6.7) (6.1) 5.1 2.6 13.9	平 均	16.1	32.2	83.9	163.1					137.8	100.3	39.7	19.5	1306.6
1941 1.5 1.5 3.6 13.3 - 11.2 (11.8) (6.7) (6.1) 5.1 2.6 1.9 - 1942 1.7 2.7 7.3 9.3 - 2 4 4 16 2 14 29 - 1942 1.7 2.7 7.3 9.3 - 2 - 4 - 5 - 2 1.4 29 - 18 25 28 22 24 - 10.5 - 1/5	1940	0.8	2.4	3× 6.1	27	10.9 1 12.3	9.6	10.2 30 10.9	8.8 11 10.5	15 5.6	11 6.6	5 3.5	30	1/5
1952 - 2.0 4.8 10.7 15.6 10.8 9.9 8.2 5.6 6.1 2.8 1.0 15.6 1.0 15.6	1941 H 1942	1.5 19 1.7	1.5	3.6 30 7.3	13.3 30 9.3	-	27	(11.8) (6.7	16	5.1	2.6	1.9	=
田 22 26,28 21 26 7 13 7 7 15 1 2 1 7/5 田 1.7 2.9 7.3 13.3 15.6 11.9 11.8 10.5 9.0 7.9 3.9 1.9 15.6 田 25 26,28 22 30 13 2 4 12 15 1 2 29 13/5 田 25 26,28 22 30 13 2 4 12 15 1 2 29 13/5 田 25 26,28 22 30 13 2 4 12 15 1 2 29 13/5 田 27 28,23 1942 1941 1952 1940 1941 1940 1953 1953 1953 1941 1952 宋 ⑥ ② = 46 36'N 2 = 121°14'E H= 546.5 M	1952	-	2.0	4.8	10.7	15.6				5.6	6.1	2.8	1.0	15.6
# # 25	E													
無	日 期	25	26, 28	3 22	30	13	2	4	12	15	1	2	29	13/5
1937 28-2 44.1 62.8 176.0 267.3 316.4 291.1 295.0 225.9 190.4 85.2 40.1 2022.5 1938 39.8 48.2 154.7 246.4 280.5 263.6 213.3 161.3 125.9 130.7 74.1 39.5 1778.0 1939 37.3 55.6 105.6 197.6 270.2 177.2 156.8 187.6 145.0 119.2 72.3 51.8 1576.2 1940 46.0 59.1 131.8 210.7 327.2 218.1 188.1 184.0 163.1 158.4 52.8 36.4 1775.7 1941 42.8 41.7 80.9 182.3 — 230.8 158.2 140.1 139.2 111.8 76.1 41.5 — 1942 47.9 52.5 150.9 183.0 — — — — — — — — — — — — — — — — — — —			索 作	<u>A</u>		盐				121°1	4' B I	I= 546.	.5 м	
1940 46.0 59.1 331.8 240.7 327.2 218.1 188.1 184.0 163.1 158.4 52.8 36.4 1775.7 1941 42.8 41.7 80.9 182.3 - 230.8 158.2 140.1 139.2 111.8 76.1 41.5 - 1942 47.9 52.5 150.9 183.0			48.2	154.7	246.4	267.3 280.5	316.4 263.6	291.1	295.0 161.3	125.9	130.7			
# 均 37.8 51.8 113.7 207.7 286.3 243.8 212.3 207.0 165.0 149.7 71.1 42.0 1788.1 一日最大蒸发量(寒*) 1937 1.3 4.4 3.5 15.3 19.3 17.0 17.9 17.2 14.2 10.5 6.8 2.2 19.3 3* 22 1 9 8 27 23 3,12 3 18 5 4 8/5 19.3 14.16 25 19 29 26 2 6,17 1 6 27 1 3 2/6 1939 2.2 3.4 5.7 11.8 13.4 11.5 9.6 11.1 7.1 8.4 5.0 4.3 13.4 H 8 19 30 19 31 1,2 18 3 1,10 5 6 30 31/5 1940 2.6 3.5 7.4 11.8 24.4 17.3 11.0 10.2 9.0 10.1 4.1 2.5 24.4 10 29 24 28 10 5 14 20 29,30 2 5 24 10/5 1941 2.9 2.6 5.5 (15.1) — 12.9 (9.7) 7.5 9.1 6.0 5.8 2.3 — H 6 7 20 30 — 26 4 12 16 18 1 7 — 1942 2.4 5.1 10.9 13.7 — — — — — — — — — — — — — — — — — — —	1940	46.0	59.1	131.8	210.7	327.2	218.1	188.1	184.0	163.1	158.4	52.8	36.4	
一日最大蒸发量(寒*) 1937 1.3 4.4 3.5 15.3 19.3 17.0 17.9 17.2 14.2 10.5 6.8 2.2 19.3 3* 22 1 9 8 27 23 3,12 3 18 5 4 8/5 19.3 1.9 3.4 9.3 15.1 19.9 (21.2) 10.8 9.4 9.0 8.1 5.0 2.2 21.2 19.3 14.16 25 19 29 26 2 6,17 1 6 27 1 3 2/6 1939 2.2 3.4 5.7 11.8 13.4 11.5 9.6 11.1 7.1 8.4 5.0 4.3 13.4 19.4 2.6 3.5 7.4 11.8 24.4 17.3 11.0 10.2 9.0 10.1 4.1 2.5 24.4 10 29 24 28 10 5 14 20 29,30 2 5 24 10/5 19.4 10 29 24 28 10 5 14 20 29,30 2 5 24 10/5 19.4 16 7 20 30 - 26 4 12 16 18 1 7 - 19.4 2 2.4 5.1 10.9 13.7	1942	47.9	52.5	150.9	183.0	-	-	920	-	-	-	-	-	Miles
1937	平 均	37.8	51.8	113.7	207.7		-			165.0	149.7	71.1	42.0	1788.1
1938	1937	1.3	4.4	3.5	15.3					14.2	10.5	6.8	2.2	19.3
14-16 25 19 29 26 2 6,17 1 6 27 1 3 2/6 1939 2.2 3.4 5.7 11.8 13.4 11.5 9.6 11.1 7.1 8.4 5.0 4.3 13.4 13.4 8 19 30 19 31 1,2 18 3 1,10 5 6 30 31/5 1940 2.6 3.5 7.4 11.8 24.4 17.3 11.0 10.2 9.0 10.1 4.1 2.5 24.4 10.2 9.2 24 28 10 5 14 20 29.30 2 5 24 10/5 1941 2.9 2.6 5.5 (15.1) - 12.9 (9.7) 7.5 9.1 6.0 5.8 2.3 - 16 7 20 30 - 26 4 12 16 18 1 7 - 1942 2.4 5.1 10.9 13.7	H	3#	22	1	9	8	27	23	3, 1	2 3	18	5	4	8/5
日	H	14-16	25	19	29	26	2	6,1	7 1	6	27	1	3	2/6
10	H	8	19	30	19	31	1,2	18	3	1, 10	5	6	30	31/5
# 位 2.9 5.1 10.9 15.3 24.4 21.2 17.9 17.2 14.2 10.5 6.8 4.3 24.4 日 期 16 28 31 9 10 2 23 3,12 3 18 5 30 10/5 年 份 1941 1942 1942 1937 1940 1938 1937 1937 1937 1937 1937 1939 1940	W 1941	10 2.9	29	5.5	28 (15.1)	10	12.9	(9.7	20 7.5	29,30	6.0	5.8	24	
日期 16 28 31 9 10 2 23 3,12 3 18 5 30 10/5 1941 1942 1942 1937 1940 1938 1937 1937 1937 1937 1937 1939 1940 応期浩特	1942		- 0			=	-	-	-	-	_	-	_	-
本 友 量(ま来) 1938 37.3 48.4 136.5 238.4 215.2 337.2 228.1 188.7 121.5 119.2 72.4 27.2 1870.1 1939 22.5 50.6 139.5 200.0 310.4 189.9 177.2 181.2 134.3 109.7 64.2 41.2 1620.7 1940 32.7 49.0 113.2 184.5 244.9 149.6 143.0 143.8 103.5 93.4 42.1 33.9 1333.6 1949 — — — 80.5 52.1 51.5	日 期	16	28	31	9	10	2	23	3, 1;	2 3	18	5	30	10/5
本 友 量(ま来) 1938 37.3 48.4 136.5 238.4 215.2 337.2 228.1 188.7 121.5 119.2 72.4 27.2 1870.1 1939 22.5 50.6 139.5 200.0 310.4 189.9 177.2 181.2 134.3 109.7 64.2 41.2 1620.7 1940 32.7 49.0 113.2 184.5 244.9 149.6 143.0 143.8 103.5 93.4 42.1 33.9 1333.6 1949 — — — 80.5 52.1 51.5		.F	高廟浩	特			φ= ¿	6 13 1	λ=	122°03	B H	= 273.	4 M	
1939 22.5 50.6 139.5 200.0 310.4 189.9 177.2 181.2 134.3 109.7 64.2 41.2 1620.7 1940 32.7 49.0 113.2 184.5 244.9 149.6 143.0 143.8 103.5 93.4 42.1 33.9 1333.6 1949							发	量	(毫米)					
1951 31.2 35.6 105.6 159.1 332.6 304.0 272.2 253.1 147.5 95.0 56.2 38.3 1830.4 1952 31.1 37.0 92.0 166.9 332.0 313.0 224.8 225.0 159.2 138.0 55.9 30.0 1804.9 1953 26.1 53.3 113.5 196.5 245.1 221.6 195.7(194.1)187.6(116.3) 55.9 29.5 1635.2	1939 1940 1949	22.5 32.7	50.6	139.5	200.0	310.4 244.9	189.9	177.2	181.2	134.3	109.7 93.4 80.5	64.2 42.1 52.1	41.2 33.9 51.5	1620.7
1952 31.1 37.0 92.0 166.9 332.0 313.0 224.8 225.0 159.2 138.0 55.9 30.0 1804.9 1953 26.1 53.3 113.5 196.5 245.1 221.6 195.7(194.1)187.6(116.3) 55.9 29.5 1635.2	1950	30.2	47.3	93.3	186.9	233.4	250.5	287.4	285.6	224.2	139.8	57.6	26.1	1862.3
平均 30.2 45.9 113.4 190.3 287.7 252.3 218.3 210.2 154.0 115.9 57.8 32.3 1708.2	1952	31.1	37.0	92.0	166.9	332.0	313.0	224.8	225.0	159.2	138.0	55.9	30.0	1804.9
	平 均	30.2	45.9	113.4	190.3	287.7	252.3	218.3	210.2	154.0	115.9	57.8	32.3	1708.2

38								_	_				
件	1	2	3	4	5	6	7	8	9	10	11	12	全 年
					_ F	15 - E	表言(# ·.)					
19 35 H	1.9	3.4 25 3.6	7.3 29 8.1	16.0 30 10.6	21.2 26 18.2	21.8	10.4	11.5	9.4 22 7.3	6.2 7 6.9	5.1 2 6.4	1.5 18 3.9	21.8 2/6 18.2
1) 37 j 日 1) 45	25	21	30	27	16	16	18	23	28	1 5.0 3	6 (3.7) 10	16	16/5
1951 H 1952	2.0 25, 31 1.6	1.9 1 2.0 29	6.1 26 7.3	11.1 25 11.5	18.3 2 13.0	18.2 16 23.9 26	16.7 9 12.0	13.9 31 10.5	11.4	9•5 6 8•5	3.3 2,13 5.3	2.4 20,21 2.1	18.3 2/5 23.9 26/6
1953 H	2.6	26,27	7.1	12.6	15.1	17.0	11.2	10.8	9.7 16	9.2	4.1	1.6	17.0 15/6
額 領 日 期 年 份	2.6 24 1953	4.6 26,27 1953		16.0 30 1938	21.2 26 1938	23.9 26 1952	16.7 9 1951	13.9 31 1951	11.4 1 1951	9.5 6 1951	6.4 6 1939	3.9 29 1939	23.9 26/6 195 2
		通 遊				φ= /	c 13 40 1	τ λ=	122 1	, 5 E	H= 178	3.2 N	
					燕	发	量 ((毫暴)					
19 36 19 37 19 38 19 39 19 40	25.7 23.5 22.9 21.9 27.7	35.5 50.6 30.7	65.6 122.6 124.4	158.5 249.4 251.8	368.8 243.2 360.5	320.1 245.8 338.8	341.1 249.9 339.9	214.9 184.0 188.5	155.5 149.1 138.3 152.1 194.0	106.9 88.8 129.5	43.6 57.4 70.2 103.2 80.2	27.5 24.7 30.7 61.9 47.1	1700.3 1866.1 1696.4 2103.2 2298.2
1949 1950 1951 1952 1953	38.6 51.5 39.8 35.3	49.6	109.7	198.6	276.4	260.80	278.1) 320.3	271.6	172.3 195.2 172.0 205.6	138.2	62.7 68.5 57.8 67.1 66.7	44.2 48.7 54.0 37.6 45.8	1778.4 1922.1 2172.4 1847.9
小型	31.9	47.8	115.4	217.2	323.0	278.4	288.1	217.2	170.5	131.9	68.3	42.0	1931.7
1			~ 0				发量						
1951 1952 H 1953	3.6 28 1.8 22 2.7	3.0 20 2.4 8 6.2 27	7.8 30 7.0 13 9.9 21	13.8 26 14.5 5 15.6	15.9 9 21.6 1 16.6	17.4 18 25.9 26 19.8	15.6 8 22.8 1 13.0 9	15.6 31 12.9 22 12.1	16.0 1 8.8 7 10.9	9.5 6 9.7 13 11.1	4.0 14 5.7 4 5.5 3	4.3 11 2.2 12 3.1 16	17.4 18/6 25.9 26/6 19.8 15/6
遊 値 日 明 年 行	3.6 28 1951	6.2 27 1953	9.9 21 1953	15.6 7 1953	21.6 1 1952	25.9 26 1952	22.8 1 1952	15.6 31 1951	16.0 1 1951	11.1 1 1953	6.7 4 1952	4.3 11 1951	25.9 26/6 1952
		州 奔	į.			Ø= /	43 36 1	η λ=	121 1	2 R 1	H= 265	. O M	
					法	发					- 1.20	-, -	
1936	16.6	13.7	99.4	205.9	252.3	281.0	253.4	256.4	175.7	150 1	74.4	60.2	1877.5
1937 1938 1939 1940	35.0	61.5	132.5	293.2 233.7	405.5	302.5 276.8 268.2	296.2	196.1	128.1	121.5	73.1		2023.5
1940	33.3								192.7		44.1	20.2	2075.8
1942	46.2	0301	110.1		353.7	321.7	77.8	211.7	16 . ? 215.4	154 3	73.4		1964.8
- 均:	1 × 2										69.4		1983.3
1						F1 E2 1	-02- 13- PT						
19.29	1.9	3. 3	7.7	14.2			蒸发型 15.5)				

年月	1	2	3	4	5	6	7.	8	9	10	11	12	全 年
1940	2.2	. 3.5	8.7	17.5	22.1	15.1	16.8	8.1	11.3	11.5	7.3	2.1	22.1 20/5
1941	1.2	3 t 4.2	25, 2	17.7	-	15.7	14.5	9.4	9.9	8.8	5.6	4.3	-
1942	2.4	6.1	9.5	30 14.3	-	~	16	29	-	3		~9	res
1952	25	28	12, 3		18.3	21.3	16.7	11.7	8.7	9.7	6.6	2.3	-
3053	2 9	6 2	2 5	120	13	26	1	13.3	7	13	4-9	2.6	22.8
1953	2.8	6.3	8.5	12.9	17.1	15	15.6	7	17	9.4	7	15,18	
個 館 明 年 份		6.3 22 1953	9.5 12,3 1942	1 30	22.1 20 1940		16.8 3 1940	2	11.3 23 1940	5	7•3 2 1940	6.3 30 1939	22.8 15/6 1953
		44. 7					0 ,		0	,			
		林豆	4			Ψ= ,	43 30 1	H Am	118 0	3 E I	I= 805.	1 M	
					蒸	发		(毫米)					
1929	31.0	58.9	163.8	260.4	312.6	271.4	179.9	192.8	255.7		64.3	31.5 48.8	1566.7
1931	27.2	54.9	84.5	185.1	291.2 305.7	244.6	198.4	203.4	137.4	143.1	86.3	54.2	1724.8
1935	48.0	77.9	128.8	296.9	337.0	186.0	211.7	218.7	172.6	168.9	56.2	29.7	1932.4
1936	23.3	71.1	-	-	283.9 328.7	241.6	335.3	243.5	190.7	153.3	89.2	54.9 46.5	1709.8
1938	31.2				252.6						85.4	41.1	1869.2 1827.5
1940	33.0	69.7	163.5	284.9	427.0	269.7	270.9	179.4	193.9	174.4	58.1	56.6	2181.1
1941	64.7		111.1		***	-	140		178.3		72.9	46.4	
1952 1953	35.9	56.9	101.7	189.4	274.9	308.5	226.1	168.1	200.6	159.5 (142.6)	62.5	35.1 50.6	1763.7
平 均	34.1	55.2	116.0	225.8	304.4				179.3	142.8	72.0	48.9	1838.4
2028	1.0	2.6	0.8	126			族 发量		338	9 e	6 77	0.4	356
1938 H	1.9	3.6	9.8	13.6	14.5	15.6	14.2	2	13.8	8.5	6.7	1,20	
1939	2.8	3.7	9,29		17.0	4,17		9.7	18	8.1	5.4 1,4,6		2/5
1940	2.7	4.3	8.3 25,28		28.7	16.8	15.1	16.6	11.9	9.0	4.4	3.4	28 . 7 20/5
1941	4.7	18	8.0	13.7	_	15.3 25	15.2	28	10.6	8.5	4.9	3.8 18	_
1942 H	2.5	5.6 28	10.7	19.0	-		-	-	-			-	-
1952	-	-	-	-	_	17.7	17.6	7.7	7.8	9.1	6.0	2.3	-
1953	2.5	5.6	6.8	11.0	14.9	30 15.9	1 12.4	28	26 9.6	5	3 4.3	13	15.9
Ħ	23	26	29	6	25	15	18	7	3	1	12	23	15/6
極質別	4.7 16	5.6	10.7	20.0	28.7	17.7 30	17.6	16.6	13.8	10.5	6.7	5•4 30	28.7 20/5
年 份	1941		1942	1940	1940	1952	1952	1940	1938	1953	1938	19 39	1940
		-da					0 ,		0	3			
		赤崎	it.			φ= 1	12 16 1	1-	118 54	BB	= 565.	OM	
					蒸	发		(老米)					
1936 1937 1938	21.9 38.4 47.4	66.0	83.7	235.4	317.9 404.4 321.6	361.8	411.0	254.1	185.7	168.6	101.0 80.1 104.2	45.1 52.9 69.4	2007.8 2342.1 2120.5

40							-				-		
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
19 39 19 40	79.2	92.4	150.1	274.6 256.0	397.1 334.6	282.3 252.0	212.1	192.5 175.8	157.3	114.9	94.5 56.8	56.4 36.4	2103.4 2030.4
1941	39.4	64.6	120.0 169.7	233.6	286.1	405.9	232.6	209.0 168.6	197.8 158.8	141.1	86.1 92.0	53.1	1971.2 2073.3
1943 1949 1950	45.6	77.6	126.4	175.7	232.0	246.0	216.5	179.8	177.6		70.5 69.6	44.6	1695.6
1951 1952 1953	46.7 51.1 35.5	47.5	126.2	226.3	309.7	286.3	297.7 282.5	293.6	187.3	133.6	73.3 65.3 54.5	71.2 35.5 29.2	2099.4 2045.9 1573.8
本 均	43.8				316.6	303.8		206.2		142.6	79.8	49.9	2005.8
				24.0				12.8	9.1	9.2	5.7	2.5	21.4
1936	1.3	25,2	7 26,33	23	21.4	20.2	23	22	1	29	2	13	10/5
1937	3.2	6.5	6.0	18.8	26.2	19.8	22 . 7	17.2	9.5	8.3	5.9	2.9	26.2
1938	2.7	4.5	8.4	24.6	22.2	16.2	12.3	10.4	11.8	7.8 26	6.6	3.5 8	24.6 30/4
1939	3.5	4.8	9.0	15.9	19.8	14.2	11.7	10.9	10.5	7.5	5.2	4.2	19.8
H 1940	19	5.1	9.7	29	27 19.3	16	20	9.6	10.7	9.5	5.5	2.3	19.3
B	1	23	29	28	20	20	18	20, 30		17	2	29	20/5
1941	2.4	3.5	6.4	16.6	17.6	16.8	14.0	11.0	9.9	9.1	5.9	3.5	17.6
1942	2.8	6.4	10.2	11.4	17.4	29.1	16.8	8.7	8.8	8.4	5.4	2.7	29.1
1943	2.8	28	25	30	22		4	19,30	- 20			-	
1949	15	27		_						5.5	3.8	2.7	
1950	3.7	4.2	6.1	11.0	15.1	14.5	10.8	10.0	8.5	25 5.6	12	19	15.1
1970	26	23, 2		14	11	24	4	11	14	2	2	29	11/5
1951	2.8	2.9	9.6	12.5	16.8	17.6	17.6	13.5	10.2	9.6	4.4	4.4	17.6
1952	2.5	3.5	8.5	16.1	19.2	19.9	19.6	11.4	8.2	6.9	6.1	2.4	23/65/7
1953	2.1	4-4	6.7	10.6	13	25 16.3	12.7	9.5	8.0	13	3.5	13	25/6 16.3
被他	3.7	8.3	10.2	7 24.6	23	29.1	22.7	1,3	11.8	9.6	6.6	15,23	13/6
年 份	26	27 1943	25 1942	30 1938	10 1937	20	25	5 1937	19 38	6 1951	5 1938	4.4 11 1951	20/6
		生化	٥.			<i>(0)</i> =	42 15 1	w 1	116 1	וו שינ	- 121	AM	
					akl*				110 1) II II	461	2 4 A	
2028	12.2	22.2	60.0	202	蒸	发	量(2/-	225			
1938	27.0	42.3	91.0	193.8	273.4	239.0	118.0	147.4	137.4	117.5	65.4 59.1	29.3	1466.5
1940	22.5	51.2	112.4	230.1	320.6	218.8	239.2	138.0	156.5	154.2	48.8	29.6	1721.9
1942	35.3		136.4		-				-	-	-		
1952 1953	(17.3)	30.5	(87.6))147.6	193.8	231.1	191.4	184.0	126.4	111.5	46.2 43.1	(12.2)	1383.5
平 垧	20.0	39.3	88.3	193.7	246.2	217.1	199.1	151.4	153.2	118.0	54.1	28.3	1508.6
1938	0.7	3.5	5.3		(14.3)		9.6		9.9	(5.6)	5.7	2.8	15.2
1939	25	28	31 6•3	29	13.8	15	31 8.3	2	8	2	5	7	29/4
1940	29	26	7.0	27	18	16	19	9	18	10	4.5	2.3	27/4
H	3	55	9	17.1	19.0	12.5	12.4	7.7	8.9	7.8	2,1	2 5	19.0
						-	-	-	THE RESERVE AND DESCRIPTION OF THE PERSON NAMED IN				

								_					
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941	1.8	1.9	8.5	14.4	-	pred.		-	-	-	-		-
1942	22,27	6.9	19	13.2	-	-	-		-		-	-	***
1742	30	28	16	28	_	_	-		***		_	_	_
1952	-	-	-	-	Ŧ	11.8	13.6	8.7	8.0	6.3	4.3	0.8	
1953	1.1	2.9	4.7	8.7	10.7	25,26	12.2	28 9.7	8.7	6.0	2.1	29	12.2
H	8	26	3#	26	26	14	27	1	3	10	7,30		27/7
極値			0 =							- 0			·
日期	2.2	6.9	8.5	17.1	19.0	13.6	13.6	11.1	9.9	7.8	5•7 5	2.8	19.0
年 份	1940	1942	1941	1940	1940	1939	1952	1938		1940	1938	1938	6/5 1940
					-	1						_,_	-, 1-
	84	和浩	技			m = ·	10 49 1		111°4	7 10 10	i= 1062	0.36	
	-,	AMID.	141			Ψ= 1	10 49 1		111 4		# 1002	.2 M	
					蒸	发		毫米)					
1951	50.7	44.7	116.7	212.8	283.6	426.0	270.2	205.3	183.7	113.1	46.9	31.9	1985.6
1952	30.7	31.4	103.7	198.9	259.2	400.9	238.3	165.7	196.1	109.0	46.3	19.1	1799.3
	50.4										(54.9)	27.0	2040.1
平 均	37.3	42.0	115.1	215.8	302.8	385.0 最大素			187.5	116.1	49 • 4	26.0	1941.7
1053	2.3	0.0	9.0	22.0					20.2				00.0
1951	3.1	2.8	8.2 2 30	30	12.7	20.0	18.8	J1.3	10.1	6.5	5.5	3.2	20.0
1952	2.2	2.0	9.6	11.8	17.3	19.0	16.9	8.9		7.5	4.3	1.6	19.0
H	28	21	30	18	21	4	2	29		1	4	13	4/6
1953	2.5	3.9	8.2	11.5	19.9	14.9	15.3	21.7	8.6	8.3	4.8	2.4	21.7
H	10	27	24	8, 2	7 23	20	8	8	8	8	4	27	8/8
極値	3.1	3.9	9.6	11.8	19.9	20.0	18.8	21.7	12.3	8.3	5.5	3.2	21.7
日期	14, 23		30	18	23	12	1	8	14	8	3	12	8/8
年 份	1951	1953	1952	1952	1953	1951	1951	1953	1952	1953	1951	1951	1953
		包	直			m = 4	10° 36 1	1 1-	100 50	, 1 1 1 1	- 1016	0.14	
		- ,	-				, ,,		10)	/ 83 &	- 1010	• U M	
					滋	冶	-#-	(=+)					
1950	_	_	_	_	蒸		量 272.1		100.6	121 6	78 5	ER O	
1950 1951	55.1	52.0	128.3	217.7	310.6	280.1	272.1	229.0	202.3	131.6	(63.3)	58.0	2251.0
1951 1952	48.1	49.8	133.8(240.3)	310.6 353.8 (282.6)	280.1 418.9 377.2	272.1 303.9 305.6	229.0 257.1 200.7	202.3	156.9	78.5 (63.3) (53.5)	41.7	2251.0 2055.0
1951		49.8	133.8(240.3)	310.6	280.1 418.9 377.2	272.1 303.9 305.6	229.0 257.1 200.7	202.3	156.9	(63.3)	41.7	
1951 1952	48.1	49.8	133.8(240.3)	310.6 353.8 (282.6) 383.2	280.1 418.9 377.2 363.2	272.1 303.9 305.6 340.7	229.0 257.1 200.7 205.1	202.3 204.2 185.4	156.9 133.1 138.7	(63.3) (53.5) 61.6	41.7 26.1	2055.0 2213.5
1951 1952 1953	48.1	49.8	133.8(240.3)	310.6 353.8 (282.6) 383.2 339.9	280.1 418.9 377.2 363.2 386.4	272.1 303.9 305.6 340.7 316.7	229.0 257.1 200.7 205.1 221.0	202.3 204.2 185.4	156.9 133.1 138.7	(63.3) (53.5) 61.6	41.7 26.1 37.6	2055.0
1951 1952 1953 平均	48.1 39.9 47.7	49.8 65.9 55.9	133.8(146.7 136.3	240 · 3) 245 · 5 234 · 5	310.6 353.8 (282.6) 383.2 339.9	280.1 418.9 377.2 363.2 386.4	272.1 303.9 305.6 340.7 316.7 蒸发量	229.0 257.1 200.7 205.1 221.0 (毫米)	202.3 204.2 185.4 197.3	156.9 133.1 138.7 142.9	(63.3) (53.5) 61.6 59.5	41.7 26.1 37.6 35.1	2055.0 2213.5 2173.2
1951 1952 1953	48.1	49.8	133.8(146.7 136.3	240 · 3) 245 · 5 234 · 5	310.6 353.8 (282.6) 383.2 339.9	280.1 418.9 377.2 363.2 386.4	272.1 303.9 305.6 340.7 316.7 族发量 17.3	229.0 257.1 200.7 205.1 221.0 (毫米)	202.3 204.2 185.4 197.3	156.9 133.1 138.7 142.9	(63.3) (53.5) 61.6 59.5	41.7 26.1 37.6 35.1	2055.0 2213.5 2173.2
1951 1952 1953 平均 1951 N 1952	48.1 39.9 47.7 2.9 28 3.0	49.8 65.9 55.9 4.9 19 3.0	133.8(146.7 136.3 6.9 31 8.7	240.3) 245.5 234.5 12.4 24 19.0	310.6 353.8 (282.6) 383.2 339.9 — E 17.6 31 17.0	280.1 418.9 377.2 363.2 386.4 最大教 20.0 27 19.3	272.1 303.9 305.6 340.7 316.7 蒸发量	229.0 257.1 200.7 205.1 221.0 (毫米) 12.8 4 10.4	202.3 204.2 185.4 197.3	156.9 133.1 138.7 142.9	(63.3) (53.5) 61.6 59.5	41.7 26.1 37.6 35.1	2055.0 2213.5 2173.2 20.0 27/6 19.3
1951 1952 1953 平均 1951 N 1952 H	48.1 39.9 47.7 2.9 28 3.0 28	49.8 65.9 55.9 4.9 19 3.0 24	133.8(146.7 136.3 6.9 31 8.7	240.3) 245.5 234.5 12.4 24 19.0 26	310.6 353.8 (282.6) 383.2 339.9 — E 17.6 31 17.0 21	280.1 418.9 377.2 363.2 386.4 最大教 20.0 27 19.3 16	272.1 303.9 305.6 340.7 316.7 <u>\$</u> \$ \$ \$ 17.3 7 16.5 7	229.0 257.1 200.7 205.1 221.0 (意米) 12.8 4 10.4 27	202.3 204.2 185.4 197.3	156.9 133.1 138.7 142.9 8.6 4 7.9	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3,4	41.7 26.1 37.6 35.1 2.8 11 1.5	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6
1951 1952 1953 平均 1951 N 1952	48.1 39.9 47.7 2.9 28 3.0	49.8 65.9 55.9 4.9 19 3.0	133.8(146.7 136.3 6.9 31 8.7 30 7.9	240.3) 245.5 234.5 12.4 24 19.0	310.6 353.8 (282.6) 383.2 339.9 — E 17.6 31 17.0 21 19.1	280.1 418.9 377.2 363.2 386.4 最大素 20.0 27 19.3 16 17.7	272.1 303.9 305.6 340.7 316.7 蒸发量 17.3 7 16.5	229.0 257.1 200.7 205.1 221.0 (毫米) 12.8 4 10.4	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3,4 3.6	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4
1951 1952 1953 平均 1951 1952 1953 日	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10	49.8 65.9 55.9 55.9 4.9 19 3.0 24 6.0 27	133.8(146.7 136.3 6.9 31 8.7 30 7.9 17	240.3) 245.5 234.5 12.4 24 19.0 26 18.9 7	310.6 353.8 (282.6) 383.2 339.9 — E 17.6 31 17.0 21 19.1 23	280.1 418.9 377.2 363.2 386.4 最大表 20.0 27 19.3 16 17.7	272.1 303.9 305.6 340.7 316.7 蒸发量 17.3 7 16.5 7 20.4	229.0 257.1 200.7 205.1 221.0 (意米) 12.8 4 10.4 27 15.6	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3,4 3.6 29	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6
1951 1952 1953 平均 1951 N 1952 N 1953 日	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10	49.8 65.9 55.9 55.9 4.9 19 3.0 24 6.0 27	133.8(146.7 136.3 6.9 31 6.7 30 7.9 17 8.7	240.3) 245.5 234.5 12.4 24 19.0 26 18.9 7	310.6 353.8 (282.6) 383.2 339.9 - E 17.6 31 17.0 21 19.1 23	280.1 418.9 377.2 363.2 386.4 最大素 20.0 27 19.3 16 17.7 17	272.1 303.9 305.6 340.7 316.7 次量 17.3 7 16.5 7 20.4	229.0 257.1 200.7 205.1 221.0 (毫米) 12.8 4 10.4 27 15.6	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3.4 3.6 29 6.0	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4 8/7 20.4
1951 1952 1953 平均 1951 1952 1953 日	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10	49.8 65.9 55.9 4.9 19 3.0 24 6.0 27	133.8(146.7 136.3 6.9 31 8.7 30 7.9 17	240.3) 245.5 234.5 12.4 24 19.0 26 18.9 7	310.6 353.8 (282.6) 383.2 339.9 — E 17.6 31 17.0 21 19.1 23 19.1 23	280.1 418.9 377.2 363.2 386.4 最大素 20.0 27 19.3 16 17.7 17	272.1 303.9 305.6 340.7 316.7 次量 17.3 7 16.5 7 20.4 8	229.0 257.1 200.7 205.1 221.0 (毫米) 12.8 4 10.4 27 15.6 8	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3.4 3.6 29 6.0 1	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4 8/7
1951 1952 1953 平均 1951 N 1952 H 1953 日 初	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10	49.8 65.9 55.9 55.9 4.9 19 3.0 24 6.0 27	133.8(146.7 136.3 6.9 31 6.7 30 7.9 17 8.7	240.3) 245.5 234.5 12.4 24 19.0 26 18.9 7	310.6 353.8 (282.6) 383.2 339.9 - E 17.6 31 17.0 21 19.1 23	280.1 418.9 377.2 363.2 386.4 最大素 20.0 27 19.3 16 17.7 17	272.1 303.9 305.6 340.7 316.7 次量 17.3 7 16.5 7 20.4	229.0 257.1 200.7 205.1 221.0 (毫米) 12.8 4 10.4 27 15.6	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3.4 3.6 29 6.0	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4 8/7 20.4
1951 1952 1953 平均 1951 N 1952 H 1953 日 初	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10	49.8 65.9 55.9 4.9 19 3.0 24 6.0 27	133.8(146.7 136.3 6.9 31 8.7 30 7.9 17	240.3) 245.5 234.5 12.4 24 19.0 26 18.9 7	310.6 353.8 (282.6) 383.2 339.9 — E 17.6 31 17.0 21 19.1 23 19.1 23	280.1 418.9 377.2 363.2 386.4 最大素 20.0 27 19.3 16 17.7 17	272.1 303.9 305.6 340.7 316.7 次量 17.3 7 16.5 7 20.4 8	229.0 257.1 200.7 205.1 221.0 (毫米) 12.8 4 10.4 27 15.6 8	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3.4 3.6 29 6.0 1	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4 8/7
1951 1952 1953 平均 1951 N 1952 H 1953 日 初	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10	49.8 65.9 55.9 4.9 19 3.0 24 6.0 27	133.8(146.7 136.3 6.9 31 8.7 30 7.9 17	240.3) 245.5 234.5 12.4 24 19.0 26 18.9 7	310.6 353.8 (282.6) 383.2 339.9 — E 17.6 31 17.0 21 19.1 23 19.1 23	280·1 418·9 377·2 363·2 386·4 最大素 20·0 27 19·3 16 17·7 17	272.1 303.9 305.6 340.7 316.7 次量 17.3 7 16.5 7 20.4 8	229.0 257.1 200.7 205.1 221.0 (毫米) 12.8 4 10.4 27 15.6 8	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3.4 3.6 29 6.0 1	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4 8/7
1951 1952 1953 平均 1951 N 1952 H 1953 日 初	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10	49.8 65.9 55.9 4.9 19 3.0 24 6.0 27	133.8(146.7 136.3 6.9 31 8.7 30 7.9 17	240.3) 245.5 234.5 12.4 24 19.0 26 18.9 7	310.6 353.8 (282.6) 383.2 339.9 — E 17.6 31 17.0 21 19.1 23 19.1 23	280·1 418·9 377·2 363·2 386·4 最大素 20·0 27 19·3 16 17·7 17	272.1 303.9 305.6 340.7 316.7 发量 17.3 7 16.5 7 20.4 8	229.0 257.1 200.7 205.1 221.0 (毫米) 12.8 4 10.4 27 15.6 8	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3.4 3.6 29 6.0 1	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4 8/7
1951 1952 1953 平 均 1951 1952 世 1953 世 祖 印 年	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10 3.0 28 1952	49.8 65.9 55.9 55.9 4.9 19 3.0 24 6.0 27 6.0 27 1953	133.8(146.7 136.3 6.9 31 8.7 30 7.9 17 8.7 30 1952	240.3) 245.5 234.5 12.4 24 19.0 26 18.9 7	310.6 353.8 (282.6) 383.2 339.9 — E 17.6 31 17.0 21 19.1 23 19.1 23	280.1 418.9 377.2 363.2 386.4 最大家 20.0 27 19.3 16 17.7 17	272·1 303·9 305·6 340·7 316·7 (大量 17·3 7 16·5 7 20·4 8 1953	229.0 257.1 200.7 205.1 221.0 (意米) 12.8 4 10.4 27 15.6 8 1953	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4 11.1 10 1952	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8 8.6 4 1951	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3.4 3.6 29 6.0 1	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17 3.0 17	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4 8/7
1951 1952 1953 平均 1951 N 1952 H 1953 日 初	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10 3.0 28 1952	49.8 65.9 55.9 4.9 19 3.0 24 6.0 27	133.8(146.7 136.3 6.9 31 8.7 30 7.9 17 8.7 30 1952	240.3) 245.5 234.5 12.4 24 19.0 26 18.9 7	310.6 353.8 (282.6) 383.2 339.9 — E 17.6 31 17.0 21 19.1 23 19.1 23	280.1 418.9 377.2 363.2 386.4 最大家 20.0 27 19.3 16 17.7 17	272.1 303.9 305.6 340.7 316.7 发量 17.3 7 16.5 7 20.4 8	229.0 257.1 200.7 205.1 221.0 (意米) 12.8 4 10.4 27 15.6 8 1953	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8 8.6 4 1951	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3.4 3.6 29 6.0 1	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17 3.0 17	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4 8/7
1951 1952 1953 平 均 1951 1952 世 1953 世 祖 印 年	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10 3.0 28 1952	49.8 65.9 55.9 55.9 4.9 19 3.0 24 6.0 27 6.0 27 1953	133.8(146.7 136.3 6.9 31 8.7 30 7.9 17 8.7 30 1952	240.3) 245.5 234.5 12.4 24 19.0 26 18.9 7	310.6 353.8 (282.6) 383.2 339.9 	280.1 418.9 377.2 363.2 386.4 最大款 20.0 27 19.3 16 17.7 17	272.1 303.9 305.6 340.7 316.7 蒸发量 17.3 7 16.5 7 20.4 8	229.0 257.1 200.7 205.1 221.0 (毫米) 12.8 4 10.4 27 15.6 8 15.6 8	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4 11.1 10 1952	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8 8.6 4 1951	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3.4 3.6 29 6.0 1	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17 3.0 17	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4 8/7
1951 1952 1953 平 均 1951 1952 世 1953 世 祖 印 年	48.1 39.9 47.7 2.9 28 3.0 28 2.7 10 3.0 28 1952	49.8 65.9 55.9 55.9 4.9 19 3.0 24 6.0 27 6.0 27	133.8(146.7 136.3 6.9 31 8.7 30 7.9 17 8.7 30 1952	240-3) 245-5 234-5 12-4 19-0 26 18-9 7 19-0 26 1952	310.6 353.8 (282.6) 383.2 339.9 一日 17.6 31 17.0 21 19.1 23 19.1 23 1953	280.1 418.9 377.2 363.2 386.4 最大规 20.0 27 19.3 16 17.7 17 20.0 27 1951	272·1 303·9 305·6 340·7 316·7 16·5 7 20·4 8 1953	229.0 257.1 200.7 205.1 221.0 (毫米) 12.8 4 10.4 27 15.6 8 15.6 8 1953	202.3 204.2 185.4 197.3 11.0 12 11.1 10 9.6 4 11.1 10 1952	156.9 133.1 138.7 142.9 8.6 4 7.9 5 7.8 8 8.6 4 1951	(63.3) (53.5) 61.6 59.5 6.0 1 4.9 3.4 3.6 29 6.0 1	41.7 26.1 37.6 35.1 2.8 11 1.5 13 3.0 17 3.0 17 1953	2055.0 2213.5 2173.2 20.0 27/6 19.3 16/6 20.4 8/7

42													
年	1		3				7	8	9	10	11	12	全 年
19 37 19 38 19 39 19 40	89.5 64.5 60.4 54.0	71.3	102.7	214.5	188.8	151.6	228.4 156.2 90.2 176.7	100.5	97.8	87.1	99.0 74.5 65.2 95.1	79.6 61.2 77.0 46.7	1733.4 1425.9 1282.4 1410.2
1950 1951 1952 1953	32.4	50.4 37.7 49.7 42.0	92.3	166.2	232.3	249.3	149.9 230.5 152.6 171.7	142.3	112.8	100.8	48.8 63.1 51.6 43.5	35.7 50.7 29.1 25.7	1241.2 1679.0 1394.6 1267.8
		58.1	98.7	153.9	201.4	198.3	169.5	147.0	127.6	111.6	70.7	48.4	1438.6
1951 H 1952 H 1953	2.2 31 2.1 18 1.6 24	2.3 1 2.3 3# 4.0 27	4.9 31 5.6 21 7.4 29	7.6 30 9.3 28,30 8.3 26	14.7 11 13.0 20		12.5 6 11.0	11.3 30 7.1 15 7.0 6	9.7 3 5.8 8 6.2	7.1 8 4.9 13 5.8	3.3 14 3.9 4 3.5 7	2.7 11 1.4 9,13 1.4	14.7 11/5 13.0 20/5 12.3 15/6
極 値 日 別 年 份	31	4.0 27 1953	7.4 29 1953		0 11	25	12.5 6 1951	30	3	7.1 8 1951	3.9 4 1952	2.7 11 1951	14.7 11/5 1951
		P1200 er	A.o.			Ø-	41 12 1	s 1_	116 3	i E F	T= M		
		聖 4	1,) be		,,		110).				
		0	0.4.5	220 2	燕	发		(毫米)	76 7	83.0	64.0	51.7	1256.3
1936 1937 1938 1939 1940	34.4 55.0 25.6 42.4	26.6	91.2	162.2 140.5 157.2	201.0 167.9 193.6	156.2 155.2 173.5	131.2 109.7 90.6 138.1	116.7 127.1 94.0	93.2 85.2 75.3	70.7	58.1 53.2 51.5	32.3 26.5 45.9	1234.2
本 助					202.2	181.1	117.3	108.6	81.7	74.8	57.9	43.3	1186.1
		, , , ,											
		承	惠			g) no	40 58	N 1-	117 5	O B 1	H= 370	.9`M	
					蒸	发	量	(老水)					
1937 1938 1939 1940 1941	26.6 36.9 30.0 37.4 33.2	63.8 52.3 62.7	108.1 114.6 144.1	264.1 242.9 244.8	201.9 284.8 334.3	203.5 291.1 248.1	183.7 214.3 268.2	171.0 184.8 139.5	145.2 158.6 154.2	98.8 99.2 96.0 126.1 123.2	68.2 51.6 54.2	28.8 40.7 30.0	1642.3 1574.4 1761.7 1843.6
1942	49.8	58.1	134.4	225.6	240 8	217 1	152.6	1427	01 2	105.8		-	n-0
1948	30.0	60.5	101.1	177.7	246.5	221.2	136.7	127.6	112.6	107.5	_	_	-
1950		76.6								98.4			1476.6
1951 1952 1953	41.5 40.7 33.6	49.2	99.4	208.2	275.3	288.0	159.2	159.1	127.9	98.9 122.5 97.2	60.7	32.7	1804.1 1622.9 1478.6
平 鉤	37.5	57.4	115.9	220.9						104.6	57.5	39.9	1650.5
1937	1.5	3.3	7-4	12.4	(17.5		蒸发量(11.6	(老米) (7.8) 5.0	4.6	1.9	17.5
1938	2.1	24,2	6 14	29	16	2	26	8.6	12	13	5	9	16/5
19 39	30	18	24	30	13	23	2	7,2	26 8,1	10 5	5	. 8	30/4 15.9
1940	31	4.2	31	13	20	17	20	3	29	.5	20	9,1	7 17/6
1941	2.1	27 3.7	29 7.2	11.8	7	10,1	12 18	1	14	5	6	1	7/5
11	10	20	26	17		24,	26 4	23	5,1		1	4	with

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1942 H 1951 H 1952 H 1953	2.5 25,29 2.6 24.25 2.5 20 1.8 22,24	3.7 28 3.3 17 2.5 20,26 3.5 28	7.2 16 7.6 30 7.3 21 7.1 21	11.7 29 11.4 27 12.1 28 10.0 24,26	18.4 2 16.4 21 12.1 24	13.4 21 16.9 25 14.1 15	12.1 26 16.9 2 9.8 27	11.7 30 7.0 6 7.1 3,4	8.6 1 6.6 13 6.7 5	6.2 6 6.2 13 5.1	2.9 7,14 6.2 4 3.1 13	3.5 3 1.6 9,14 2.3	18.4 2/5 16.9 25/6 2/7 14.1 15/6
極傾日期年份		4.2 27 1940	8.5 29 1940	16.5 30 1938	18.4 2 1951	16.9 25 1952	16.9 2 1952	11.7 30 1951	8.6 8,10,1 1938 1951		6.2 4 1952	3.5 3 1951	18.4 2/5 1951
		張家「	1			<i>9</i> = ,	40 [°] 50 [°] 1	s λ=	115 11	E B	= 759	,6 м	
					茶	发	量((毫米)					
1947 1948 1949 1950 1951	55.7 45.3 63.9	76.7 71.1	137.7	207.8 245.3 230.1	274.0 266.9 313.5 274.9	267.9 346.3 299.6 276.6	285.9 206.1 195.0 208.1 384.4	227.3 237.7 207.8	205.2 152.0 204.4	154.4 130.4 143.2	78.6 70.5 90.5 80.8	50.4 34.5 74.2 66.9	1948.6 1993.0 2698.3
1952 1953	56.8 (49.9)						255.4				86.7	44.4	2318.4
平均	54.3	67.4	154.0	266.9			262.1 蒸发量			156.5	82.1	52.3	2247.2
1951 H 1952 H 1953	3.6 24,29 3.2 16 4.3 24	5.7 17 3.0 24 7.9 28	8.9 31 8.4 16 11.0	15.7 29 16.8 29 15.6	17.7 11 17.8 6 20.0	21.4 26 24.4 25	18.9	16.3	12.6 9 13.2 15 10.3	9.5 4 9.5 1 10.8	6.3 8.8 4 5.8	4.8 12 2.9 29 29	21.4 26/6 24.4 25/6 20.0 1424/5
個 值 明 份	24	7.9 28 1953	24	16.8 29 1952	14,2	4 25	18.9 6. 1951	31		10.8 11 1953	8.8 4 1952	4.8 12 1951	24.4 25/6 1952
		北東	ī			φ=	39°56 1	II Am	116 20	O'E B	= 51.3	3 M	
					蒸	发	量(毫米)					
1940 1941 1942 1943 1944	44.4 59.8 67.4 55.3 48.8	67.3 73.6 89.6	150.2 140.3 142.6	230.2 263.8 186.0	337.0 283.9 228.4	199.2 413.7 331.0	210.6 211.5 235.6 272.1 209.7	185.1 176.0 152.1	165.0 175.3 144.0	141.9 137.8 142.5	79.9 76.3 97.2 68.4 78.0	54.2 51.6 76.3 67.1 57.9	1787.9 1875.1 2140.9 1879.1 1839.9
1945 1946 1947 1948 1949	58.5 75.7 49.4 65.2 29.7	89.2 60.1 74.3	100.3 137.3 106.5	226.0 255.5 213.3	258.8 288.6 252.6	310.3 265.4 313.6	260.0 (195.6) 222.1 149.4 130.9	168.3 186.3 146.1	166.0 138.2 119.3	140.1 144.4 121.4	74.1	66.2 65.6 48.4 (50.3) 34.8	1965.1 1870.0 1885.1 1690.3 1683.8
1950 1951 1952 1953	42.4 33.8 58.8 38.8	45.4 49.2 49.4	129.9 116.6 146.2	256.2 226.1 248.5	273.6 264.3 240.5	297.2 350.0 239.9	159.6 211.7 176.9 171.3	183.6 150.7 133.4	163.2 (137.3) 180.6	103.5)136.6 135.2	65.6 59.1 57.8 65.8	56.2 63.0 33.2 61.6	1517.2 1820.2 1757.5 1711.2
平 均	52.0	64.2	129.9	229.9			201.2 蒸发量			132.5	72.7	56.2	1816.0
1940 H 1941 H	3.1 23 4.6 10	5.3 26 4.5 27	7.6 28 8.5 26	13.3 11 14.9 17	14.9 20 15.4 28	14.9	-	(7.7)	8.7	8.4	4.7 12 6.1 1	3.5 1 2.8 4	15.8 18/7 15.4 28/5

L

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1942 H 1943 H 1944	3.8 27 3.3 6 3.2 6	4.3 26,27 5.5 22 6.0 27	7.8 7 23 8.4 21 9.1 29	12.9 29 10.2 27 11.3 27	15.7 28 12.6 31 13.7	23.2 5 17.4 21 13.6	19.4 5 14.7 20,21 11.0 20	9.8 31 9.8 1 8.5	(9.0) 7 8.1 18 8.6 6	8.4 31 7.1 10 6.8	6.0 3 4.6 10 5.0	4.1 21 7.4 2 2.7 19	23.2 5/6 17.4 21/6 13.7 1/5
1945 H 1946 H 1947 H 1948 H	3.5 14,15 5.6 14 3.4 16 5.2 20 3.0 25	2.9 1,25 5.7 14 4.5 22 5.0 9 3.8 26	12.4 31 8.8 28 9.9 28 7.3 27 8.2	13.0 21,26 12.0 12 13.0 29 12.0 22 15.7 23	16.5 25 12.5 15 15.4 31 15.0 25 16.4	15.0 1 16.3 3,11 13.7 1 18.0 14 17.6	13.5 17 11.9 1 2 12.6 17 8.9 15 10.2 27	10.4 9 9.1 11.1 3 7.3 16 8.4 15,1		8.9 8 7.8 2 8.2 9 7.2 3 7.3	6.0 1 5.6 26 6.5 12 7.5 2	6.3 16 4.8 26 3.5 10 (4.0) 14 2.4 6	16.5 25/5 16.3 311/6 15.4 31/5 18.0 14/6 17.6 2/6
1950 H 1951 H 1952 H 1953	2.6 21 3.8 24 3.8 20 3.2	5.4 25 3.2 15 3.0 29 4.6 26	7.0 9 8.7 17 10.0 21 9.6 24	9.3 9 13.6 28,29 12.8 16 11.4	19.2 4 14.1 11 16.8 21 15.4 24	11.5 20 15.6 25 18.9 21 16.9	8.1 30 10.5 26 14.4 2 8.9 17	7.3 1 8.9 16 6.9 3* 10.1	7.9 27 8.7 17 8.7 13 9.5	5.7 25 7.2 9 8.3 1 9.5	5.5 3 6.9 14 5.5 4 4.9 30	3.5 29 3.9 12 2.6 14 4.6	19.2 4/5 15.6 25/6 18.9 21/6 16.9 15/6
每 值 日 期 年 份		6.0 27 1944	12.4 31 1945	15.7 23 1949	19.2 4 1950	23.2 5 1942	19•4 5 1942	11.1 3 1947	13.2 17 1946	9.5 10 1953	7.5 2 1948	7.4 2 1943	23.2 5/6 1942
		昌 羽	in the second			φ= ;	39 42 1	y λ=	119 10	P F	I= 14.5	5 M	
					蒸	发		(毫米)					
1941 1942 1943 1944 1945	56.2	82.1	158.7	255.7	330.7	243.4 394.7	225.9	210.7	219.0			62.0	2103.6
1947	53.0	77.6		241.6			269.8	150.2	134.8	137.8	99.1	76.7 75.6 72.1	2143.9 1907.8 2051.5
1948	45.6 43.6	77.6 42.8 54.6	138.0	241.6 302.6 228.3	307.4		269.8	150.2	134.8	137.8	99.1	75.6	1907.8
	45.6	77.6 42.8 54.6 56.6	138.0 103.9 107.7 214.1	241.6 302.6 228.3 294.2	307.4	302.9	269.8 219.2	150.2 201.5 - - 180.7	134.8	137.8	99.1 100.1 95.8	75.6 72.1	1907.8
1948	45.6 43.6	77.6 42.8 54.6 56.6	138.0 103.9 107.7 214.1	241.6 302.6 228.3 294.2	307.4 - 294.6 一日	302.9	269.8 219.2	150.2 201.5 - - 180.7	134.8 187.4 - 142.4 - 180.0 10.9 10 10.0 11 6.6 30	137.8 159.4 169.8 160.1 9.9 8.1 5 8.3	99.1 100.1 95.8	75.6 72.1	1907.8
1948 本 均 1941 1942 日 1943 日 1944 日	45.6 43.6 60.2 4.7 16 3.7 25 3.3 7 4.0 12 3.1	77.6 42.8 54.6 56.6 76.9 5.4 27 5.5 26 5.2 25 4.8 29 3.7	138.0 103.9 107.7 214.1 144.1 9.2 19 9.6 31 8.0 15 8.6 31 9.5	241.6 302.6 228.3 294.2 241.3 12.7 17 14.4 12 14.6 20 13.7 28 16.3	307.4 - 294.6 一日 15.6 30 16.1 2 15.1 8 4 7	302.9 - 307.6 最大素 15.3 26 23.6 15.3 4 17.5 7	269.8 219.2 - - 232.1 次量 11.5 13.6 23 10.8 20	150.2 201.5 - - 180.7 (毫米) 12.0 26 9.9 2 7.3 3 11.4	134.8 187.4 - 142.4 - 180.0 10.0 11 6.6 30 (10.1)	137.8 159.4 169.8 - 160.1 9.9 19 8.1 5 8.3 10 7.1 2,3	99.1 100.1 95.8 102.7 7.7 1 7.6 3 6.3 3 5.6 10	75.6 72.1 - 34.8 - 71.6 3.2 19 3.9 10 5.2 1	1907.8 2051.5 - - 2051.7 15.6 30/5 23.6 15/6 15.3 4/6 17.5 7/6
1948 年 均 1941 世 1942 世 1943 世 1944 世 1945 世	45.6 43.6 60.2 4.7 16 3.7 25 3.3 7 4.0 12 3.1 1	77.6 42.8 54.6 56.6 76.9 5.4 27 5.5 26 5.2 25 4.8 29 3.7 28	138.0 103.9 107.7 214.1 144.1 9.2 19 9.6 31 8.0 15 8.6 31 9.5 8.6 31 28 12.0	241.6 302.6 228.3 294.2 241.3 12.7 17 14.6 20 13.7 28 16.3 20	307.4 - 294.6 一日 15.6 30 16.1 8 16.4 7 -	302.9 - 307.6 最大素 15.3 26 23.6 15 17.5 7 - - - 23.6 15	269.8 219.2 - - 232.1 次量 11.5 13.6 23 10.8 20	150.2 201.5 - - 180.7 (毫米) 12.00 26 9.9 2 7.3 3 11.4 4	134.8 187.4 - 142.4 - 180.0 10.0 11 6.6 30 (10.1) 13 - - - 10.9	137.8 159.4 169.8 - 160.1 9.9 19 8.1 5.8.3 10 7.1 2,3 -	99.1 100.1 - 95.8 - 102.7 7.7 1 7.6 3 6.3 3 5.6 10	75.6 72.1 	1907.8 2051.5 - - 2051.7 15.6 30/5 23.6 15/6 17.5 7/6 - -

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		唐山	1			Ç0 =	39 40	n 1-	118 0	7 B B	= 57.0) N	
					蒸	发	量(毫米)					
1951 1952 1953	49.4	41.8	127.8	280.2 274.5 301.5	343.6	333.5	212.9	210.2	158.7	143.0	91.7 60.3 69.4	52.5 55.3 60.6	2183.7 2011.0 1873.2
华 #	40.8	46.5	133.1	285.4			212.4		171.2	136.6	73.8	56.1	2022.6
1951 H 1952 H 1953 H	24, 28 3.8 19	3.0 17 2.6 19 4.4 28	8.8 31 10.4 31 8.0 29	15.5 .21 15.3 9 19.9	20.3 2 21.7 21 23.1 18	22.1 7 18.3 21 19.2	13.5 17 15.5 2 8.7 18,2	10.3 23 11.5 31 11.4	8.1 11 9.1 17 9.7	7.6 9 8.6 2 7.4	9.7 7 4.9 4 4.2 7,14	3.7 13 3.1 5,31 5.9	22.1 7/6 21.7 21/5 23.1 18/5
	3.8 19 19 1952	4.4 28 1953	10.4 31 1952	19.9 12 1953	23.1 18 1953	22.1 7 1951	15.5 2 1952	11.5 31 1952	9.7 10 1953	8.6 2 1952	9.7 7 1951	5.9 1 1953	23.1 18/5 1953
		涿鬼	¥.			φ=	39 [°] 30 [′] 1	s λ=	115 5	3 B H	= 55.0	M	
					燕	发	量	(毫米)					
1952 1953				255.1 261.7						154.1 119.7	58.1 69.7	48.9 55.2	2104.6
平 #	63.0	60.7	146.3	258.4			194.2		163.7	136.9	63.9	52.1	1923.3
1952 H 1953 H	17	3.6 21,29 4.1 26		13.9 8 12.4 8	23.7 21 14.9 23		17.1	7.7 13 7.7 9	9.0 13 7.1 9	8.3 1 7.5 10	5.1 1 5.0 7	3.2 14 4.6	23.7 21/5 16.2 15/6
	3.9 17 1952	4.1 26 1953	12.0 21 1952	13.9 8 1952	23.7 21 1952	22.8 18 1952	17.1 2 1952	7.7 13,9 1952 1953	9.0 13 1952	8.3 1 1952	5.1 1 1952	4.6 1 1953	23.7 21/5 1952
Н		武清	Ę.			φ _w	39°24'1	7 A=	117 07	7 E H	= 4.5	M	
					蒸	发		(毫米)					-
1951 1952 1953	63.2	55.7	142.5		314.4	364.1	190.1			137.1 (178.7)			2053.8
平 #	49.4	56.9	132.7	282.1			205.0		182.2	157.9	66.6	57.1	2054.5
1951 1952 H 1953 H	25 3.4 21	4.6 9 3.9 19 3.7 26, 28	9.7	19.9 21 17.5 8 13.2		19.5 7 20.1 2 17.8			11.6 17 10.3 13	9.0 6 10.8 1	5.2 7 6.9 4	5.7 13 2.7 14	19.9 21/4 23.2 21/5
福 省 年 在	月 24	9	13.2 21 1952	19.9 21 1951	21	20.1 2 1952	13.8 6 1952	10.7 16 1951	11.6 17 1951	10.8 1 1952	6.9 4 1952	5.7 13 1951	23.2 21/5 1952

46													
Ąt.	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		天 湞	B()			P= 3	9°09'N	λ= :	117 09	e E=	6.4 K		
		7 4			杰	发	量((毫米)					
1928 1929 1930 1931 1932	60.7 75.2 45.6 45.4 52.6	49.2 47.1 63.1	162.3 127.0 152.6	288.2 226.2 241.3	349.5 349.5 296.2	414.9 410.9 319.5	283.3 258.3 295.7	224.1 164.8 185.8	123.9 209.8 162.2 218.6 175.6	138.7 135.6 171.5	78.5 96.6 92.0 73.2 82.1	48.0 43.2 59.4 32.2 32.2	2083.5 2335.0 2078.6 2095.1 2080.7
(% \$/)	55.9	62.4	158.1	255.8	349.2	346.0	259.6	192.4	178.0	149.6	84.5	43.0	2134.6
Ì		天 湞	性(二)			φ=	39 06 1	π λ=	117 23	E B	= 2.91	M	
					蒸	发	量((老米)					
1933 1934 1935 1936 1946	30.8 25.0 46.1 29.0	49.6	123.2 140.8 110.0	180.4 258.5 207.3	243.5 307.5 281.1	234.8 273.6 246.5	192.7 160.0 217.6	112.3 127.2 157.8	147.0 128.0 141.7 124.9 149.0	71.7 114.5 104.9	60.4 80.3 41.9 69.8 48.0	32.0 41.5 34.7 43.7 25.2	1452.7 1483.0 1730.1 1626.2
1947 1948 1949 1950 1951	28.0 25.7 32.6 30.9 37.0	33.1 52.0 62.5	95.4 113.4 134.2	218.7 212.1 173.6	256.5 263.3 237.8	281.6 254.9 235.7	187.6 136.0 166.6	175.7 165.9 172.0	114.9 156.7 126.8 176.3 177.3	116.3 109.9 110.4	65.5 52.1 44.6 78.6 63.9	27.9 34.7 16.5 44.4 53.4	1600.6 1634.1 1528.0 1623.0 1925.2
1952 1953:	58.6 37.2								143.7		54.4 63.4	36.7 40.1	1823.3
小 E)	34.6	50.8	116.5	217.7					144.0	110.6	61.4	36.9	1634.3
1946 H 1947 H 1948 H 1949 H	2.1 5 1.6 20 1.9 26 2.4 21	3.2 21 2.8 22 3.2 25 4.2 26 4.0 26	6.5 30 5.6 24 7.0 31 5.9 1 7.4	11.7 20 13.1 29 13.1 21 15.7 23 10.3 28	11.9 27 14.0 31 13.5 16 13.6 8 11.8	放大名 15.9 11 13.9 1 15.6 5 12.8 15 11.5	发量 12.3 5 10.0 22 9.3 8 10.7 27 8.6	(養水) 8.7 29 9.1 6 9.2 12 7.9 15 7.9	7.8 19 6.4 8 7.2 9 8.5 2 8.7 28	5.9 9 7.0 22 8.5 3 5.7 11 6.2	3.0 17,18 3.8 12 3.5 24 3.2 8.0 13	1.9 13,14 2.0 1 2.5 2 1.4 4 2.9 29	15.9 11/6 14.0 31/5 15.6 5/6 15.7 23/4 11.8 14/5
1951 1952 e 1953	2.6 24 3.6 29 2.6 10	3.7 23 2.8 9 4.9 28	7.1 30 8.1 21 6.4	13.0 21 12.7 8 10.9 25		16.5 12 16.8 18 14.0	11.3 17 11.3 6 9.8 18	10.0 31 8.5 20 6.3 31	8.5 11 9.0 19 7.2 9	7.8 11 6.4 24 6.4 11	5.3 21 4.3 4,5 3.7 21	3.7 13 3.0 14 3.1	16.5 12/6 18.2 13/5 14.0 14/6
を 信 ・ 期 ・ 等	3.6 29 1952	4.9 28 1953	8.1 21 1952	23	18.2 13 1952	16.8 18 1952		10.0 31 1951	9.0 19 1952	8.5	8.0 13 1950	3.7 13 1951	18.2 13/5 1952
	宁	河軍机	中代			Ø =	39 04 1	¥ 2-	117°2	5 E B	= 4.21	М	
					7.	旗	-	(-)					
1940 1941 1950 1991	6709	49.5	1.4.4	1.;	252.8 238.8 193.5	398.1 262.6 183.8	161.7 (160.6) 158.8	179.2)178.9 74.1	134.9	95.7	56.6 (47.8)	34.4	1619.4
1.0	1953	17.8	116.1	12/1-7	28.4	281.5	160.4	144.1	133.5	107.0	50.6	44.4	1571.1

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
\				1	一日	最大素	发量((老米)	1	1			
1950	3.2	4.9	.8.3	9.3		7.8	7.3	6.6	8.2 27	-	3.5 13	-	-
1951	2.5	4.8	8.0	1,3.4	14.5	16.7	10.5	8.8	7.6	6.6	3.8	4.9	16.7
1952	25 3.2	20	28, 3	13.3	18.6	26 14.3	9.9	26, 3	7.6	6.8	4-3	13,22	26/6 18.6
1953	23 3.0	8.1	8.0	16	13	24 12.3	8.3	13 5•5	19 6.4	4.8	3.0	1.7	13/5
Ħ	26	27	31	12	15	3	16,1	7 9	9	7,11	21	16,25	3/6
極頻	3.2 4,23	8.1	9.5 31	13.4	18.6	16.7 26	10.5	8.8	8.2 1 27	6.8	4.3	8.2	18.6
年 份	1950	1953		1951	1952	1951	1951	1951	1950		1952	1952	1952
	1952	塘	古			φ ₃₆	o 38 58 1	N 2=	117°4	9 E H	I = 4.7	М	
		70			-15-								
1945	53.8	50.2	107.0		蒸	发		(毫米))		1		
1946	61.1	76.0	86.2		298.6			180.9			69.9	46.4	1932.7
1947	32·4 35·4	48.2		219.9	310.1 291.5	304.2	229.6	193.1	172.2	161.5	95.8 92.3	37·5 86·2	1744.8 1935.9
1949	82.4	83.5	133.1	253.8	319.6	341.9	194.7	200.9	163.9	163.9	75.1	28.3	2041.1
1950	32.1				275.4						73.0	48.1	1692.3
1952	52.4	49.6	118.3	208.3	285.8	332.6	225.2	229.7	171.8	152.2	63.6	37.5	1927.0
1953	32.2				244.9.						89.3	49.2	1691.3
平 均	45.2	21.0	114.3	219.3	287.1					143.0	78.6	49.5	1867.1
1945	3.4	4.9	10.6	_	_	1取入	然 及 里	(老米)		_	_	_	-
1946	15 3.6	6 4-3	31 7.4	16.8	18.2	25.0	16.9	8.7	11.0	7.5	4.0	2.9	25.0
1947	15 2.4	19	31 9.3	15	19 18.2	17 15.3	9 9 5	9.8	17 7.2	3. 8.4	16 8.0	7,26	
H	29	22	24	29	30	1	18	8	29	9	12	3 xt	30/5
1948	2.0	4.2 25	6.6	17.6	19.0	19.3	11.0 26	9.1	8.2	9.8	5•7 4	6.6	19.3 14/6
1949	4.4	8.3	6.7	23.5	18.8	20.0	14.4	10.8	14.8 28	8.5 7,17	5.7	1.8	23.5 23/4
1950	1.9	4.4	7.5	10.9	14.9	11.1	10.4	8.1	11.3	8.1	4.1	3.7	14.9
1951	27	3.5	18	9	22	3,10		15,30		8 9•4	13	29 4•7	22/5
1952	24,25		15, 25		10	12	13	31	16,1	7 11	4	13	12/6
H	18	18,19	21	16	25.1	19.6	12.8	10.6	8.6	1,2	4.2	2.6	25.1
1953	2.0	3.7 28	7.5	10.6 25	14.4 24	16.1	12.1	7.3 31	7.9	7.3 10	5.7 21	3.5	16.1 3/6
極値	4.4	8.3	10.6	23.5	25.1	25.0	16.9		14.8	9.8	8.0	6.6	25.1
日期年份	17	1949	31 1945	23	13 1952	17 1946	9 1946	18, 31	1949		12	14 1948	13/5
								1951					
		保気	Ē			φ= :	8 50 N	1 1=	115 34	EH	= 19-2	* M	
					-								
1950					落 269.9	189.7		(毫米)	148.6	88.5	59.3	60.2	
1951	26.6				328.8(369.4)	(311.1)	203.4	191.1	138.8	59.7	65.4	2175.3
1952 1953	56.0				343.1 287.0(53.6	42.1 50.6	2309.9
本 均	49.9	52.9	161.5	287.3	319.6					148.5	59.8	52.7	2164.3
1951	2.0	3.7	9.6	16.1			蒸发量(18.3)	(毫米)	10.1	9.1	3.8	4.5	18.4
11	28	17	17	30	23		5 18	8	17	7,8	24	13	25,26/6

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	4.3	4.0	13.7	18.0		26.0	20.6	11.7	8.7	12.3	5.0	3.0	26.0
1953	3.0 22	5.2 28	10.0	8 19.7 3	21 16.7 15	17.3		7.6	9.7	8.5	4.1	3.4	19.7
祖位日期年份	4.3 20 1952	5.2 28 1953	21	19.7 3 1953	20.0 21 1952	26.0 23 1952	3	11.7 31 1952	10.1 17 1951	12.3 2 1952	5.0 4 1952	4.5 13 1951	26.0 23/6 1952
		石家山	ŧ			φ=	38 [°] 02 1	1 1-	114 2	B'E E	I= 83.8	3 M	
					蒸	发		(毫米)				
1949 1950 1951 1952 1953	57.6 37.6 82.9 64.1	53.9	170.9	278.2	322.4	374.6	206.0 251.5 (212.4) 194.4	181.3 201.2 219.0	172.0 193.1 214.2	143.5	76.3 71.3 58.6	96.1 89.1 93.7 64.8 (65.7)	2043.2 2191.9 2284.2 2033.2
华均	60.6	63.2	175.7	271.4			216.1		190.2	152.1	68.6	78.3	21 38.1
1951	3.7	5.9	11.3	17.0	16.9		蒸发量 13.6	10.2	11.0	8.1	4.6	6.9	21.0
1952 M 1953	24 6.0 20 5.0 6	15 3.1 9 4.8 28	17 13.7 21 11.5 24	12 17.0 16 16.6 24	11 19.8 21 18.5 24	7 26.2 17 19.2 24	17 12.8 3 11.4 25	16 10.7 24 8.0	5 12.3 30 11.9	7,9 11.9 1 9.2 9	7 4.5 7 4.9 12	12 4.3 21 4.5 18	7/6 26.2 17/6 19.2 24/6
包 期年份	6.0 20 1952	5.9 15 1951	13.7 21 1952		19.8 21 1952	26.2 17 1952	13.6 17 1951	10.7 24 1952	12.3 30 1952	11.9 1 1952	4.9 12 1953	6.9 12 1951	26.2 17/6 1952
Щ	西	大 同	1			φ= 4	10°00'11	λ=	113 13	B B	I= 1063	3.7 M	
					蒸	发	量(毫米)					-
1952 1953	41.3	44.6	112.4	213.5 205.6	277.2	324.7 278.9	211.7 226.6(192.4 134.9)	181.0	137.7	45.2 44.8	24.1 25.6	1805.8 1685.8
平 均	37.3	48.2	119.3	209.6			219.2		169.5	124.0	45.0	24.9	1745.8
1952 H 1953 H	2.0 4* 2.7 9	3.2 24 5.0 27	7.5 30 7.7 24	13.8 8 10.5 7					8.9 12,15 7.1 24	8.1 7.9	4.9 4 2.9 6	1.8 29 2.0 17	16.6 17/6 15.1 23/6
等 统 年 份	2.7 9 1953	5.0 27 1953	7.7 24 1953	13.8 8 1952	14.9 24 1953	16.6 17 1952	13.3 2 1952	11.0 8 1953	8.9 12,15 1952	8.1 1 1952	4.9 4 1952	2.0 17 1953	16.6 17/6 1952
		太 属	Į.			Ø= 3	37 55 N	1 2=	112 31	, B B	1= 799.	6 м	
					蒸	发	*	(毫米)					
1950 1951 1952 1953	45.4 50.8 44.1	49.8	91.2	303.8	223.0	322.4	202.6 270.0 224.3 196.7	181.7	148.7	121.6	75.5 58.2 47.1 54.9	60.1 40.5 33.8 25.2	1838.4 1738.3 1770.6
7. 1/2	46.8	49.8	124.7	214.5	259.0	200 6	220 2	181 1	159.5	220 (53.4	33.2	1782.4

									_				
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
					一日	最大素	发量	(毫米)					
1950	_	_	7.7	12.1	15.7	12.4	10.9	8.2	7.3	6.4	5.3	2.8	_
H	-	-	18	12	14	19	5	2	27	12	17	9	_
1951	3.2	2.6	8.0	10.8	12.7	17.2	12.9	7 23	8.2	5.9	3.0	3.5	17.2 29/6
1952	2.9	3.1	6.9	9.6	11.8	14.6	11.8	9.0	9.4	7.2	5.7	2.4	14.6
1953	31 2.5	5.5	7.7	19	31	14.6	20	5,6	8.0	7.6	4.8	20	15.3
# #	27	27	11	9	24	14	8, 1		17	9	5	22	24/5
極値	2.0	5.5	8.0	12.1	15.7	17.2	12.9	0.5	0.4	7.6	5.7	2.5	17.2
日期	3.2	27	27	12	14	29	13, 1	7 20	9.4	9	5	3.5	29/6
年 份	1951	1953	1951	1950	1950	1951	1951	1953	1952	1953	1952	1951	1951
							0.		0				
	-	安色	3		100		35 03'		110 5	5 B 1	I- 370.	.O M	
					蒸	发		(毫米)					
1950	46.8	40 2	344.3	167 8				280.5			52.4	38.4	1700.0
1952	57.5							176.4			49.6	52.6	1792.9
1953	54.5	65.0	154.0	196.6	273.2	(267.3)	169.9	238.0	188.3	-	-		_
平 均	52.2	51.1	121.2	187.0	227.7	377.8	244.7	201.8	150.0	135.1	55.6	38.5	1842.3
					一日	最大素	族发量	(毫米)					
1951	2.9	5.6	12.2	9.9	12.4		14.6	10.6	11.4	11.1	4.8	3.3	15.6
H	28	19	25	24	11	16-18		13	26	16	1	13	16-18/6
1952	3.4	4.1	9.2	11.1	14.8	23.0	16.6	12.0	9.8	8.0	4.6	3.0	23.0
1953	3-5	7.0	10.7	13.6	15.8	18.6	10.4	11.7	11.2	-	-		-
W	6	28	24	26	28	14	16	24	8	-			
極値	3.5	7.0	12.2	13.6	15.8	23.0	16.6	12.0	11.4	11.1	4.8	3.3	23.0
日 期 年 份	1953	28 1953	25 1951	26 1953	28 1953	24, 25		1952	26 1951	16 1951	1051	13	24,25/6 1952
	4773	4773	17)1	4773	4773	4776	1772	-776	1771	1771	1951	1951	1772
山	東太	四 台	(-)			φ= :	37°34'	# 2-	121 30	'E I	E= 22.	3 M	
					蒸	发	量	(毫米)					
1928	28.8	43.2	75.9	157.2				123.3	110.4	94.0	64.1	44.1	1275.5
19-29	44.1							148.7		98.6	75.5	36.8	1358.9
1930	40.6							103.1		94.1	68.5	59.0	1174.2
1932	66.1							116.4			93.7	64.3	1450.6
平 均	45.2	51.3	100.6	151.7	185.1	175.1	141.2	118.8	119.2	101.3	72.1	50.0	1311.7
													_
		烟台	(二)			φ= :	37 32	N 1-	121 2	3 8 1	E= 45.0	6 M	
					蒸	发	量	(毫米)					
1933	51.0							177.9				62.7	1727.8
1934 1935	57.0							135.1				67.2	1763.1
1936	64.6							173.0				93.0	2050.2
1937	70.2				233.0			000	-	-		-	-
1951	32.9	40.3	130.1	(177.8	207.8	281.5	216.5	139.6	176.8	150.1	83.6	70.5	1707.5
1952	63.2	47.9	103.7	177.7	211.8	229.8	157.7	143.6	144.3	131.5	67.1	41.8	1520.1
1953	57.3	54.5	139.2	237.4	257.5	202.5	1175.9	140.1	169.3	150.6	80.9	73.0	1738.2
平均	56.6	61.1	123.4	193.7	242.6	242.9	179.3	157.7	174.1	160.2	94.7	68.0	1754-3
					-	最大	蒸发量	(毫米)					-
1951	-	-	11.2	12.9	16.5	16.4	13.0	7.7	13.2		4.7	5.3	-
日		-	30	20	22	6	17	11	11	3	7	11	-

50													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952 1953	3.4 27 4.3 23	3.9 20 7.1 27	6.7 31 9.2 17,2		16.1 (21.5)	16.5 6 19.1 3	7.9 18 10.7 16	6.7 20 7.7 20	7.8 15 8.7 9	6.9 11 9.3	4.7 5 5.5 7,1	2.2 14 3.8 3 15, 23	16.5 6/6 21.5 26/5
祖住日期年份	4.3 23 1953	7.1 27 1953	11.2 30 1951		21.5 26 1953	19.1 3 1953	13.0 17 1951	7.7 11,2 1951 1953	0 11 1951	3	5.5 7,1 1953	3 11	21.5 26/5 1953
		-du - 0					37 [°] 30′		0	o'n 5		e M	
		惠	乏	,		Ψ=	37 30	N ~=	117 2	9 B I	1= 17•	5 M	
					蒸	发		(毫米)					
1949 1950 1951 1952	- 27.9 57.5	43.4	113.8	252.8	329.8	295.7	221.1	116.4 169.2 146.4 129.9	189.3	98.6	104.5 72.4 57.2 42.2		1817.8 1707.9
1953	50.6									124.4	58.9	47.9	1999.6
平 均	45.3	50.4	139.1	277.9			195.3		127.4	117.3	52.8	49.3	1841.8
1949	-	8.8 26	14.0	17.0	20.3	21.6	9.7	8.4	10.0	6.6		3.1 21	-
1950	-			_	20.6	15.3	12.6	8.4			5.1	2.8	-
1951	-	5.2	8.9	14.0	17.2	22.4	13.0	7.2	6.5	6.3	5.4	5.7	22.4
1952	3.2	28	17	25 17.3	11 14.9	17.9	10.8	6.1	25 5•9	6.3	3.5	2.5	17.9
1953	30 3.2 26	20 5 • 5 28	14 12.1 6	16 17.0 30	20 16 6 26	21 22.0 3	21 13.7 8	28 6.9 16	7.7 7,8	6.7	3.5	14 2.4 26	21/6 22.0 3/6
植 值 明年 份	3.2 30,26 1952 1953	8.8 26 1949	14.0 30 1949	17.3 16 1952	20.6 10 1950	22.4 8 1951	13.7 8 1953	8.4 31,1 1949 1950	4 1 1949	7.5 2 1950	5.4 21 1951	5.7 11 1951	22.4 8/6 1951
							0 .		0				
		德州	H			9-	37 29	N 2-	116 2	2 B I	I= 22.	7 M	
					蒸	发	量	(毫米)					
1941 1942 1943 1944 1945	13.5	(67.7)	200.9	283.3	371.2	453.1 452.9 435.2	259.2	189.4	209.0	168.5 183.5 148.4 127.7	127.1	37.3 82.9 76.8 42.9	2458.8 2495.8 2242.8
1951 1952 1953	82.8	(57.8) 38.2	1145.7	251.4	318.51	416.7	274.9	220.9 237.7 126.0	173-4	163.7)	84.0 54.5 66.0	76.9 26.4 39.5	2203.5 1827.1
作 始	62.3	71.7	179.6	270.9	324.6	413.4	265.2	191.1	174.6	152.8	85.8	53.7	2245.6
1941							族发量				-		
H 1942	-	(8.1)	-	-	-	27	15.0	16.9	25	15.8	5.5	2.4	-
10	3.7	28	31	21.1	17.4	25.0	20.0	9.3	12.7	10.5	9.0	10	25.0
1943	3.8		11.1	15.3	19.2	23.5	17.2	12.5	8.6	6.4	6.7	5.8	23.5
1944	1 6	4.8	12.8	15.9	19.9	22.4	15.5	10.0	9.3	5.7	5.5	2.1	22.4
1945	3.4	3.4	11.7	17.2	16.9	21.5		_	_	_	-	_	_

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	-	-	9.0	17.5	17.8	20.2	15.4	10.9	11.7	11.1	5.9	5.3	-
1952	5.2	4.7	17 8.8	12	2	13	17	3x 10.5	25 9.4	8.3	5.6	2.0	21.4
H	20	9	23	16	27	21	6	6	4	4	4	3次	21/6
1953	2.7	3.8	11.0	12.4	17.0	17.9	13.6	7.4	9.6	9.2	5.2	3.1	17.9
	10	20	21	-4	20	14		10		-	,		
極節	5.2	8.5	14.7	21.1	19.9	25.0	20.0	16.9	13.4	15.8	9.0	5.8	25.0 11/6
年 份	1957	1943	1942	1942	1944	1942	1942	1941	1941	1941	1942	1943	1942
		荣	身			φ_m	36 57 1	N 2-	120 4	2 B E	I= 57.7	М	
					燕	发	量(毫米)					
1949	_	76.1	142.5	203.0	283.2	287.4			70.4	59.2	52.1	-	
1950	_	-	306 5		272.2						59.1	-	-
1951 1952	35.8				160.6						52.6	46.8	1336.2
1953	38.2	36.9	(93.3)	189.9	190.2	(179.7)	(129.1)	126.6	141.6	117.9	50.8	39.7	1333.9
平 均	37.0	42.6	100.3	183.1	197.2	190.0	128.8	124.5	131.3	117.7	48.5	34-4	1335.1
					一日	最大素	发量(老米)					
1949		7.5	8.9	10.3	14.7	14.0	12.2	7.3	4.4	3.7	3.0	-	-
1950	_	26	10	14.4	9	19	9.0	13.0	28 9.0	6.2	20 5.0		16.0
H	-	-	-	28	23	2	10	28	21	6	6	-	2/6
1951	-	_		10.0	12.0	12.0	10.0	5.5	7.5	6.2	3.0	2.5	_
1952	2.3	4.0	9.0	12.0	10.8	10.5	7.3	7.2	7.0	9.4	4.0	2.0	12.0
1953	28	29	31 7.5	16	31 10.5	6	17 7.3	5.6	18	7.1	3.3	4,5	16/4
N N	24	12	29	23	13	15	16	28	18	11	14	1	15/6
極値	2.8	7.5	9.0	14.4	14.7	16.0	12.2	13.0	9.0	9.4	5.0	4.1	16.0
日期	24	26	31	28	9	2	6	28	21	11	6	1	2/6
年 份	1953	1949	1952	1950	1949	1950	1949	1950	1950	1952	1950	1953	1950
		滩鬼	Ç.			(Da	36 42 1	u 1_	119 0	7 77 1	i= 37.8	M	
		Agric Mo	5				30 42 1		119 0	D 1	7= 31+0	, CBT	
2052	20. 7		220 .		蒸	发		(毫米)			(. (
1951 1952	30.1 57.8				226.5						67.5	70.5	1651.5
1953	42.1				201.6						51.8	40.1	1483.5
平 均	43.3	42.3	120.4	233.8	239.7	272.4	160.5	139.8	140.2	136.8	56.0	46.4	1631.6
					- E	最大	蒸发量	(毫米)					
1951	-	-	10.0	15.9	15.8	13.9	11.4	7.5	7.2	8.0	5.2	5.6	-
1952	5.1	3.6	30 9.1	12	11 16.5	12 22.5	17	9.0	25 7.6	10 8.2	3 4•5	11 2.0	22.5
Ħ	23	21	31	16	16	6	7	12	13	1	1	3	6/6
1953	3.8	3.6	8.4	13.0	12.5	13.2	8.3	7.2	8.4	7.8	3.5	2.7	13.2
300													
極値用期	5.1	3.6	10.0	15.9	16.5	22.5	11.4	9.0	8.4	8.2	5.2	5.6	22.5 6/6
年 份	1952	1952 19 5 3	1951	1951	1952	1952	1951	1952	1953	1952	1951	1951	1952
			ž	1952			.0 ,		0	,			
		濟中	9			9-	36°41′1		116 58	BE	[= 54.0	M	
					蒸	发		(毫米)					
1919	37.6 59.7				395.6							54.0	2286.5
1921	61.0	104.2	156.2	229.7	344.3 287.7	232.2	160.7	106.6	116.9	116.6	81.2	67.0	2063.7
1922	56.0	76.9	182.1	233.1	217.1	398.6	293.7	154.5	167.2	195.0	139.4	89.3	2202.9

年、月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1923	89.5	81.2	164.7	219.8	363.0	320.1	196.0	137.4	149.9	193.5	104.6	91.7	2111.4
1924 1925 1926 1927 1928	90.0 130.2 86.4	134.9	220.5 234.4 153.0	338.7 260.7 213.8	311.1 264.8 385.3	251.0 359.9 387.6	178.7 230.1 332.2	201.4 232.1	222.1 178.7 138.4 215.3 178.2	165.4 123.0 148.5	119.3	105.0 140.7 85.1 80.1 71.2	2312.8 2263.4 2238.1 2436.5 2617.9
1929 1930 1931 1932 1933	63.1 79.3 111.7	79.4 88.3 98.9	201.4 266.9 175.5	282.9 296.2 350.0	376.6 318.8 371.9	337.1 477.6 383.3	251.9 255.5 286.1	158.9 172.7 148.5	218.1 178.9 226.8 131.8 168.4	141.9 231.9 145.4	79.5	68.2 85.1 50.4 58.4 47.0	2720.8 2236.8 2538.0 2409.8 1828.7
1934 1935 1936 1937 1939	39.6 47.7 44.6 50.8 70.7	84.1 38.1 63.0	216.4 122.2 150.9	226.3 192.0 186.3	354.9 260.3 293.6	339.8 315.0 232.4	173.4	116.7 129.1 102.5	140.2	134.6		46.1 38.9 58.8 72.8	1734.2 1921.4 1754.4 1978.0
1940 1941 1942 1943 1944	60.9 58.0 84.3 50.8 56.7	76.6	203.0 170.3 158.5	225.2 216.8	253.6 269.1	281.0 365.1 300.6	277.0 251.0 197.0	186.7 141.4 177.9	148.5 197.1 135.2 112.3 176.4	205.5 129.3 142.1	76.9 85.1 95.0 88.6 107.0	65.5 59.8 57.4 92.7 37.5	1917.1 2292.8 1984.4 1880.4 1995.4
1945 1946 1947 1948 1949	40.6 64.2 30.5 72.5 40.8	81.5 71.8 72.6	94.7 184.1 109.4	224.2 249.3 222.3	212.9 265.0 340.4	285.0 241.4 310.6	171.8	99.1 122.7	90.9 109.5 99.5 -	96.5	54.8 77.0 68.8 61.8 110.2	59.2 54.8 45.8 45.2 38.3	1719.5 1616.0 1625.6 2097.3
1950 1951 1952 1953	50.0 46.8 66.9 51.4	53.7 58.5 (50.3)	152.8 133.0 160.6	252.3 258.5 266.2	256.2 306.2 242.6	351.2 301.4 278.2	207.3 194.1 (188.3)	172.4 162.7 X141.4	153.5 145.3 157.4)188.6	126.2 119.5 168.4	76.5 61.4 50.1 91.7	48.4 59.9 33.2 57.5	1879.8 1885.5 1841.5 1885.2
本 均	64.6	79.8	171.0	256.9					152.9	147.6	97.1	65.0	2062.2
1919 H 1920 H 1921 H 1922 H	2.8 5 3.5 24 3.6 30 5.5 10 6.5	8.0 24 2.4 25 9.2 25 5.8 11 5.3	12.6 19 8.9 18 9.9 30 10.1 30 14.6 22	18.1 24 16.9 22 13.1 22 13.2 14 18.4 29	24.7 29 15.7 29 16.0 28 15.8 31 21.8	取大系 19.9 28 19.7 23 12.6 12 23.8 18 23.6	大量 13.7 7 14.6 1 13.9 3 22.9 12 12.9 8	(毫米) 11.6 18 9.3 25 8.3 10 9.2 5 8.5	9.2 17 7.4 8 6.4 10.7 4 8.3 28	8.8 31 10.1 26 8.3 13 11.3 12 11.3	9.2 2 9.5 1 4.4 12 9.4 20 8.2	5.4 2 4.8 24 4.2 29 5.5 17 6.7	24.7 2,9/5 19.7 23/6 16.0 28/5 23.8 18/6 23.6
1924 1925 1926 1927 1927	6.9 2 5.5 11 8.7 26 7.8 2 4.2 15	5.9 3 9.0 16 11.3 20 4.5 23 7.1 21	11.9 24 14.2 9 12.5 28 9.0 27 14.0	16.7 5 24.1 18 16.9 29 14.8 25 18.4	16.6 29 20.0 21 13.5 1 17.6 22 33.2 27	19.4 14 18.4 16 18.3 6 21.8 24 23.4	9.7 10 11.3 17 14.9 8 17.8 3	15.9 29 7.6 18 11.8 9 13.3 10	14.7 7 13.8 23 8.2 5 12.6 4 8.8	10.9 30 9.8 17 8.0 21 9.7 27 9.0 31	10.5 28 6.9 20 4.3 4 8.5 17 12.5	6.5 2 10.0 13 5.6 29 4.8 24 3.2 18	19.4 14/6 24.1 18/4 18.3 6/6 21.8 24/6 33.2 27/5
1929 H 1930 H 1931 H 1932 H	7.4 10 3.1 30 4.8 30 7.0 28 2.5 30	8.7 24 5.7 19 6.9 27 6.0 2 4.4	19.0 21 17.7 20 17.9 21 10.0 31 8.8 13	27.0 15 21.3 17 21.1 24 25.0 16 26.0 29	21.8 30 25.3 2 19.3 1 24.0 23 21.8	26.0 2 22.4 9 22.6 14 27.0 3 15.3	17.4 1 15.4 2 14.0 26 17.0 7 11.2	11.0 21 8.8 20 10.3 13 10.7 21 7.2 5	13.6 26 10.0 24 13.3 17 10.5 30 10.0	15.5 9 10.0 13 14.8 3 8.0 12 7.5 2	11.4 16 4.5 5 7.6 8 11.0 8 7.3	7.1 2 5.3 17 3.4 13 4.5 13 5.3	27.0 15/4 25.3 2/5 22.6 14/6 27.0 3/6 26.0 29/4

												_	
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1934 1935 H 1936	3.5 26 3.0 25 4.0	5.0 20 6.5 27 2.4	14	20.0 25 15.3	26 22.8 19 17.8	20.0 14 21.2 8 21.4	15.7 7 13.0 4 14.3	8.5 22 5.8 16 9.2	5.7 14 7.6 1 10.6	9.4 19 8.4 8	8.3 4 4.0 9	4.2 7 2.7 4 4.5	22.6 26/5 22.8 19/5 21.4
1937 M 1938	4.0	12 4.8 19 -	31 9.7 1 -	16.6	18.7 16 -	23 17.6 2 (5.5)	20 11.0 5 (6.0)	9 7.0 23 5.8 31	18 6.2 12 9.0	29	9 - 8.3 2	15 - 4.2 2	23/6
1939 1940 H 1941 H 1942 H 1943	4.0 13 3.6 1 3.2 26 6.6 28 4.0	3.0 22 8.8 25 5.2 18 8.6 28	7.5 20 9.0 28 14.0 19 8.5 31	30 16.0 11 16.6 19	18.0 17 18.0 22 17.5 30 14.0 14	18.8 6 19.0 11 18.0 23 19.7 10	14.4 1 11.2 19 13.0 1 15.4	11.3 1 8.0 31 9.0 20 7.8 2	11.6 18 11.5 22 11.0 22 12.0 30	11.0 2 10.5 17 15.0 5 9.6 20	7.0 5 6.4 19 7.5 1 6.0 22	3.6 30 6.0 29 5.8 6 3.4 28	18.8 6/6 19.0 11/6 18.0 23/6 19.7 10/6
1944 H 1945 H 1946	2.8 16 2.4 25 6.6 22	5.6 26 4.1 17 7.4	8.8 18 14.2 30 9.8	9 13.0 30 15.3 21 16.4	7 14.0 30 16.0 24 11.4	5 16.0 10 20.4 8 18.0	8.8 21 10.7 28 10.8 17 9.8	10.3 1 6.6 27 6.4 13 6.3	6.8 18 10.0 19 5.8 14 9.2	6.5 13 6.6 29 10.0 14 12.2	5.4 1 6.8 21 6.2 3 7.3	5.3 7 2.9 23 3.0 5 4.2	18.0 5/6 16.0 10/6 20.4 8/6 18.0
1947 1948 1949	2.4 12 5.8 17	11.6 28 7.2 25	31 11.0 18 8.0 3	20 17.8 16 16.0 21	19 16.7 27 18.5 25	17.0 17 - -	12 10.4 1 - -	7.8 12 - 10.8	28 11.2 22 - - 8.2	7.3	23 5.8 12 3.5 4	6 3.6 24 3.5 13	5/6 17.8 16/4 - - 20.2
1950 H 1951 H 1952 H 1953	28 4.1 9 3.5 1 4.8 15 3.7 8,23	17 6.3 28 5.7 17 4.2 11 5.3	31 11.0 18 10.2 16 12.6 31 10.5	23 13.5 10 17.0 30 17.4 15 13.8 24	9 17.1 7 16.7 22 19.1 22,31 17.3 26	5 18.2 12 19.9 12 16.3	1 12.7 7 13.5 17 10.6 18 14.8 7,8	31 8.7 13 13.9 5 8.2 19 8.8 20	2 6.3 6 10.3 25 8.7 2 12.5	6 4.9 6 7.1 8 6.2 8,17 14.6	2 4.8 20 4.8 19 4.4 1,5 7.0 21	4 3.7 31 7.8 11 2.3 29.31 5.2 18	9/5 18.2 12/6 19.9 12/6 19.1
極質別年份	8.7 26 1926	11.6 28 1947	19.0 21,14 1929 1935	27.0 1 15 1929	33.2 27 1928	27.0 3 1932	22.9 12 1922	15.9 29 1924	14.7 7 1924	15.5 9 1929	12.5 1 1928	10.0 13 1925	33•2 27/5 1928
7.0		泰安	ē				6°13′W		117°10	E H	= 129.	4 M	
					蒸	发	量(毫米)					
1950 1951 1952 1953	21.6 53.4 42.1	43.5	79.8	180.0	229.8	332.1 322.0(284.2 268.9	239.0 169.9)	195.2 157.8	164.9	178.6	65.4 69.1 45.6 64.9	19.2 51.9 21.0 48.9	1705.8 1540.9 1662.6
平 均	39.0	35.9	106.1	197.9		291.7			168.7	150.7	59.9	40.6	1636.4
1950 H 1951 B 1952 M 1953	2.1 6 3.1 22 2.4 31	- 3.0 18 2.9 12 3.9 28	8.3 17 6.4 23 9.2 6	12.8 12 12.7 16 10.5 23	19.0 29 13.3 22 12.3 28 11.5 5,13	21.6 9 16.4 7 15.5 5	13.7 15 12.8 10 7.9 21 9.0 29	12.5 16 8.3 31 8.7 17 8.7	10.0 1 10.5 26 9.2 16 8.5 8	8.3 B 8.5 15 8.6 1	4.2 12 5.6 2 4.9 5 3.0	1.8 20 3.3 12 2.4 31 3.9	21.6 9/6 16.4 7/6 15.5 5/6 15.5 3/6

54								_		_		_	
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
19 50	3.1	3.9	9.2	12.8	19.0	21.6	13.7	12.5	10.5	8.6	5.6	3.9	21.6 9/6
) (1) 1 (1)	1952	28 1953	1953	1951	29 1950	1950	15 1950	16 1950	26 1951	1,5 1952 1953	1951	1953	1950
		制 息	il ij			φ=	36 04 1	γ λ=	120 19	E E	H= 77.0	M	
					芸	发	量	(毫米)					
1916	60.2	65.2	102.3	114.4	163.4	152.2	132.6	145.7	147.4	126.0		51.8	1356.3
1917	73.8	62-1	110.2	147.9	168.7	155.0	169.5	193.1	118.2 200.3	166.1	95.5	80.0	1605.1
1919	47.7	69.1	99.6	160.3	203.5	176.5	192.0	245.2 173.6	170.2	157.5	125.2	75.9 80.4	1733.2 1588.6
1921	57.0	84.5	112.8	154.1	186.8	154.2	121.2	130.7	139.9	130.3	98.4	66.5	1436.4
1922	61.5	50.9	108.7	153.1	159.9	177.0	158.7	175.4	139.0 175.6	183.0	104.4	79.6	1551.2
1924	76.5	78.9	102.7	122.0	215.0	204.2	106.6	187.4	162.5	127.9	90.2	65.6	1539.5
1926	59.1								118.6		74.4	51.2	1402.2
1927	49.0	53.3	77.4	123.8	199.1	170.4	149.9	193.2	180.8	135.9	96.6	59.8	1489.2
1928	46.5	58.6	118.4	156.6	152.0	184.8	139.2	163.9	132.7	144.0		84.2	1434.7
1930	71.7								150.0		90.0	87.3	1482.2
1931	69.7								137.9		64.0	54.2	1516.6
1933	53.8								126.4		100.4	55.5 52.0	1395.9
1935	53.2								186.6		58.8	49.0	1533.3
1936	55.4								149.9	151.7	100.4	67.2	1305.9
1937	58.6	61.6	79.8	172.7	152.7	141.5		157.0	144.9		94.8	62.9	_
1939	54.5								136.9		72.2	71.7	1540.4 1580.8
1941	50.0	64.9	127.4	179.5	192.2	154.1	189.4	222.3	206.5	166.5	88.6	54.6	1704.0
1942	72.9	57.4	86.8	156.8	163.6	203.3	144.0	184.9	156.9	125.6	93.6	62.0	1507.8
1944	54.3	78.6	121.4	156.6	191.9	215.1	183.1	178.7	152.4	124.8	82.6	59.3	1598.3
1945	55.7								124.6		85.7	57.1	1432.6
1946	60.1	69.5	92.5	174.5	191.0	184.7	174.4	179.0	141.9	137.3	87.0	52.8	1554.7
1948	57.2	51.6	63.6	141.8	210.8	184.4	168.2	160.5	136.5	117.4	80.6	53.1 95.3	1435.7
1950	64.7	70.7	96.8	127.8	171.5	170.4	149.7	144.9	149.3	102.5	82.9	73.5	1404.7
1951 1952	55.2	66.7	105.9	131.2	122.7	164.2	117.9	122.8	129.9	112.3	82.7	73.5	
1953	41.7	38.9	88.2	145.3	164.4	(145.7)131.3	153.8	127.3 166.2	151.1	59.8	47.0	1359.8
张 始	59.8	64.0	104.5	148.6	179.6	172.5	151.7	163.1	149-7	137.8	90.4	65.7	1487.4
1000	1						蒸发量						
1916	3.7	3.9 5.1	6.0	6.9 7.9	9.1	9.8		7.6		7.0	7.0	4.0	9.8
1918	2.6	4.2	5.8	9.1	11.8	9.1	9.6	8.9	10.9	7.8	5.2	3.5	11.8
1920	4.7	2.9	6.1	٤.5		10.6	7.8	10.2		9.1	6.7	4.5	11.9
1921	3.4	5.7	7.8 6.0	9.0				7.5		6.7	4.9	3.0	11.0
1,23	3.7	3.3	6.1	9.4	11.6	8.9	6.7	8.7 6.5	8.5	10.8	6.3 7.4	5.4	11.9
1,21	2.7	4.0	5.8 5.8	7.3				9.2		5.9 7.8	5.2	4.5	12.0
lu t	3.0	3.4	9.6	10.0	10.0	9.4	10.5				4.2	2,6	10.5
-													

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1927 1928	2.5	3.0	4.8	8.4	9.9	10.4	8.3	9.5	7.9	6.3	6.9	4.2	10.4
1929	2.3	3.0	7.9 6_4	9.1	8.4	11.0	7.3	8.4	8.8	6.7	8.1	3.6	11.0
1931 1932 1933	3.4 3.3 2.5	5.4 4.7 4.0	7.2 6.3 4.4	8.6 8.7 8.4	12.3 10.5 11.8	11.8 9.2 7.7	8.5 9.9 8.1	8.8 6.8	7.0 7.0 6.9	7.9 7.7 6.6	4.6 5.6 6.0	4.8 3.9 3.1	12.3 10.5 11.8
1934	3.0	3.9 4.5	6.2 5.6	7.2 8.3	9.9	9.1	6.7 7.2	5.8 8.4	9.0	5.9	5.1 3.7	3.4	9.9
1936 1937 1938	3.0	2.7 7.2 3.0	4.8 5.0 4.7	6.7 8.7 8.1	6.7 11.4 9.3	7.3 8.8 7.4	8.7 8.0 6.6	7.3 7.4 7.2	8.3	8.0	6.9	3.2	8.7
1939 1940	3.0	5.0	4.9	9.6	11.3	11.7	11.2	10.0	9.5	6.5	3.5	3.6	11.7
1946	2.9	3.6 3#	7.3 30 (5.0)	8.8	9.3	11.9	8.8	8.9	(8.1)	29	4.9	4.2	11.9
1947 H 1948	3.0 30 3.5	3.6 23 4.9	27	8.3	9.4 13 12.5	10.3	7.6 7 8.9	7.8 30 7.8	8.0 18 7.8	7.7 9 7.1	4.8	3.0 1 3.7	10.3 8/6 12.5
1949	18 4.5 19,24	26 5.0 27	7.5	7.5 5	26 11.8 8	15 8.0 20,2	7.4 1 25	30, 3: 7.9 26	6.9 25	10.5	5.5 20	4.6	26/5 11.8 8/5
1950	4.2	3.5	5.2 19	8.0	10.0	10.3	8.4	8.6	8.4	6.5	6.6	4.5	10.3
1951 H	3.0	5.5	6.6	7.8		9.5	6.9	7.0	7.2	5.0 4#	4.2	-	-
1952 1953	3.8 15 2.2	3.0 19 2.7	6.2 31 5.0	10.4 16 9.1	9.4 29,30 11.0	12.3 19 8.2	7.7 3 6.6	7.3 7 7.6	6.6 4 8.0	6.7 2 7.6	4.5 5 4.4	3.5 14 3.9	12.3 19/6 11.0
16 fri	5.6	7.2	25,25	23	25	2	8	7	7	19	28	5.4	25/5 12.5
日 期年 份	1917	1937	1926	29 1923	26 1948	19 1952	1939	1919	1919	1922	1929	1923	26/5 1948
		莒 期	K			Ø= ;	35 36 1	N A=	118°5	2 B H	= 86.4	м	
					蒸	发		速米)					
1949 1950 1951	35.9	43.4	121.7	159.4	321.4 203.5 169.3	144.3	117.2	127.2	113.1	71.3	93.5 46.1 46.7	39.2 35.1 63.2	1853.0
1952 1953	49.4	73.7	125.7	171.9	167.7	219.8	136.3	(96.8)	102.6	92.4		(15.6) 44.3	1303.6
平 均	46.9	59.7	127.3	201.7	219.9 — H		148.3		124.1	120.3	62.0	40.6	1516.6
1949	3.7	5.4	8.6	13.5	14.8	15.7	9.8	8.0	6.0	5.8	5.3	5.0	15.7
1950	2.5	-	7.5	11.4	11.3	17 12.7 18	7.2 30	10.9	7.0 6	23 5.6 5	16 2.5 1	5 2.0 1	17/6
1951 W	2.2	2.3	5.4 22	11.0	11.0	11.1	8.0	9.3	7.3	(12.0)	_		
1953 H	2.3	3.1	9.5	13.0	14.8	15.1	9.1	7.8	8.0	5.8	3.5	3.0	15.1 3/6
超 值 期	3.7	5.4	9.5	13.5	10,26		9.8	10.9	7	(12.0)	5.3	5.0	15.7 17/6
年 份	1949	1949	1953	1949	1949	1949	1949	1950	1953	1951	1949	1949	1949
													77

\ n													
年	1	2	3	4	5	6	7	8	9	10	11	12	全年
							o A,			-			
-		滋以	}			φ _m	35 35 1	η <i>λ</i> =	116 5!	S'E E	= 52.0	M	
					蒸	发	量(毫米)					
1941	51.5									166.1		51.7	2076.8
1942	72.6	86.6	145.7	168.2	235.8	306.4	239.4	221.6	139.6	142.2	93.5	73.6	1930.7
1944	38.9 52.1		103.6		302.5	350.0	290.3	221.5	194.4	125.8	101-1	37.9	21 30.3
1950	-	-	-				249.5				62.6	-	-
1951	69.7			243.2	274.5	390.1	208.3	155.1	131.0	121.9	76.8 57.1		
1953	44.2						157.3					(43.6)	1619.0
平 均	57.4	65.2	150.7	223.9					174.2	137.8	82.7	51.9	1974.2
1941	_	_	-	-	-	15.3	蒸发量 13.0	9.0	9.5	10.2	5.7	2.5	
1942	4.5	4.8	9.1	16.0	15.2	20.0	14.8	11.4	12	11.1	6.1	6 3.7	20.0
1943	29 3.5	28 7.2	27	11	13.1	11 15.3	3	13.3	9.6	6.3	8 5•7	28 4.3	11/6
1944	10	26 4.5	22	10	7 18.9	20.2	23	12	18	6.8	5.3	6,19	6/6
1945	3× 4.2	26,27		8	13	11	30	2	22	7	1	2	11/6
H	5	21	27	28	-	-	-	-	-	-	-	_	-
1951		_	-	12.8	14.3	19.1	12.4	11.5	10.2	7.8	5.1	3.8	-
1952	4.1	4.2	10.1	16.8	16.5	19.6	10.6	9.3	6.9	6.0	5.7	11,12	19.6
1953	2.9	4.0	9.0	16	12.1	15.3	21	6.7	7.7	7.2	3.7	4.0	5/6 15.3
祖位	10	27	6	24	26	3	9	13	26	9	5	1	3/6
日期	4.5	7.2	30	16.8	18.9	20.2	14.8	13.3	11.9	11.1	6.1	6,19	20.2
年 份	1942	1943	1944	1952	1944	1944	1942	1943	1942	1942	1942	1943	1944
		Kile St	=				0 '		.0	,			
		臨步	ŀ			φ= ;	35 09 1	1 1-	118 18	B B	54.6	М	
1053	200 2				蒸	发		(老米)					
1951	37.3	56.6	110.0	182.0	200.5	299.1	145.3	138.6	122.4	169.5	60-3	69.7	1515.6
		30.5	109.3	211.9	259.9	240.5	189.0	191.9	202.0	172.6	77-9	(38.8)	1772.3
平 均	44.2	45.1	117.3	199.4	223.4	280.3	166.5	161.9	161.2	155.4	69.8	43.9	1668.4
河	南	安局	B.			φ= 3	6 08 N	λ=	114°21	E H	= 74-8	М	
					,.						1,400		
1950	-		_	_	蒸	-	_	量 (毫米	_	91.6	67.2	57.2	
1951 1952	27.9 88.9	59.0	125.2	239.4	264.7	412.4	191-6	165-0	769-4	128.4	59.8		1938.2
1953	58.9	20.5	154.9	222.6	231.2	251.2	169.5	(117.8)164.3	128.6	60.3		1955.9
不 均	58.6	50.0	148.4	239.7						137.4	56.8	48.1	1848.4
1950	-			-		口 敢大	蒸发量	(毫米)	-	7.9	4.4	4.5	_
				-	p	-	-	-		11	20	29	

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	1.9	2.3	9.2	16.4	18.6	21.1	16.9	8.7	9.3	7.8	4.4	3.9	21.1
H	24	15,1		23	2	12	16	21	23	3	3	10	12/6
1952	6.4	4.8		13.8	16.7	19.8	10.6	8.2			7.0	3.7	19.8
1953	4.3	3.6	9.0	16	28	13.9	9.6	9.6	708	17	5	31	22/6
1993	27	11	6	8	15	14	7	13	10.8	7.5	4.4	3.1	13.9 14/6
- 4					-,			-3		-,-	-	24	14/0
種館	084	4.8	10.3	16.4	18.6	21.1	16.9	9.6	10.8	9.0	7.0	4.5	21.1
日期	20	11	14	23	2	12	16	13	12	17	5	29	12/6
年 份	1952	1952	1952	1951	1951	1951	1951	1953	1953	1952	1952	1950	1951
		新	es e			Ø	35 21 1	и д.	11305	o'r r	1= 72.0) M	
		.01				, -	,	., ., .,	110		- 1200	, m	
					燕	发	量(毫米)					
1951	40.6	45.6	188.7	282.3	301.0	355.1	221.7	246.6	188.3	162.6	84.7	89.3	2206.5
	113.6	89.7	140.6	285.6	345.8	503.3	245.0	246.8	183.6	154.6	74.4	65.5	2448.5
1953	116.3	97.9	201.3	252.2	276.7	239.7	151.0	132.3	183.0	131.7	63.6	44.9	1890.6
平 均	90.2	77 7	176 0	273 4	307 8	266 0	205 0	208 6	185.0	149.6	74.0	66 6	03.83
4 10	70.2	1101	110.3	213.4					103.0	149.0	74.2	66.6	2181.9
					一日	最大素	汉里	(毫米)					
1951	3.0	4.5		17.7	16.3			15.6	13.0	9.3	6.4	6.6	22.0
H	1	17,2		24	19	7,10		6	26	15	3	11	7,10/6
1952	8.1	6.8	10.4	20.0	23.4	27.9	14.4	13.3	12.2	7.8	10.0	5.9	27.9
1953	8.0	9.8	17.8	16	28	36 5	30	16	2	1	5	29	5/6
1773	27	11	6	2	14.4	16.5	11.8	7.0 28,31	8.8	7.6	4.5	4.2	17.8
	21			-	1)	7.1	10	20, 3.		9	21	1	6/3
種値	0.07	9.8	17.8	20.0	23.4	27.9	16.0	15.6	13.0	9.3	10.0	6.6	27.9
日期		11	6	16	28	5	23	6	26	15	5	11	5/6
年份	1952	1953	1953	1952	1952	1952	1951	1951	1951	1951	1952	1951	1952
1000													
		洛肾	島			Om.	34 40 1	1 A=	112 3	n n	= 136.	o W	
							, , , , .)	, ,	150,	.0 2	
					蒸	发	量	(毫米)					
1951	_	-	142.8	167.5	210.2	319.30	206.9	193.9	170-6	118.0	63.6	(84.8)	_
1952	95.3	68.9	80.7	183.3	207.0	353.76	232.2	184.5	140.5	129.8	50 - 4	(31.8)	1758.1
1953	(55.7)	57.0	130.8	174.5	268.2	278.2	166.4	151.5	203.5	140.5	53.0	58.0	1737.3
_													-15105
平 均	75.5	63.0	105.8	178.9	237.6	316.0	199.3	168.0	172.0	135.2	51.7	44.9	1747.7
					-	日最大	蒸发量	(毫米)				
1951	-		9.7	9.9	10.1	18.3		11.5		7.5	4.7	6.6	_
IH	-	-	17	24	24	10	23	16	26	16	24	14	
1952	6.2	4.7	6.7	12.0	14.8	20.7	13.4	10.3	10.0	9.2	6.5	2.5	20.7
H	27	9,11		13	28	7	30	6	2	1	5	20	7/6
1953	4.9	4.9		9.8		14.9	10.1	8.6		8.8	4.5	4.1	14.9
		20	24	29	24	11	9	17	26	9	4	3	11/6
極量	6.2	4.9	9.9	12.0	14.8	20.7	13.4	11.5	10.0	9.2	6.5	6.6	20.7
日 期	27	28	24	13	28	7	30	16	26,2	1	5	14	7/6
年 份	1952	1953	1953	1952	1952	1952	1952	1951	1951	1952	1952	1951	1952
									1952				
		信用	品			P= 3	2 10 1	1 2-	1140!	E H	= 78.4	M	
					蒸	发	量	(毫米)					
1951	-	_	118.1	124-9	183.7	170-8	134-3	177-5	123-0	102.2	53.9	55.4	
1952	39.2	29.3	65.4	181.1	109.7	264.5	167.0	97.6	98.7	77.4		32.7	1190.4
1953	34.4	(23.8)	78.30	132.3)	207.6	230.8(188.2)	(138.0)	124.0	90.1			1327.3
- "												,	
平 均	36.8	25.6	71.9	156.7	158.7	247.7	177.6	117.8	111.4	83.8	38.3	31.9	1258.9

58													
年	1	2	3	, 4	5	6	7	8	9	10	11	12	全 年
1951 H 1953 H 1955	3.9 25 3 4.9	10	14	16.7 16	5 11.9 19 7 10.8 28	20 17.2 27	26 2 14.6 1	9.6	16 7.4 2 6.5	9.9 15 8.2 1 5.4	5.4 3 2.2 5 4.0	17 3.1 29	- 17.2 27/6 14.1 17/6
個 信用 為年 台	407	4.6 10 1952	17	16	14	27	1	6	2	9.9 15 1951	5.4 .3 1951	17	17.2 27/6 1952
陜	西	延	安			φ×	36°36′	N 1-	109°3;	2 ' E F	H= 900	.0 M	3
					蒸	发	1 1	(毫米)				
1951 1952 1953	42.5	34.5 58.1	(69.2 107.9)171.3 154.8	163.4	284.5	(189.8)	051.1	(109.8))145.2 104.0	95.3	55.8 30.4 26.6	43.3 25.9 24.8	1403.1 1386.1
平 均	39.7	46.3	88.6	163.1	197.7 — E		175.0 蒸发量			86.9	28.5	25.4	1394.6
1951	-	- '		1000	, -	16.6		9.6	8.9	7.0	4.6	2.2	16.6
1952 H 1953		2.5 10,1 5.3 27	5.6 4 14 5.8 23	11.5 15 7.8 26	12.1 22 12.3 11	16 15.0 3 11.9	1 10.9 21,2 10.0 8	9.0 7 31 9.1 25	10 7.3 3# 6.6 8	10 6.2 1 5.1	2 2.7 4 1.8	12,13 1.7 29 1.8 26	16/6 15.0 3/6 12.3 11/5
框 信 期 年 份	5	5.3 27 1953	5.8 23 1953	11.5 15 1952	12.3 11 1953	16.6 16 1951	14.6 1 1951	9.6 4 1951	8.9 10 1951	7.0 10 1951	4.6 2 1951	2.2 12,13 1951	16.6 16/6 1951
		西安				90=	34° 15 ′1	. A.	108 55	'B H	= 400.	.о м	
					蒸	发	量	(老米)					
1951 1952 1953	56.2 53.9 54.5	5109	04.9	146.1	162.8 138.1 160.7	264.9	200 - 2	100 A	717 0	68.1 87.9 89.5	36.0 40.4 42.8	36.0 38.3 32.8	1500.1 1339.0 1382.4
平均	54.9	56.6	99.9	127.2	153.9	274.3	200.5	162.4	120.3	81.8	39.7	35.7	1407.2
							蒸发量						
1951 H 1952 W 1953 W	3.5 11 3.7 28 4.6 10	6.2 20 4.6 22 5.0 28	9.7 22 7.8 15 8.5 24	7.5 12 8.1 21 6.4 15	11.4 29 7.9 7 10.7 28	17.4 18 18.5 24 13.4	16.3 26 11.0 28 9.2	11.2 13 6.0 25 12.7 25	6.2 2 7.4 22 7.9 8	5.8 16 6.0 8 8.5 16	2.6 3 3.4 13 2.8 30	2.5 13 3.6 1 2.7 27	17.4 18/6 18.5 24/6 13.4 14/6
組 值 日 明 年 份	4.6 10 1953	6.2 20 1951	9.7 22 1951	8.1 21 1952	11.4 29 1951	18.5 24 1952	16.3 26 1951	12.7 25 1953	7.9 8 1953	8.5 16 1953	3.4 13 1952	3.6 1 1952	18.5 24/6 1952
	;	莲 中	13			φu j	3°05″n	λ=	107 10	E H	- 510.	1 M	
	,				蒸	发	业	(未来)					
-//5	(29.9) 26.2	3103	02.0	00.1	135.6	143.0	113.4	154.4	74.9 90.4	53.0 50.9	30.7 35.0	(18.8)	908.7 957.7
平 均	28.1	45.7	70.5	100.7	115.5	137.7	126.5	121.1	82.7	52.0	32.9	20.1	933-2

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
					一日	最大素	集发量	(未来)		,			
1952	3.3	4-7	7.6		8.2	7.3	.7.3	5.6		3.7	2.1	1.6	8.2
1953	2.0	22	23 5.6	5.0	8.7	8	6.3	7.6	9.0	3.8	5 2.4	2.2	12/5
日 日	13	21	8	27	28	5	13	19	13	4	18	15	5/6
							-						21
極頻	3.3	4.7	7.6	7.2	8.7	10.0	7-3	7.6	9.0	3.8	2.4	2.2	10.0
年份	30 1952	22 1952	23 1952	21 1952	28 1953	1953	22 1952	1953	13	1953	18	15	5/6 1953
7 14	-//-	-//-	-//-	- , , _	-//3	-//3	-//-	-//3	-//3	-7 7.1	-//3	-//3	-//3
							0 8		0	,			
甘	廟	敦增	ē.			P= 1	40 08 1	W 2-	94 47	E H-	1100.	O M	
					蒸	发	4	(事米)					
1951	-	1 =1	_	-	3111	1 -	. =	-	_	-	-	14.9	_
1952	19.8	36.3	126.7	209.8	266.6	300.9	281.7	271.3	208.4	101.2	(40.3)	15.4	1878.4
1953	25 • 4	47.1	123.4	182.7	306.7	325.2	372.6	267.5	210.1	135.6	50.7	(19.8)	2086.8
平 均	22.6	41.7	125.1	196.3	286.7	373.7	327.2	270 . 4	200.3	118.4	AS E	17.6	1982.6
- ~	22.0	4401	-2702	1,000						110.4	40.0	17.0	1902.0
						日最大	蒸发量	(毫米))				
1951	_	_	_	-		-	_	-	-	-	-	0.9	-
1952	1.4	2.4	8.1	12.3	13.2	13.6	18.2	12.8	10.6	5.6	3.1	25	18.2
H	27	26	13	15	27	5	17	2	20	4	6	13	17/7
1953	1.5	3.7	7.6	9.8	12.2	15.3	18.8	16.5	9.3	9.5	3.5	2.3	18.8
Ħ	9	27	26	30	6, 26	26	29	9	5	5	. 5	16	29/7
極値	1.5	3.7	8.1	12.3	13.2	15.3	18.8	16.5	10.6	9.5	: 3.5	2.3	18.8
日期	9	27	13	15	27	26	29	9	20	2	2	16	29/7
年 份	1953	1953	1952	1952	1952	1953	1953	1953	1952	1953	1953	1953	1953
_													
_													
		酒泉	Į			Ø= 3	39°40″1	7 4-	98 43	B H=	1469.	3 M	
		酒 桌	Ę		裘		39°40°1		98 43	B H=	1469.	3 M	1
1052				(220.0)	※	发	量	(毫米)					1011 1
1952 1953	(31.0)	31.4	107.3	(2 20.9)	237.5	发 307.6	量 219.7	(毫米)	197.0	109.4	50.7	27.2	1813.1
1953	(31.0) 37.4	31.4	107.3	191.9)237·5 339·3	发 307.6 306.7	219.7 337.6	(毫米) 273·4 243·5	197.0	109.4			1813.1 2052.5
1952 1953 平 均	(31.0) 37.4	31.4	107.3	191.9)237·5 339·3	发 307.6 306.7	219.7 337.6	(毫米) 273·4 243·5	197.0	109.4	50.7	27.2	
1953	(31.0) 37.4	31.4	107.3	191.9)237.5 339.3 288.4	发 307.6 306.7 307.2	219.7 337.6	(毫米) 273·4 243·5 258·5	197.0 202.9 200.0	109.4	50 • 7 44 • 9	27.2 29.7	2052.5
1953	(31.0) 37.4	31.4	107.3	191.9)237.5 339.3 288.4	发 307.6 306.7 307.2	219.7 337.6 278.7	(毫米) 273·4 243·5 258·5	197.0 202.9 200.0	109.4	50 • 7 44 • 9 47 • 8	27.2 29.7	2052.5
1953 本 均	(31.0) 37.4 34.2	31.4 50.7 41.1 2.3 9,10	107.3 126.8 117.1 8.0 21	191.9 206.4 16.2	237.5 339.3 288.4 — E 13.1 29	发 307.6 306.7 307.2 最大 14.4	量 219.7 337.6 278.7 蒸发量 14.9	(毫米) 273·4 243·5 258·5 (毫米) 11·3 10	197.0 202.9 200.0	109.4 141.1 125.3	50 • 7 44 • 9	27.2 29.7 28.5	2052.5
1953 本均 1952 日 1953	(31.0) 37.4 34.2 2.2 20 2.7	31.4 50.7 41.1 2.3 9,10 4.1	107.3 126.8 117.1 8.0 21 9.3	191.9 206.4 16.2 15 11.5	237.5 339.3 288.4 — E 13.1 29 14.3	发 307.6 306.7 307.2 最大 14.4 7 13.8	量 219.7 337.6 278.7 蒸发量 14.9 5	(毫米) 273·4 243·5 258·5 (毫米) 11·3 10 14·5	197.0 202.9 200.0	109.4 141.1 125.3	50.7 44.9 47.8 5.3 6 3.3	27.2 29.7 28.5	2052.5 1932.8 16.2 15/4 15.2
1953 本 均 1952 1953 N	(31.0) 37.4 34.2	31.4 50.7 41.1 2.3 9,10	107.3 126.8 117.1 8.0 21	191.9 206.4 16.2	237.5 339.3 288.4 — E 13.1 29	发 307.6 306.7 307.2 最大 14.4	量 219.7 337.6 278.7 蒸发量 14.9	(毫米) 273·4 243·5 258·5 (毫米) 11·3 10	197.0 202.9 200.0	109.4 141.1 125.3	50.7 44.9 47.8	27.2 29.7 28.5	2052.5 1932.8 16.2 15/4
1953 本 均 1952 1953 W	(31.0) 37.4 34.2 2.2 20 2.7 26	31.4 50.7 41.1 2.3 9,10 4.1	107.3 126.8 117.1 8.0 21 9.3	191.9 206.4 16.2 15 11.5	237.5 339.3 288.4 — E 13.1 29 14.3	发 307.6 306.7 307.2 最大 14.4 7 13.8	量 219.7 337.6 278.7 蒸发量 14.9 5	(毫米) 273·4 243·5 258·5 (毫米) 11·3 10 14·5	197.0 202.9 200.0	109.4 141.1 125.3	50.7 44.9 47.8 5.3 6 3.3 2	27.2 29.7 28.5	2052.5 1932.8 16.2 15/4 15.2
1953 平均 1952 出 1953 以 極值期	(31.0) 37.4 34.2 2.2 20 2.7 26	31.4 50.7 41.1 2.3 9,10 4.1 27	107.3 126.8 117.1 8.0 21 9.3 27	191.9 206.4 16.2 15 11.5 30 16.2)237.5 339.3 288.4 — E 13.1 29 14.3 27	发 307.6 306.7 307.2 最大 14.4 7 13.8 5	量 219.7 337.6 278.7 蒸发量 14.9 5 15.2 7	(毫米) 273·4 243·5 258·5 (毫米) 11·3 10 14·5 1	197.0 202.9 200.0 10.9 3 9.2 6	109.4 141.1 125.3 7.0 2 7.6 2	50.7 44.9 47.8 5.3 6 3.3 2	27.2 29.7 28.5 2.2 26 1.8 18	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4
1953 本 均 1952 1953 W	(31.0) 37.4 34.2 2.2 20 2.7 26	31.4 50.7 41.1 2.3 9,10 4.1 27	107.3 126.8 117.1 8.0 21 9.3 27 9.3	191.9 206.4 16.2 15 11.5 30	288.4 - E 13.1 29 14.3 27	发 307.6 306.7 307.2 最大 14.4 7 13.8 5	量 219.7 337.6 278.7 蒸发量 14.9 5 15.2 7	(毫米) 273·4 243·5 258·5 (毫米) 11·3 10 14·5	197.0 202.9 200.0 10.9 3 9.2 6	109.4 141.1 125.3 7.0 2 7.6 2	50.7 44.9 47.8 5.3 6 3.3 2	27.2 29.7 28.5 2.2 26 1.8 18	2052.5 1932.8 16.2 15/4 15.2 7/7
1953 平均 1952 出 1953 以 極值期	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953	107.3(126.8) 117.1 8.0 9.3 27 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2)237.5 339.3 288.4 — E 13.1 29 14.3 27	发 307.6 306.7 307.2 最大 14.4 7 13.8 5	量 219.7 337.6 278.7 蒸发量 14.9 5 15.2 7 15.2 7	(毫米) 273·4 243·5 258·5 (毫米) 11·3 10 14·5 1	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952	109.4 141.1 125.3 7.0 2 7.6 2 7.6 2 1953	50.7 44.9 47.8 5.3 6 3.3 2 5.3 6 1952	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4
1953 平均 1952 出 1953 以 極值期	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27	107.3(126.8) 117.1 8.0 9.3 27 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2)237.5 339.3 288.4 — E 13.1 29 14.3 27	发 307.6 306.7 307.2 最大 14.4 7 13.8 5	量 219.7 337.6 278.7 蒸发量 14.9 5 15.2 7 15.2 7	(毫米) 273·4 243·5 258·5 (毫米) 11·3 10 14·5 1	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952	109.4 141.1 125.3 7.0 2 7.6 2	50.7 44.9 47.8 5.3 6 3.3 2 5.3 6 1952	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4
1953 平均 1952 出 1953 以 極值期	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953	107.3(126.8) 117.1 8.0 9.3 27 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2)237.5 339.3 288.4 — E 13.1 29 14.3 27 14.3 27 1953	发 307.6 306.7 307.2 最大犯 14.4 7 13.8 5	量 219.7 337.6 278.7 * 恢量 14.9 15.2 7 15.2 7 1953	(毫米) 273.4 243.5 258.5 (毫米) 11.3 10 14.5 1 1953	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952	109.4 141.1 125.3 7.0 2 7.6 2 7.6 2 1953	50.7 44.9 47.8 5.3 6 3.3 2 5.3 6 1952	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4
1953 平均 1952 出 1953 以 極值期	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953	107.3(126.8) 117.1 8.0 9.3 27 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2)237.5 339.3 288.4 — E 13.1 29 14.3 27 14.3 27 1953	发 307.6 306.7 307.2 最大犯 14.4 7 13.8 5	量 219.7 337.6 278.7 蒸发量 14.9 5 15.2 7 15.2 7	(毫米) 273.4 243.5 258.5 (毫米) 11.3 10 14.5 1 1953	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952	109.4 141.1 125.3 7.0 2 7.6 2 7.6 2 1953	50.7 44.9 47.8 5.3 6 3.3 2 5.3 6 1952	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4
1953 平 均 1952 1953 W 值 间 初 年 份	(31.0) 37.4 34.2 2.2 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953 派逐型	107.3 126.8 117.1 8.0 21 9.3 27 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2 15 1952) 237.5 339.3 288.4 一日 13.1 29 14.3 27 14.3 27 1953	发 307.6 306.7 307.2 最大 14.4 7 13.8 5 14.4 7 1952	量 219.7 337.6 278.7 蒸发量 14.9 5 15.2 7 1953	(毫米) 273.4 243.5 258.5 (毫米) 11.3 10 14.5 1 1953	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952	109.4 141.1 125.3 7.0 2 7.6 2 7.6 2 1953	50.7 44.9 47.8 5.3 6 3.3 2 5.3 1952	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952
1953 平 均 1952 1953 W 值 间 初 年 份	(31.0) 37.4 34.2 2.2 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953 派逐型	107.3 126.8 117.1 8.0 21 9.3 27 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2 15 1952) 237.5 339.3 288.4 一日 13.1 29 14.3 27 14.3 27 1953	发 307.6 306.7 307.2 最大 14.4 7 13.8 5 14.4 7 1952	量 219.7 337.6 278.7 蒸发量 14.9 5 15.2 7 1953	(毫米) 273.4 243.5 258.5 (毫米) 11.3 10 14.5 1 1953	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952	109.4 141.1 125.3 7.0 2 7.6 2 1953	50.7 44.9 47.8 5.3 6 3.3 2 5.3 1952	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952
1953 平 均 1952 1953 W 個 領明年 份	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953 源建山	107.3 126.8 117.1 8.0 21 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2 15 1952) 237・5 339・3 288・4 一日 13・1 29 14・3 27 14・3 27 1953	发 307.6 306.7 307.2 14.4 7 13.8 5 14.4 7 1952 \$262.9 255.1	量 219.7 337.6 278.7 * 发量 14.9 5 15.2 7 1953 88°46'1	(毫米) 273.4 243.5 258.5 (毫米) 11.3 10 14.5 1 1953 1.3 1.3 1.3 1.4 1.3 1.3 1.4 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952 100°12	109.4 141.1 125.3 7.0 2 7.6 2 1953 2'E B	50.7 44.9 47.8 5.3 6 3.3 2 5.3 6 1952 48.1 50.1	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952 .0 M	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952
1953 平 均 1952 1953 W 值 间 初 年 份	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953 源建山	107.3 126.8 117.1 8.0 21 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2 15 1952	237.5 339.3 288.4 — E 13.1 29 14.3 27 14.3 27 1953	发 307.6 306.7 307.2 最大 14.4 7 1952 2 262.9 255.1 259.0	量 219.7 337.6 278.7 * 发量 14.9 5 15.2 7 15.2 7 1953 8°46'1	(連米) 273・4 243・5 258・5 (連米) 14・5 1 1953 (連米) (連米) 200・8 163・3 182・1	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952 100°12	109.4 141.1 125.3 7.0 2 7.6 2 7.6 2 1953	50.7 44.9 47.8 5.3 6 3.3 2 5.3 6 1952 48.1 50.1	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952 .0 M	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952
1953 平 均 1952 日 1953 W 極 値 明年 份	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953 源建山	107.3 126.8 117.1 8.0 21 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2 15 1952	237.5 339.3 288.4 — E 13.1 29 14.3 27 14.3 27 1953	发 307.6 306.7 307.2 最大 14.4 7 1952 2 262.9 255.1 259.0	量 219.7 337.6 278.7 * 发量 14.9 5 15.2 7 1953 88°46'1	(連米) 273・4 243・5 258・5 (連米) 14・5 1 1953 (連米) (連米) 200・8 163・3 182・1	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952 100°12	109.4 141.1 125.3 7.0 2 7.6 2 1953 2'E B	50.7 44.9 47.8 5.3 6 3.3 2 5.3 6 1952 48.1 50.1	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952 .0 M 30.8 26.7 25.8 26.3	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952
1953 平 均 1952 1953 W 個 領明年 份	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953 源建山	107.3 126.8 117.1 8.0 21 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2 15 1952	237.5 339.3 288.4 — E 13.1 29 14.3 27 14.3 27 1953	发 307.6 306.7 307.2 最大 14.4 7 1952 2 262.9 255.1 259.0	量 219.7 337.6 278.7 * 发量 14.9 5 15.2 7 15.2 7 1953 8°46'1	(連米) 273・4 243・5 258・5 (連米) 14・5 1 1953 (連米) (連米) 200・8 163・3 182・1	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952 100°12	109.4 141.1 125.3 7.0 2 7.6 2 1953 2'E B	50.7 44.9 47.8 5.3 6 3.3 2 5.3 1952 48.1 50.1 49.1	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952 .0 M 30.8 26.7 25.8 26.3	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952
1953 平均 1952 1953 單值 值期 年份	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953 那逐車日	107.3 126.8 117.1 8.0 21 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2 15 1952	237.5 339.3 288.4 — E 13.1 29 14.3 27 14.3 27 1953	发 307.6 306.7 307.2 最大 14.4 7 1952 2 262.9 255.1 259.0	量 219.7 337.6 278.7 * 发量 14.9 5 15.2 7 15.2 7 1953 8°46'1	(連米) 273・4 243・5 258・5 (連米) 14・5 1 1953 (連米) (連米) 200・8 163・3 182・1	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952 100°12	109.4 141.1 125.3 7.0 2 7.6 2 1953 2'E B	50.7 44.9 47.8 5.3 6 3.3 2 5.3 6 1952 48.1 50.1 49.1	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952 .0 M	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952
1953 平均 1952 1953 城值日期 年份 1951 1952 1953 平均 1951 1952	(31.0) 37.4 34.2 2.2 20 2.7 26 1953 28.6 (32.0) 30.3	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953 那連川	107.3 126.8 117.1 8.0 21 9.3 27 1953 11 85.1 104.6 94.9	191.9 206.4 16.2 15 11.5 30 16.2 15 1952	237.5 339.3 288.4 一日 13.1 29 14.3 27 1953 蒸 175.0 250.1 212.6 一日 二 11.9	发 307.6 306.7 307.2 14.4 7 13.8 5 14.4 7 1952 262.9 255.1 259.0 最大表	量 219.7 337.6 278.7 %发量 14.9 5 15.2 7 1953 8°46'1 (181.5) 256.7 219.1 %发量	(毫米) 273.4 243.5 258.5 (毫米) 11.3 10 14.5 1 1953 1 (毫米 200.8 163.3 182.1 (毫米) —	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952 100°12 150.3 123.8 137.1	109.4 141.1 125.3 7.0 2 7.6 2 1953 2'E B	50.7 44.9 47.8 5.3 6 3.3 2 5.3 1952 48.1 50.1 49.1	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952 .0 M 30.8 26.7 25.8 26.3	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952
1953 平均 1952 1953 W 值 侧期 年份 1951 1952 1953	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 1953 祁連山 32.3 52.6 42.5	107-3(126.8) 117-1 8.0 21 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2 15 1952 	237.5 339.3 288.4 一日 13.1 29 14.3 27 14.3 27 175.0 250.1 212.6 一日 1.9 4 12.3	发 307.6 306.7 307.2 14.4 7 13.8 5 14.4 7 1952 \$262.9 255.1 259.0 最上 12.8	量 219.7 337.6 278.7 (14.9 5 15.2 7 1953 (181.5) 256.7 219.1 (256.7 219.1 (27.1 27.1 27.1 27.1 27.1 27.1	(連米) 273・4 243・5 258・5 (連米) 11・3 10・1 14・5 1 1953 1 1 1853 1 1 1853 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	197.0 202.9 200.0 10.9 3 9.2 6 6 10.9 3 1952 100°12 150.3 123.8 137.1	109.4 141.1 125.3 7.0 2 7.6 2 1953 2'E B 85.1 100.7 92.9	50.7 44.9 47.8 5.3 6 3.3 2 5.3 1952 48.1 50.1 49.1	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952 .0 N 30.8 26.7 25.8 26.3 2.9 21.6	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952
1953 平均 1952 1953 城值日期 年份 1951 1952 1953 平均 1951 1952	(31.0) 37.4 34.2 2.2 20 2.7 26 1953 28.6 (32.0) 30.3	31.4 50.7 41.1 2.3 9,10 4.1 27 4.1 27 1953 那連川	107.3 126.8 117.1 8.0 21 9.3 27 1953 11 85.1 104.6 94.9	191.9 206.4 16.2 15 11.5 30 16.2 15 1952	237.5 339.3 288.4 一日 13.1 29 14.3 27 1953 蒸 175.0 250.1 212.6 一日 二 11.9	发 307.6 306.7 307.2 14.4 7 13.8 5 14.4 7 1952 262.9 255.1 259.0 最大表	量 219.7 337.6 278.7 %发量 14.9 5 15.2 7 1953 8°46'1 (181.5) 256.7 219.1 %发量	(毫米) 273.4 243.5 258.5 (毫米) 11.3 10 14.5 1 1953 1 (毫米 200.8 163.3 182.1 (毫米) —	197.0 202.9 200.0 10.9 3 9.2 6 10.9 3 1952 100°12 150.3 123.8 137.1	109.4 141.1 125.3 7.0 2 7.6 2 1953 2'E B 	50.7 44.9 47.8 5.3 6 3.3 2 5.3 6 1952 48.1 50.1 49.1	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952 .0 M 30.8 26.7 25.8 26.3	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952
1953 平均 1952 1953 W 值 侧期 年份 1951 1952 1953	(31.0) 37.4 34.2 2.2 20 2.7 26 2.7 26 1953	31.4 50.7 41.1 2.3 9,10 4.1 27 1953 祁連山 32.3 52.6 42.5	107-3(126.8) 117-1 8.0 21 9.3 27 1953	191.9 206.4 16.2 15 11.5 30 16.2 15 1952 	237.5 339.3 288.4 一日 13.1 29 14.3 27 14.3 27 175.0 250.1 212.6 一日 1.9 4 12.3	发 307.6 306.7 307.2 14.4 7 13.8 5 14.4 7 1952 \$262.9 255.1 259.0 最上 12.8	量 219.7 337.6 278.7 (14.9 5 15.2 7 1953 (181.5) 256.7 219.1 (256.7 219.1 (27.1 27.1 27.1 27.1 27.1 27.1	(連米) 273・4 243・5 258・5 (連米) 11・3 10・1 14・5 1 1953 1 1 1853 1 1 1853 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	197.0 202.9 200.0 10.9 3 9.2 6 6 10.9 3 1952 100°12 150.3 123.8 137.1	109.4 141.1 125.3 7.0 2 7.6 2 1953 2'E B 85.1 100.7 92.9	50.7 44.9 47.8 5.3 6 3.3 2 5.3 1952 48.1 50.1 49.1	27.2 29.7 28.5 2.2 26 1.8 18 2.2 26 1952 .0 N 30.8 26.7 25.8 26.3 2.9 21.6	2052.5 1932.8 16.2 15/4 15.2 7/7 16.2 15/4 1952

### 1 2 3 4 5 6 7 8 9 10 11 12 全年 ### 19 26 27 25 6 18 17 5 20 31 1 12 17/7 ### 1953 1953 1953 1952 1953 1952 1953 1955 1953 1955 1955 1955 1955 1955	00										_			
1		1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 1953 1953 1952 1953 1952 1953 1952 1953 1952 1953 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1953 1952 1953 1954 1951 1953 134.4 55.1 108.5 167.5 288.1 329.7 295.3 195.8 140.1 107.8 43.4 (34.9) 1792.6 年 均 32.0 45.6 104.0 198.3 250.5 297.0 261.3 188.1 150.7 96.1 37.2 27.2 1687.8 一日最大業友量(金米) 1952 3.5 3.1 6.1 12.9 12.0 12.6 11.5 (11.6 7.7 4.5 (4.9) 2.1 12.9 12.5 12.9 25 14 26 31 16 6 21 4 3 6 29 26/4 12.9 12.9 22 25 11 24 8 8 7 8 12 17 8/7 8 12 17 8/7 8 19 25 22 25 11 24 8 8 7 8 12 17 8/7 8 19 25 25 25 13.9 12.5 19.9 23.0 11.3 8.2 6 4 4.0 (6.3) 23.0 18 8 19 26 2 26 11 24 8 21 7 8 6 17 8/7 8 1952 1953 1953 1953 1953 1953 1953 1953 1953	3E 6	-							_			4.1	2.9	
日本		2000											_	
# 接 量(集*) 1952 29.6 38.1 99.4 229.1 212.8 264.3 227.3 (186.4) 161.2 84.4 (30.9) 19.4 1582.9 1953 34.4 53.1 108.5 167.5 2881.3 29.7 2953. 189.8 140.1 107.8 43.4 (34.9) 1792.6 季 第 32.0 45.6 104.0 198.3 250.5 297.0 261.3 188.1 150.7 96.1 37.2 27.2 1687.8	9- 8	g =773	4773) - 7)-	, -,,,,	>).	3 477	2 2776	477.	1974	1993	1773	1972	1972
# 接 量(未来) 1952 29.6 38.1 99.4 229.1 212.8 264.3 227.3 (1864.4) 161.2 84.4 (30.9) 19.4 1582.9 1953 34.4 53.4 108.5 167.5 288.1 329.7 295.3 189.8 140.1 107.8 43.4 (34.9) 1792.6 年 第 32.0 45.6 104.0 198.3 250.5 297.0 261.3 188.1 150.7 96.1 37.2 27.2 1687.8	100		WIT .	fr1			70	300 1	17 1		, '-			
1952 29.6 38.1 99.4 229.1 212.8 264.3 227.3 (186.4) 161.2 84.4 (30.9) 19.4 1582.9 1953 34.4 53.1 108.5 167.5 288.1 329.5 297.0 261.3 188.1 150.7 96.1 37.2 27.2 1687.8			SHEC .	711		-64-			-		19 E	H= 110	1.3 M	
1953 34-4 53-1 108-5 167-5 288-1 329-7 295-3 189-8 140-1 107-8 43-4 (34-9) 1792-6						*****	-							
一日最大無发量(素米) 1952 3.5 3.1 6.1 12.9 12.0 12.6 11.5 (11.6) 7.7 4.5 (4.9) 2.1 12.9 1952 3.5 3.1 6.1 12.9 12.0 12.6 11.5 (11.6) 7.7 4.5 (4.9) 2.1 12.9 1952 3.5 3.0 4.9 7.3 8.9 12.5 19.9 23.0 11.3 8.2 6.4 4.0 (6.3) 23.0 18 27 28 22 25 11 24 8 8 7 8 12 17 8/7 8 19 19 25 12.5 19.9 23.0 11.3 8.2 6.4 4.0 (6.3) 23.0 18 27 28 22 25 11 24 8 21 7 8 6 17 8/7 8 19 19 26 22 26 11 24 8 21 7 8 6 17 8/7 8 19.5 1953 1953 1953 1953 1953 1953 1953 195		1	38.1	99.4	229.1	212.8	264.3	227.3	(186.4	1)161.2	84.4	(30.9	19.4	1582.9
1952 3.5 3.1 6.1 12.9 12.0 12.6 11.5 (11.6) 7.7 4.5 (4.9) 2.1 12.9 12.9 12.5 12.6 11.5 (11.6) 7.7 4.5 (4.9) 2.1 12.9 12.9 12.5 1												,		1792.6
1952 3.5 3.1 6.1 12.9 12.0 12.6 11.5 (11.6) 7.77 4.5 (4.9) 2.1 12.9 12.9 12.9 12.5 19.9 23.0 11.3 8.2 6.4 4.0 6.3 23.0 8.7 28 22 25 11 24 8 8 7 8 12 17 8/7	平 均	32.0	45.6	104.0	198.3	250.5	297.0	261.3	188.1	150.7	96.1	37.2	27.2	1687.8
195						-	日最力	大蒸发	量(老米	:)				
1953 3.0 4.9 7.3 8.9 12.5 19.9 23.0 11.3 8.2 6.4 4.0 (6.3) 23.0										7.7		(4.9)	2.1	
1														
数														
日 明 19 28 22 26 11 24 8 21 7 6 6 17 87 1953 1952 1953 1953 1952 1953 1953 1953 1952 1953 1953 1953 1952 1953 1953 1953 1952 1953 1953 1953 1953 1953 1953 1953 1953	植植	3.5	1.9	7.3	12.9	12.5	19.9	23.0	11.6	8 2	6.4	4.0	6.3	
##		19	28	22	26	11	24							
無 後 量(素米) 1952 35.0 38.9 85.3 143.2 133.3 178.1 194.7 230.5 130.1 120.8 74.5 42.8 1407.2 1953 39.6 64.3 106.9 101.5 242.3 244.0 201.3 187.8 103.7(104.9)(79.4) 58.2 1533.9 年	F 10	1952	1953	1953	1952	1953	1953	1953	1952	1953	1953	1952	1953	
無 後 量(素米) 1952 35.0 38.9 85.3 143.2 133.3 178.1 194.7 230.5 130.1 120.8 74.5 42.8 1407.2 1953 39.6 64.3 106.9 101.5 242.3 244.0 201.3 187.8 103.7(104.9)(79.4) 58.2 1533.9 平 当 37.3 51.6 96.1 122.4 187.8 211.1 198.0 209.2 116.9 112.9 77.0 50.5 1470.6			the little w	ta.				0.1		0	,			
1952 35.0 38.9 85.3 143.2 133.3 178.1 194.7 230.5 130.1 120.8 74.5 42.8 1407.2 1953 39.6 64.3 106.9 101.5 242.3 244.0 201.3 187.6 103.7 104.9 (79.4) 58.2 1533.9			局期制	頁			9-			103 0	5 B 1	B= 3039	.1 M	
# 均 37-3 51-6 96-1 122-4 187-8 211-1 198-0 209-2 116-9 112-9 77-0 50-5 1470-6	-	1												
中 均 37・3 51・6 96・1 122・4 187・8 211・1 198・0 209・2 116・9 112・9 77・0 50・5 1470・6			38.9	85.3	143.2	133.3	178.1	194.7	230.5	130.1	120.8	74.5	42.8	
1952 2-5 3.5 8.9 8.3 10.8 9.1 13.8 13.9 9.6 9.5 5.9 4.0 13.9 1953 2-8 4.5 8.1 6.5 14.9 15.0 13.5 15.3 7.5 5.5 6.2 3.7 15.3 8 6 26 17 26 27 7 8 5 22 14 24 31 5/8 8 6 26 17 26 27 7 8 5 22 14 24 31 5/8 8 6 26 23 17 27 7 17 5 15 11 24 12 5/8 9 1953 1953 1952 1952 1953 1953 1952 1953 1953 1952 1953 1953 1952 1953 1953 1953 1952 1953 1953 1952 1953 1953 1953 1953 1953 1953 1952 1953 1953 1953 1953 1953 1953 1953 1953		37.00											58.2	1533.9
1952 2-5 3.5 8-9 8-3 10.8 9.1 13.8 13.9 9.6 9.5 5.9 4.0 13.9 4/8 17 4 15 11 2 12 4/8 17 26 27 7 8 5 5.5 5.5 5.2 3.7 15.3 5/8 8 26 17 26 27 7 8 5 22 14 24 31 5/8 3 8 26 23 17 27 7 17 5 15 11 24 12 5/8 1953 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1953 1952 1953 1953 1952 1953 1953 1953 1952 1953 1953 1953 1953 1952 1953 1953 1953 1953 1953 1953 1952 1953	平 均	37-3	51.6	96.1	122.4	187.8	211.1	198.0	209.2	116.9	112.9	77.0	50.5	1470.6
1952 2-5 3.5 8-9 8-3 10.8 9.1 13.8 13.9 9.6 9.5 5.9 4.0 13.9 4/8 17 4 15 11 2 12 4/8 17 26 27 7 8 5 5.5 5.5 5.2 3.7 15.3 5/8 8 26 17 26 27 7 8 5 22 14 24 31 5/8 3 8 26 23 17 27 7 17 5 15 11 24 12 5/8 1953 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1952 1953 1953 1952 1953 1953 1952 1953 1953 1953 1952 1953 1953 1953 1953 1952 1953 1953 1953 1953 1953 1953 1952 1953						一日	最大素	蒸发量	(毫米)					
1953						10.8	9.1	13.8		9.6	9.5	5.9	4.0	13.9
8 26 17 26 27 7 8 5 22 14 24 31 5/8 2.8 4.5 8.9 8.3 14.9 15.0 13.8 15.3 9.6 9.5 6.2 4.0 15.3 8 26 23 17 27 7 17 5 15 11 24 12 5/8 9 1953 1953 1952 1952 1953 1952 1953 1952 1953 1952 1953														4/8
2.8	H	8												
#	a m	2.8	4-5	8.9	8.3	14.9	15.0	12 8	75.0	0.6	0.5		4.0	
1953	-	8	26	23	17	27			5					
1951	4- 107	1953	1953	1952	1952	1953	1953	1952		1952	1952	1953		
1951			-10r 11					0 #		0	,			20
1952 26.8 49.9 123.7 253.2 256.1 323.1 312.7 221.6 153.7 90.8 51.4 20.9 1883.9 29.6 60.4 132.9 156.2 349.2 356.1 330.1 293.0 140.0 96.2 48.4 23.3 2015.4 28.2 55.2 128.3 204.7 302.7 339.6 321.4 257.3 146.9 93.5 49.9 22.1 1949.7 80 cm			開州	1			Ø= :	36 03 1	7 1-	103 5	7 E E	1519	•2 M	
1952 26.8 49.9 123.7 253.2 256.1 323.1 312.7 221.6 153.7 90.8 51.4 20.9 1883.9 29.6 60.4 132.9 156.2 349.2 356.1 330.1 293.0 140.0 96.2 48.4 23.3 2015.4 注	1051					蒸	发	- 1	(毫米)				
28-2 55-2 128-3 204-7 302-7 339-6 321-4 257-3 146-9 93-5 49-9 22-1 1949-7 80 cm		26.8	49.9	123.7	253.2	-	nem .	- com	-	-	_	-		-
#			60.4	132.9	156.2	349.2	356.1	330.1	293.0	153.7			-	
Bo cm	本 均	28.2												
1939 1940 55.8 164.7 269.1 386.3 357.1 195.2 150.9 143.1 91.2 113.0 203.2 240.6 283.5 300.3 271.3 124.8 110.1 83.2 - 1942 - 151.4 180.7 218.9 265.3 321.1 185.4 116.9 69.0 1943 - 82.5 170.2 229.9 194.4 223.0 220.9 158.5 113.2 117.2 231.3 335.6 349.2 276.0 258.7 136.6 111.4 117.2 231.3 335.6 349.2 276.0 258.7 136.6 111.4 1194.6 - 185.9 255.0 230.5 299.8 282.5 274.5 154.3 179.6 221.0 278.0 278.8 219.0 207.7 208.6 90.3 75.9 110.7 119.2 173.7 163.8 183.4 195.3 100.3 65.3 110.7 119.2 173.7 163.8 183.4 195.3 100.3 65.3 119.49 1950 - 76.9 120.0 194.8 175.7 164.3 139.2 80.8 47.3 239.7 374.2 278.1 244.7 185.8 112.9 99.3 35.7 -					70481	70201					93.5	49.9	22.1	1949.7
1940 - 55.8 164.7 269.1 386.3 357.1 195.2 150.9 143.1 91.2 113.0 203.2 240.6 283.5 300.3 271.3 124.8 110.1 83.2 151.4 180.7 218.9 265.3 321.1 185.4 116.9 69.0 82.5 170.2 229.9 194.4 223.0 220.9 158.5 113.2 153.6 186.8 293.6 285.0 299.1 264.5 136.1 75.7 117.2 231.3 335.6 349.2 276.0 258.7 136.6 111.4 185.9 255.0 230.5 299.8 282.5 274.5 154.3 179.6 185.9 255.0 230.5 299.8 282.5 274.5 154.3 179.6 221.0 278.0 278.8 219.0 207.7 208.6 90.3 75.9 110.7 119.2 173.7 163.8 183.4 195.3 100.3 65.3 77.1 208.6 185.9 160.3 118.0 122.7 90.1 56.2 76.9 120.0 194.8 175.7 164.3 139.2 80.8 47.3 239.7 374.2 278.1 244.7 185.8 112.9 99.3 35.7 -	1939	- 00 01	_	-	-	234 6		2006	(老米))				
1942 - 151.4 180.7 218.9 265.3 300.3 271.3 124.8 110.1 83.2 - 1943 - 82.5 170.2 229.9 194.4 223.0 220.9 158.5 113.2 - 1944 - 153.6 186.8 293.6 285.0 299.1 264.5 136.1 75.7 - 117.2 231.3 335.6 349.2 276.0 258.7 136.6 111.4 - 185.9 255.0 230.5 299.8 282.5 274.5 154.3 179.6 - 1947 - 221.0 278.0 278.8 219.0 207.7 208.6 90.3 75.9 - 110.7 119.2 173.7 163.8 183.4 195.3 100.3 65.3 - 110.7 119.2 173.7 163.8 183.4 195.3 100.3 65.3 - 1950 - 76.9 120.0 194.8 175.7 164.3 139.2 80.8 47.3 - 239.7 374.2 278.1 244.7 185.8 112.9 99.3 35.7 -	1940	-	-	55.8	1040/	209.1	386.3	357.1	195.2	150.0	142 1		100	-
1943 - 82.5 170.2 229.9 194.4 223.0 220.9 158.5 113.2		Time .	_	77790	20302	240.6	283.5	300.3	271.3	124.B	110 1		_	-
1944 1945 - 153.6 186.8 293.6 285.0 299.1 264.5 136.1 75.7			-	171 · 4	1000	218.9	265.3	321.1	185-4	116.9	69.0	-	-	_
1945 - 117.2 231.3 335.6 349.2 276.0 258.1 75.7	1944	100											_	-
1947 - 221.0 278.0 278.8 219.0 207.7 208.6 90.3 75.9		trus.	-	117.2	231.3	293.6	285.0	299.1	264.5	136.1	75.7	-	bett	_
1948 221.0 2/6.0 2/6.0 219.0 207.7 208.6 90.3 75.9				エロフッツ	277.0	230.5	299 8	282.5	274.5	164 3	270 6			_
1949 - 77.1 208.6 185.9 160.3 118.0 122.7 90.1 56.2				CCT 00	210.0	270.0	219.0	207.7	208.6	00 2	75.9	-		-
1950 1951 - 76.9 120.0 194.8 175.7 164.3 139.2 80.8 47.3	10.40										65.3	-	-	
1951 239.7 374.2 278.1 244.7 185.8 112.9 99.3 35.7		_		77.1	208.6	185.9	160.3	118.0	122.7	90.1	56.2	- China	-	_
# U	1		-		239.7	374.2	278-1	244-7	139.2 185.8	80.8			-	-
222.3 190.0 250.8 251.9 244.9 210.9 119.3 95.6 63.4	小均											37.1	-	-
				-6603	470.7	2)0.0	251.9	244.9	210.9	119.3	95.6	63.4	-	-

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
					一日	最大素	素发量	(毫米)					
1952	1.7	3.4	7.8	12.9	16.1	16.2	16.8	12.6		6.7		1.1	16.8
1953	28	6.0	28 8.6	8.7	19.0	17.0	28 22•4	22.1	12.3	6.4	2.7	1.7	28/7
In the	30	28	24	26	27	13	8	10	1	5	3	1	8/7
極 <u>能</u> 日 初	28	6.0	8,6	12.9	19.0	17.0	8	10	12.3	6.7	3.4	1.7	22.4 8/7
年 份	1952	1953	1953	1952	1953	1953	1953	1953	1953	1952	1952	1953	1953
1939	80 CH		-		12.8	取大系 12.6	大量 12.3	(毫米)	6.4	5.2	2.6	_	_
M 1940	-	_	3.6	8.5	12.6	20.5	17	16.0	8	7	6 5.0	-	-
1941	-	_	7.7	29 9.8	29	27	18.9	14.7	23	5.8	6.0		-
1942	-	.=	26 8.0	20	30	30	7 30.0	12 20.0	4	3	2	-	
H	_	-	27	28	4	19	14	1	16	7.0		-	-
1943	_	-	8.0	11.0	16.0	15.5	15.0	13.0	10.0	6.5	-		
1944	-	-	9.0	12.0	14.7	18.4	17.2	16.1	8.0	4.6	-	-	-
1945		_	31 7.5	30 15.0	15.5	21.0	15.0	19.0	9.0	6.7	e-d man	_	~
1946	~	_	28 8.8	26 13.0	16 14.0	20.0	2 14.5	17 26.6	9.0	12.0	_	900	-
1947	_	_	13.0	20	31	22	27	6	23 9.0	6.0	_	_	. =
1948	-	-	7.0	19	16 8.8	28 8.0	10.3	24	17 6.5	9 3.6	=	£, _3.	-
H	-	-	3	5	10	16	22	24	5	2		-	
1949	- 1	= -	4.7	16.8	10.0	7.7	10.1	6.2	5.8	3.6	-	-	-
1950	_		4.2	5.9	10.0	11.0	13.4	7.6	5.5	3.1	-	=	-
1951	.7 .	- 1:	22	16.9	22.5	16.9	16.0	12.5	6.0	6.0	7.5	, =	-
H H		_	-	18	10	11	22	8	13	7	12	-	_
個 位 期	-	. च. २च	13.0	16.9	22.5	21.0	30.0	26.6 6	10.4	12.0	7.5	_	_
年.份	-	·	1947	1951	1951	1945	1942	1946	1940	1946	1951	-	-
		華家衛	ŧ .	25	1.	Ф=]	35 25 1	i di	104 50	'E H	= 2407	7.4 M	
					蒸	发	量(毫米)					- 1
1951	46.7	32.8	52.1	163.7	117.2	216.4	184.5	143.5	132.1	66.6	39.9	38.6	1231.6
1953	37.9	56.1	82.8	120.8	249.3	228.5	175.9	182.8	81.3	48.0	-/ -		1327.9
平 均	42.3	44.5	67.5	142.3						57-3	41.7	28.6	1279.8
1951	_		pain	-	— E	最大	蒸发量	(毫米)	***	****	4.8	2.7	-
1952	3.4	3.5	4.2	12.0	7.7	13.5	9.7	8.6	7.4	5.0	1 4.4	22	13.5
1953	29	9	22,2		1	7	8,15	31 12.9	19	28	1 4.7	22,30	
H	8	26	24	24,26		19		7	7	9	24 .		6/5
極値期	3.4	4.6	6.1	12.0	13.3	13.5	9.9	12.9	7.4	5.0 28	4.8	2.7	13.5
年 份	1952	1953	1953	1952	1953	1952	1953	1953	1952	1952	1951	1951	1952
			_	_									

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		IE B				P = 3	4 30 N	λ-	104 05	'E H	2246	.0 M	
					蒸	发	1	(毫米)	,				
1951 1952 1953	47.3	52.3 65.4	79.8	187.4	136.8	153.5	112.8	89.3	(55 .5)(110 . 7) 70.3)(73.7) 60.2	47.9 57.3 46.2	37·3 39·0 39·2	1192.6
平均	39.6	58.9	85.9	154.1		157.4				67.0	51.8	39.1	1186.0
1951 H 1952 H 1953	3.0 29 1.7 13,14	3.2 9 5.0 4 27	6.2 22 6.1 24	6.7 11 11.1 18,23	6.8 24 8.4	20 8.9 9	蒸发量 8.4 1 8.0 28 8.2 6	4.7 20 (7.0 11	(3.6 25) (5.8 12	1	2.7 1,1; 3.7 12 2.9	3.3 25 2.0 9,21 2.5 25	11.1 1821/4 9.5 27/5
留 館 別 年 份	3.0 29 1952	5.0 27 1953	6.2 22 1952	11.1 18,2 1952		8.9 9,7 1952 1953	8.4 1 1951	8.6 15 1953	. 12	4.9 7 1952	3.7 12 1952	3.3 25 1951	11.1 18.21/4 1952
青	海	西宁				φ»	36 [°] 35 [*] 1	N Am	101 5	je b	· 2295	5.0 M	
1951 1952	31.0	54.1	92.8(182.6)	<u>業</u> 212.8	发 227.8	216.0	170-5	136.0	(88.9) 104.5	66.2 (53.8)	27.3	1512.2
1953	35·3 33·2		111.5	182.5	265.4	252.8	212.2	200.1	106.4	86.1	57.3	(30.4)	1596.1
	3362	7,762	10505	105.0		日最大				95.3	55.6	30.4	1554.2
1951 H 1952 W 1953	1.9 21,29 2.3 5	3.1 12 4.0 27	6.2 16 6.0 31	11.6 26 10.2 26	12.6 5 11.9 27	12.0 24 13.3 7	11.2 3# 16.0 8	10.3 5 13.9	5.9 13 6.6 21 6.1 22	6.0 10 6.2 29 4.8 16	4.8 14 (3.7) 6 3.1 9	2.4 25 1.8 17 1.8 26	12.6 5/5 16.0 8/7
框 值 粉 份	2.3 5 1953	4.0 27 1953	6.2 16 1952	11.6 26 1952	12.6 5 1952	13.3 7 1953	16.0 8 1953	13.9 11 1953	6.6 21 1952	6.2 29 1952	4.8 1 1951	2.4 25 1951	16.0 8/7 1953
新獵椎	香爾自	治區	奇:	4		(0)	0 ,	1 1-	80 07	E H=	610.0	W.	
			-, !		蒸		# U3 B			B	912.0	M.	
1951 1952 1953	6.3	12.3 (17.5)	43.4	123.5 150.3	260.0	285.0	324.0	220.86	708.01	111.3 81.0 82.4	40.5 18.8 14.4	6.9 (7.5)	1699.9 1802.8
平均					280.9	280.9	335.8	302.9	232.5	81.7	16.6	7.2	1751.4
1951	-			-	_	日最大	蒸发量	(老米)		7.6	3.6 B	-	-
1952 E	0.8	0.9	3.6	8.1	14.4	15.5	16.8	16.2	11.9	8.2	2.5	0.5	16.8

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 M	0.7 3×	1.7	5.5	7.6	12.8	14.2	22.0	12.1	13.4	7.4	1.1	0.5 4#	22.0
極 値 日 期 年 份	0.8 1 1952	1.7 28 1953	5.5 20 1953	8.1 15 1952	14.4 27 1952	15.5 3 1952	22.0 13 1953	16.2 16 1952	6	8.2 3 1952	3.6 8 1951	0.5 5* 1952 1953	22.0 13/7 1953
		# *	†	0, 2		φ	43°55'1	N 2	81 17	B H=	670.0	M	
-					蒸	发	-	(毫米)					
1952 1953					195.2	228.1	286.3	253.4		106.6 (62.1)			1521.9
平 均	12.8	23.2	69.9	153.9						84.4	19.3	11.2	1460.6
				0.0				(毫米)					-
1952 N 1953 H	0.9 12 0.8 3#	2.1 9 1.9 28	6.2 31 5.1 14	8.8 14 11.0 10	12.1 30 11.4 19	14.4 11 10.0 14	14.9 29 11.0 21	12.2 13.3 1	9.8 3 8.2 14	7.9 3 5.6 11	2.5 16 1.9 27	0.9 11,28 0.7 11,22	14.9 29/7 13.3 1/8
祖 他 期 年 份	0.9 12 1952	2.1 9 1952	6.2 31 1952	11.0 10 1953	12.1 30 1952	14.4 11 1952	14.9 29 1952	13.3 1 1953		7.9 3 1952	2.5 16 1952	0.9 11,28 1952	14.9 29/7 1952
	J.	事务 本	库	' pol'	3	Ø _∞	43°47′1	y Am	87°37'	E H-	902.7	м	
					蒸	发	*	(豪米)					
1951 1952 1953	8.3				197.0	215.2		289.3	167.7	88.7 70.9 (79.9)	13.3	10.7 7.1 12.1	1383.0 1628.4
平 均	7.9	12.1								75.4		9.6	1505.7
	102		3-0-					(毫米)		1,744		,,,,	-)-)-1
1951	-	-	-	-	-	-	_	16.1		11.4	5.1	1.2	-
1952	0.7	0.9	4.4	7.6	10.1	17.6	15.6	15.6	9.3	8.4	2.3	0.8	17.6
1953 H	23 0.5 3*	1.3 25	31 2.2 26	7.5 18	31 12.4 31	16 12.2 2	14 16.8 22	10.5	1,2 18.9 15	3 11.3 24	1.3	18 0.8 10,29	16/6 18.9 15/9
種値 日期 年份	0.7 23 1952	1.3 25 1953	4.4 31 1952	7.6 2 1952	12.4 31 1953	17.6 16 1952	16.6 22 1953	16.1 7 1951	18.9 15 1953	11.4 30 1951	5.1 10 1951	1.2 8,9 1951	18.9
T 01	1772	1773	1776	1972	1773						1771	1771	1953
		吐魯香	F			Фт 1	12°58′1	J Am	89°14	E H=	30.0	М	
1000					蒸	发		(毫米)					
1951 1952 1953	14.9					369.2	393.6	357.9	251.2 245.3 (253.4)	103.4	45.1 47.5 35.2	21.7 10.8 (5.3)	2279.0
平 均	17.3	48.3	119.3	213.9	361.9	377-3	436.4	358.1	249.4	109.4	41.4	8.1	2340.4
2052					- E		紫发量		3 / #	7 -	c ~		
1951	_	_	-	_	-		18.6	3	14.7	7.5	5.7	1.7	-
1952 H	20,31		16	12.1	23.7	20.5	18.5	19.4	12.3	7.5	5.1	0.6 27,31	23.7
1953 H	1.3	5.7	6.0	12.5 26	18.5	19.0	19.1	16.6	13.6	8.1	3	1.0	19.1 6,29/7

_													
年	1	2	3	4	5	6	7	8	9 -	10	11	12	全 年
(a) (b)	1.3	5.7									5.7		23.7
年額	1953	28 1953	16	26 2 1953	27 1952	1952		9 3		1953	1951	1951	27/5 1952
4. 202	-//5	-,,,	-//-		-//-	-,,,,	,,,	-//-	-//-	-//3	-//-	-//-	-//-
		湍 者	ř			90_	42°03	N λ.	86 34	R A	= 1058	.0 M	
		any i	-				43		00 34		20,0		
					蒸	发	: 1	(毫米)				
1951	-	-		-	-	-	(223.5	243.4	163.0	91.0	28.7		-
1952 1953	16.0	52.4	(103.5	X152.2	279.0	253.1	346.3	260.2	144.8	103.8	33.1	13.6	1639.8
平均	18.5	41.0	106.0	183.9						103.4	34.0	11.7	1766.7
2052						日最大	蒸发量						
1951		_	-	_	_	_	20, 2	12.4 B 3	8.8	5.0	4.6	1.1	_
1952	1.1	2.1	6.2		13.3	14.3	11.0	10.7	7.0	6.5	2.1	1.6	14.3
1953	22	21,2	5 23 5 • 2	15 8.7	23 16.2	19	19	17	20	7.1	2.7	0.9	19/6
H	28	27	31	23	26	3枚	7	7	21	2	8,2		7/7
4K 4K	1.1	6.0	6.2	12.5	16.2	14.3	17.1	12.4	10.1	7.1	4.6	1.6	17.1
日期年份	22, 28		23	15	26	19	7	3,7	21	2	19	14	7/7
4- FR	1952 1953	1953	1952	1952	1953	1952	1953	19 51 1953	1953	1953	1951	1952	1953
								-//3					
		庫耳	E			φ	41 45 1	ι λ=	83 04	B H.	1100	O M	
							1- 15		-5 -4		1200	.0 2	
					蒸	发	量	(毫米)					
1951		-	207.0	-	-	-	452.5	454-3	284-6	156.8	58.1	29.8	-
1952	21.9	64.7	127.2	149.0	362.5	340.6	443.0	361.2	250.9	(132.9)	53.1	9.3	2355.5
平 均	02.2										3180	7.3	CC17•4
T 25	23.1	74.0	120.2	200.4			420.6			127.3	45.4	11.3	2287.5
1061						日最フ	大蒸发士						
1951	_	_	_	_	1900	_	21.9	25.2	16.1	9.5	5•7 2	1.9	25.2 3/8
1952	1.1	2.9	6.6	16.2	16.0	18.7	19.1	18.8	13.2	9.3	3.9	0.7	19.1
1953	23,30	28	6.3	25 8.9	29 15.8	18.3	14,22	14.6	17	18 7•2	2.6	3 *	14,22/7 24,3
Ħ	29,30	27	27	23	26	4	7	8	8	2	10	1	7/7
極期	1.2		6.6	16.2	16.0	18.7	24.3	25.2	16.1	9.5	5.7	1.9	25.2
年份	29,30	1953	25 1952	25 1952	29 1952	21 1952	7 1953	3 1951	4 1951	14 1951	2 1951	5,9	3/8
					,,,,	-,,-	-773	-//-	-//-	-732	47 JI	27.71	1951
	1	喀什	ŀ			φ= 3	9°24'N	1-	76°08	R H=	1306.	0 M	
											_ 550 8		
2000	-	- 0			蒸	发	量	(毫米)					
1952	21.8	38.1	107.4	265.0	305.0	395.0	320.6	256.5	218.6(124.6)	52.4	14.4	2119.4
										133.7	44.0	(11.4)	2097.6
平均	25.3	50.2	108.1	219.3	313.1	373.0	352.3	271.8	205.4	129.2	48.2	12.9	2108.5
1050					一日	最大素	素发量	(毫米)					
1952	16,30	2.7	6.5	19.4	16.2	18.3	17.5	11.0	10.2	11.4	4.3	0.7	19.4
1953	1.9	6.4	8.7	15.4	20	16.2	16.8	16	9.9	19 8.1	2.9	12,21	25/4 16.8
8	29	27	19	26	7	15	14	4	21	1	2,10	19	14/7
租金財	1.9	6.4	8.7	19.4	16.2	18.3	17.5	11.9	10.2	11.4	4.3	1.0	19.4
年的	29 1953	27 1953	19 1953	25 1952	20	6	5	4	1	19	9	19	25/4
			-,,,,	2//2	1952	1952	1952	1953	1952	1952	1952	1953	1952

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
						1					1		
ĭI	蘇着	乔海 連				9 = 3	4 35 N	λ= ;	119°15	E H=	4.0 N		
					蒸	发	量	(毫米)					
1950 1951 1952 1953	27.0 52.3 39.2	34.0	69.0	173.5	166.7 206.3 259.9	242.3	155.4	133.4	121.5	113.3	51.1 60.9 45.5 77.9	32.7 51.4 28.3 52.3	1408.5 1374.8 1752.8
平 均	39•5	34.6	89.6	167.8					154.5	134.3	61.4	44.0	1512.0
1951 H 1952 H 1953	1.7 30 3.8 29 1.9 23,29	3.0 24 2.5 10 3.0 27	7.0 17 5.5 22 6.0 23	9.1 24 13.0 16 11.9	10.1 22 14.5 16	最大利 11.8 9 13.6 3 (16.5)	9.5 3,26 9.8 30	8.7		7.2 3 6.6 2 9.5	4.5 20 4.0 5 3.9 21	3.0 11 1.8 31 4.3	11.8 9/6 14.5 16/5 16.5 3/6
極値用期年份	3.8 29 1952	3.0 24,27 1951 1953	7.0	13.0 16 1952	16.1 15 1953	16.5 3 1953	10.4 29 1953		9.5 7 1953	9•5 9 1953	4.5 20 1951	4•3 1 1953	16.5 3/6 1953
		徐州	Н			9=	34 15	N 1-	11701	5 B H	45.0	м	
					蒸	发	量	(毫米)					
1935 1936 1937	25.7	-	90.6		192.8						33.4 79.3	6.9	1363.9
1942 1943	72.8	49.8	100.5		164.6 174.9					92.9 77.1	89.2 69.7	69.9	1553.8 1471.8
1949 1950 1951 1952	37.9 54.5 70.9		149.6	139.1 220.4	308.6 254.1 251.0 204.0	271.9	167.7	128.4	121.7	81.0	75.3 73.2 69.4 44.3	32.3 48.7 82.9 (36.5)	1465.3 1771.3 1539.6
平 均	54.5	56.7	112.8	179.9	206.9	261.1	160.1	151.5	126.9	100.6	63.2	53+5	1527.6
1949 H 1950 H 1951 H 1952	2.5 31 4.9 5 11.1 20	3.6 27 6.6 1. 3.5	6.7 16 11.4 17 7.0 31	13.3 20 9.6 28 13.5 13 21.2	18.5 10 13.3 17 18.2 23	最大, 17.7 16 19.7 9 19.4 6. 18.9	恢复量 8.4 21 10.2 6,11 9.6 26 8.0 30	8.0 4 7.4	7.0 2 7.2 1 7.6 26 6.0 17,2	7.3 11 6.3 4 6.5 4,16 7.6	7.2 16 4.4 25 6.2 4 5.8	3.0 4 3.6 8 4.8 6 4.2	19.7 9/6 19.4 6/6 21.2 16/4
極 値 明 年 份	11.1 20 1952	6.6 1 1951	11.4 17 1951	21.2 16 1952	18.5 10 1949	19.7 9 1950	10.2		7.6 26 1951	7.6 1 1952	7.2 16 1949	4.8 6 1951	21.2 16/4 1952
		東台	à			φ=	32 51 1	N λ=	120 19	e H	= 5.8	м	
		口徑不			燕	发		(毫米)					
1927 1928 1929 1930 1931	54.1 36.9 55.9 53.5 43.8	50.3 65.8 57.7	103.1 132.4 103.3	149.5 204.5 109.3	230.4	216.8 181.4 146.0	228.8 243.8 218.2	201.8	168.0		91.4	63.9 58.0 51.4 65.1 53.2	1546.4 1696.1 1775.2 1428.6

	_			_			_							
年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1	932	64.4	83.0	108.6	123.0	201.3	104.9	174.7	172.7	112.8	68.5	66.6	56.8	
1	.935 .936 .938	55.9	53.1 56.2 63.7	83.7		187.8	172.4						52.3 43.0	1453.1
1	939			99.0	191.0	215.5	238.7	215.4	141.2	128.1	121.2	96.4	54.6 72.4	1504.7 1659.5
1	941 942 943	71.6		-	127.1	195.2 153.8 201.1	175.8	234.2		-			84.1	1667.1
	944	-	-	=	-	1000	-	-	152.2	110.6	108.2	(58.0)	(30.6)	
	953					197.5						55.0	35.3	1360.7
平	均,	52.6	57.6	103.7	144.4	200.1				140.7	119.6	85.2	61.5	1543.6
1	927 W	2.8	2.9	3.9		10.8	10.0		9.4	7.5 12	6.1	5.9 13	3.0	10.8
	928 H	1.8	3.0	5.2 19	8.2	28	13.2	13	2	8.8	8.2	6.0	3.4	13.2
1	9 29 H	3.3	4.8	8.1	15.1	30	10.9	12.7	1	10.3	10	6.7	4.2	15.1
	9 30 H 9 31	2.9 31 2.5	4.0 16 3.5	5.8 15 8.3	7.0	8 29	8.5	12.6	12	8.1	10	30	3.5	12.6
	H I	26	28	31	9.3	8.7	12.7	9•3 31	_	_	9.2 20	5.0	3•7 3	_
	932	3.5 6,11	3.3	9.0 26	9.7 19	14.5	14.7	16.5	17.2 27	7.2	7.0	8.2	6.0	17.2 27/8
	933 W	6.2	8.5	7.4 31	7.5	8.6	6.1	9.7 23	9.0	6.4	3.9	3.7 20	3.4	9.7
	935 W	_	_	_	5.3 29	10.2		10.1	9.0 6,11		6.9	4.3	2.6	-
	952 N		_	_	_	_	-	_	_	6.7 30	6.2	4.7	3.0	-
	953	9	2.7	17	7.7 24,25	11.1	2,18	8.2	10.6	7.1	6.5	3.2	1.9	11.1
極日年	施期份	6.2	8.5	9.0	15.1	14.5	14.7	16.5 27	17.2 27	10.3	9.2	8.2	6.0	17.2 27/8
7	207	1933	1933	1932	1929	1932	1932	1932	1932	1929	1931	1932	1932	1932
		1	湖 江	•			9= 3	32 13 1	1 1-	119°27	E H	= 43.9	Й	
19	31	_	口征不明	男_		蒸 116.4:	发		(老米)	330 8	303.0	10.0		
	32	28.5	42.4	Quel .	95.9	117.5	145.0	186.6	184.5	109.0	102.4	62.1	28.6	1266.4
19	35	28.8	31.3	94.4	10307	222.8	104.1	211.4	196.4	175.2	106 4	66 0	31.4	1438.7
	37	36.9	38.7	76.8	-	-	-	-	-	-		70	-	-
19	47	34.7	59.3 : 34.1	61.6	165.2	123.8	154.1	141.8	164.4	148.2	109.5	79.3 93.0 73.4	34.9	1347.0
	49	35.8		-	-	131.2	111.9	158.7	148.6	135.4	128.5	57.9	42.1	1143.8
19	50	36.3 46.8 43.0	2003	90.0	_	144.1 : 161.8 : 111.4 :	158-3	100	182 8	124 0	118 2	70.6 69.5	52.2	1129.0
4.	Kj	32.0				144.0						80.2	40.8	1279.8
19		-	3-2	5.3			最大素	秦发	(多米)			2.0		
11		-	28	10	30	23	4	31:	2	9.1	6.3	7.7	-	23/5

				-									
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1936 W		-	7.6 29	8.6	11.4	8,6	9.6 11	8.0 19	8.7	7.7	6.5 28	5.4	-
1937 H 1946	2.5	-	8.6	=	-		-	=	-	-	-	-	-
1947	3.2	4.0	7.7	9.1	9.2	9.9	7.9	13.9	10.5	6.5	6.2	2.3 4 3.3	13.9
M	31	4.	31	14	4	8,17	7 6	15	6	9:	19	15	15/8
1948 W	209	3.6 3#	29	9.0	7.0	9.8	12.9	7.4	7.0 3#	6.3	6.2	2.3	6/7
組 値 日 期 年 份	3.2 31 1947	4.0 4 1947	8.6 16 1937	9.1 14 1947	15.2 23 1935	13.0 4 1935	12.9 6 1948	13.9 15 1947	10.5 6 1947	7.7 2 1936	7.7 1 1935	5.4 3 1936	15.2 23/5 1935
		ate sh				Ø= '	32°03'1	7 3-	1180	7 R . E	i	. w	
		南 京							110 4	1 10 0 0	01.	, ,	
1948	46.9	39.3				发 185.0	175.5				77.5	42.9	1317.4
1949	50.9	53.8	83.2	113.9	175.1	145.2	164.8	200.1	125.7	68.2	53.0	46.2	1278.3
1951	41.9	42.9				(159.8) 196.7					62.1 5 1.8	57.9 45.8	1351.3
1953	51.8	34.8				184.2					53.4	39.6	1524.1
平均	48.8		80.2	133.4	163.9	174.2		(毫米)	120.3	110.7	59.6	46.5	1330.2
1951 1952		cm .	42.3	114.3	-	143.8	-	· see	-	95 9	(48.7)	(33.3)	987.6
	(36.1)		79.5	126.70	166.6	154.4	175.3	203.4	(97.8	102.3	40.4	34.1	1249.3
平 均	34.6	24.9	60.9	120.5		149.1				94.1	42.5	40.7	1118.5
1951	3.6	5.3	6.0	8.3	10.6	最大	9.2	10.4	7.1	7.1	4.3	3.2	10.6
1952	3.1 21,26	3. 2 10	17 5•3 22	23 11.2 16	9.8 16	20 11.4 29	10.0	8.9	27, 3 5.9 11		4.4	12,14 2.8 31	22/5 11.4 29/6
1953	5.2	2.5	5.1	9.3	11.2	12.2	9.6	11.1	7.2	7.3	4.0	2.5	12.2
極 値 日 期	5.2	5.3 20	6.0	11.2	11.2	12.2	10.0	11.1		7.3	4.4	3.2 12,14	12.2
年 份	1953	1951	1951	1952	1953	1953	1952	1953	9,2° 1953		1952	1951	1953
1951	_80	cm_			-	日最大	蒸发量	(毫米)	_		3.5	2.2	-
1952 H	2.8	2.0	4.3	8.0	7.3	8.3	9.5	8.8	7.3	5.5	3.5	3.8	9.5
1953	3. 4 10	10 ° 5.2 11	4.9 25	17 7.5 26	15 8.0 14	7 9.9 19	8.7	9.0 26	6.0 26	2,4 5.6 15	3 3.0 14	23 2.7 1	31/7 9.9 19/6
福 值 別	3.4	5.2	4.9	8.0	8.0	9.9	9.5 31	9.0	7.3 24	5.6	3.5	3.8	9.9
年份	1953	1953	1953	1952			1952	1953	1952	1953	1951	1952	1953
==		南 並	li			en- 1	32 [°] 01 [′] 1	ı 2-	120 5	É B	- = P	M	
		.13 21	1) be					7 23 23),0		
1949	80	cm_	_	Operio		205.3	120.4		131.3		51.1	33.2	
1950 1951	53.9	-	53.3	49.7	107.4	119.7	149.7	136.7	86.9	56.2 72.5	58.5	42.1	-
1952	24.2	17.7	39.7	99.3	107.6	154.1	141.1	125.5	111.1	100.7	64.2	38.5	1023.7

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	44.2	(23.0)	79.4	112.8	131.1	(88.5)(134.0	(160.3	91.4	85.9	41.3	28.7	1020.6
平 均	34.2	20.4	59.6	106.1					101.3	93.3	52.8	33.6	1022.2
1949	-	_	_	_	7.8		蒸发量6.4			6.7	2.9	2.6	-
1950	-		4.6	 5.1	7.5	22	3#	5	16,2	4 13	17	7	10.2
1951	5	_	21 4.2	9	18 7.1	12	12	21	17,1	8 7	1	Ξ.	12/7
1952	2.0	2.0	22 3•5	12 7.5	22,2		10.0	9.0	8.5	5.0	4.0	3.0	10.0
1953		2.1	23 4•4	6.0						2,8 4.8	2.7	31	29/7
極値	10	27	17	16	26	18	5	17	. 2	5	10	21	5/7,17/8
日期年份	10	2.1	4.6	7.5	10,1	6 4	12	2	24	6.7	1,9	3.0	10.2
4 0	1953	1953	1950	1952	1949 1952		1950	1952	1952	1949	1950 1952	1952	1950
		常力	Н			Ø.,	31 46	n 1.	119°5	7 2 1	I= 6.6	v	
		*14 /			-ble					1 2 1	1= 0,0	<i>3</i> 0.	
1952	50.3	33.0	61.1	136.7	蒸 112.8	发 195 . 7	重 (175.3)	(毫米)		92.5	(52.1)	12.7	1212.2
1953		30.3	78.3	126.2	171.0	(139.4))187.0	215.8	102.1	91.7	40.9	28.9	1258.4
平 均	48.6	31.7	69.7	131.5			181.2		98.8	92.1	46.5	35.8	1235.3
1952	3.5	2.6	5.4	8.7	8.7	10.5	族发量 16.3	(老米)	6.0	5.2	4.2	2.0	16.3
1953	3.5	22	5.0	16	29 10.1	29 11.5	30 9•2	9.9	11 5.8	2 5•3	2.5	22	30/7
報館	10	23	25	28	14	18	5	19	9	9	10	25	18/6
日期年份	3.5		5.4	8.7	10.1	11.5	16.3 30	11.4	6.0	5•3 9	4.2	2.5	16.3 30/7
4 0	1952 1953	1952	1952	1952	1953	1953	1952	1952	1952	1953	1952	1953	1952
		上 海				Ø= :	ນ ^ອ າວັນ	1 2	121026	, D D	= 4.6	ır	
)A 12 F		121 50		4.0	×	-
1951	45.6	50.6	87.7	92.1	蒸178.5	发 166.2	178.2	毫米)	116.1	102.1	74.3	54.8	1349.0
1952 1953	48.9	26.4	63.3	141.8	115.0	161.7	153.6	169.80	112.9)	106.8	61.7	48.9	1210.8
平 均	46.2	38.0							116.1		64.0	47.3	1289.9
1951	80				蒸	发		(毫米)					
1952	26.5		(42.7)	103.1	80.6	112.2(117.0)	128.8	(86.8)	82.8	(59·5) 47·3	(32.7)	872.4
1953	24.8	26.0							97.6		44.3	30.9	1011.8
	-701	19.3	49.6	30.3			145.6		92.2	75.5	45.8	31.5	942.1
1951 H	2.8	4.3	6.1	6.1 23	9.9	10.4	10.7 28	10.2	7.2	5.7	4.5	2.7	10.7
1952 N	3.2 27	2.8	5.0	8.0	7.6	9.7	10.4	5,€ 9.6	6.8 11	6.3	3.6	18 2.3	28/7
1953 H	3.0	2.9	5.1	7.1	8.6	29,30 8.5 19	11.5	9.8 18	7.7	5.7	3.2 4	2.0	1/7
祖位	3.2	4.3	6.1	8.0	9.9	10.4	11.5	10.2	7.7	6.3	4-5	2.7	27/7
年 份	27 1952	21 1951	11 1951	17 1952	23 1951	21 1951	27 1953	5,6	1953	2 1952	1951	18	27/7
												-, /-	-//3

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
	80	CM.			_ = =	二十十	素发量	(de .); >					
1951	_	-	-	-	-	取八名	人又重	(毫米)	-	-	9.6	2.7	_
1952	2.0	1.6	3.6	6.3	5.6	6.8	8.8	7-3	7.2	5.3	2.5	25	8.8
1953	28	10	22, 2	3 10, 1°	7 30	29 7.9	2 10.3	1,2	9.6	9	20 3.7	1.7	2/7
H	10	12	25	3	15	19	17	18	3	9	10	3	17/7
極頻	2.0	4.0	4.3	6.3	6.8	7.9 19	10.3	8.6	9.6	5.3	9.6	2.7	10.3
年 份	1952	1953	1953		1953	1953	1953	1953		1952	1951	1951	1953
												1972	
iti	27	AN A					30 16'1	4	0	,			
191	江	挑翁	K			qua.	30 16 1	y Am	151 10) E J	H= 5.8	M	
	-6	口徑不			蒸	发		(毫米)					
1951	28.7	19.2								82.1 98.8		48.2	1107.5
平 均	36.4	20.7	53.9	87.5	130.7	137.7	161.0	183.4	116.2	90.5	70.0	47.3	1134.9
		يو مام				11.11	30°02'1	- 1	. 0	.,			
		定海				9-	30 02 1	4-	12200	5 B 1	10.0	M	
		口徑不			蒸	发		(毫米)					
1933 1934	14.6 34.8	26.6	44.9 77.2				135.4 175.3				47.2	39.8	872.2
平 均	24.7	34.2	61.1	60.8	107.0	115.4	155.4	163.4	82.2	69.4	44.8	39.2	957.2
							蒸发量						
1933	1.3	2.7	3.5	4.0 28	6.0	5.6	6.0 28	6.9	5.2	5.2	3.3	2.8	6.9 26/8
1934 H	2.5	5.5	5.0	3.7	6.3	7.2 26	8.0	7.2 11	5.2 8	4.1	3.1	2.8	8.0
極値	2.5	5.5	5.0	4.0	6.3	7.2	8.0	7.2	5.2	5.2	3.3	2.8	8.0
日 期 年 份	1934	3 1934	15 1934	28 1933	14 1934	26 1934	1934	11 1934	2,8 1933	22 1933	27 1933	15,4	8/7 1934
									1934			1934	
		衛州	1			φ. :	28 58'1	v Xin	118 53	'R E	- 80.C	м	
					-								1
1951	_	-	-1	_	茶一	发	188.7	(240.0)	(123.8)	126.1	(64.4)	58.8	
1952 1953	55.0	34.1 (48.0)((48.2)(119.6)	(97.9)	146.6(183.6)	(204.3)	(158.6)	135.6	105.7	79.5	1368.7
平 均	62.6	41.1								125.5		67.5	1557.9
							蒸发量						
1951	_	-		_	_	-	9.2	14.1	8.7	7.2	4.9	3.1	-
1952 H	3.8	3.0	5.0	8.1	8.0	11.4	11.5	9.9	9.9	11.8	6.2	4.9	11.8
1953	6.0	4.3	10.1	9.9	9.3	10.9	13.4	15.5	10.2	8.5	4.8	3.4	15.5
極値	6.0	4.3	10.1	9.9	9.3	11.4	13.4	15.5	10.2	11.8	6.2	4.9	15.5
日期年份	12 1953	12	25 1953	30 1953	6 1953	30 1952	8 1953	13	2 1953	4 1952	12	24	13/8
	-//3	-//3	-//3	-//3	-//3	-//2	-//3	2773	-773	2772	2776	2772	1953

70													
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
	1	V- 010					0 ,		0	,			
		海門			-Adm		28 40		12102	6 B I	I= 4.9	М	
1950	-	-	_	_	蒸	发	1	(毫米)) _	94.9	78.6	67.1	-
1951	42.1	56.2	54.1	95.4	(104.9	107.2	176.7 X116.1	(181.0 1161.2)101.7	118.8	72.2	72.3	1186.7
1953	49.7	48.4	69.7	96.1	100.3	(115.2	2)219.6	(170.2	104.2	81.6	(62.0)	(45.6)	1162.6
华助	151.4	49.9	59.6	83.5					100.7	102.8	76.5	57.4	1157.2
1951	3.4	5.3	4.2	4.7	_		蒸发量8.6			6.3	4.5	4.1	8.6
1952	4	21	17,18		10	21	10	8	4	12	2 5.1	25	10/7
1953	22	26	22	17 6.3	4	29	2	4,2	4 10, 2	3 3, 25	5 1	1	29/6
日	11	22	29	30	10	18	6-8		21,25		4.3	3.4	15/8
图 如	3.4	5.3	5.1 29	6.6	8.1	9.2	8.8	8.9	6.3	6.6	5.1	4.1	9.2
华 份		1951	1953	1952						1953	1952	25 1951	29/6 1952
	A)) L	青田	1			a -	28 10	n 2	120°18	וז קו	W		
	80		•		蒸	发	100	速米)	120 10		a M		
1951 1952	61.8	62.5 (26.2)	62.3 46.0		105.1	92.5	119.3	115.1	76.7 87.7	76.0 59.9	39·3 55·7	40.1 44.1	900.8
不 均	49.2	44-4	54.2	57.1	84.5	87.9	111.3	122.2	82.2	68.0	47.5	42.1	850.3
		龍泉	Į.			9=	28 06 1	N 1_	119 07	'E H	= 200.	O M	
					蒸	发	业	(毫米)					
1947	33.8	38.1	71.6	100.4	73.0	111.2	188.7	174.8	126-5	63.9	42.4	62.6	1064.6
1949	35.9	48.1	(52.6) 50.0	81.7	93.2	83.4	161.5	150.8	135.0	80.2	38.5	31.6	992.5
1951	29.8	40.6	35 • 4	61.3	144.2	126.8	154.0	174.7	106.2	90.1	45.2	34.1	1042.4
	33.7 (56.2)	27.9	41.3	(73.7) 105.8(85.3	121.1	131.8	158.6 (200.8)	110.4	67.1 75.1	61.4	28.0 38.2	940.3
平均	38.9	39.9	57.6	83.3	103.1	117.6	170.2	163.5	114.2	80.4	50.8	38.3	1057.7
		温光	1			Ø= ;	28 01 1	1 2-	120°38	E H	= 4.3	M	
1933	35 0	04.0	(2.2		蒸	发		(毫米)					
1934	47.7	48.5		88.4	113.2	94.0	126.2 164.4	174.5	112.7	73.0	42.7	38.9 36.8	1058.0
19 35	33.3	33.8	56.7	59.1	92.4	59.2	132.2	101.4	119.3	51.3	54.3	31.1	824.1
1937	47.1	46.8	36.4	75.2	57.9	28.0	197.0	130.4	-		-	-	-
小 均	31.7	40.9	55.4	60.0	96.7		159.6		125.9	93.6	59.0	43.5	1001.6
1933	1.2	2.9	3.9	4.9	6.6	6.8	蒸发量 6.3	(老米) 6.8	5.1	-	****	_	
1934	20 2.5	3.4	4.0	5.5	15	28 5.7	21 7.8	2,13		3.8	4.0	2.6	8.6
195	2.4	2.6	19	19	14	25 5.1	15	7 7.6	8	8	19	4 2.1	7/8 7.8
1936	1.2	13	9 3.2	30	23 7.6	18	19	24 7.6	7 7.4	1 7.9	2,6.0	2,6	19/7
1937	3 4.5	8 3 4	26	26	25	23	16	25	7	1 -	8 -	18	16/7
*	6	9,15	17	10	17	19	29	2	-	-		_	9.6

		1	_										
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極值日期年份	4.5 6 1937	3.4 49,15 1934 1937		6.2 10 1937	25	7.9 23 1936	29	9.0 2 1937	8.2 8 1934	1	6.0 8 1936	6.4 18 1936	9.6 29/7 1937
安	徽	安良	Į.			9-	30°32	N λ_	117°0	2 B B	[= 26.]	3 M	
1951 1952 1953			59.1	116.5	116.7	191.3	(136.3	182.9	117.2	101.4 90.3)(81.1)	52.1	46.7	- 1251.3 1395.8
平 均	42.4	34.4	71.6	119.9	149.0	175.4	219.9	208.5	126.1	85.7	44.7	46.2	1323.6
1951 M 1952 H 1953	2.5 13 3.2 9	3.5 25 3.8 13	4.5 18 6.1 25	6.7 8 8.8 17 12.4 28	9.7 20 8.1 16		4x 12.0	8.8 3* 10.9 1 10.6 8	7.2 5 7.6 24 7.4 26	6.9 1 7.3 11 6.2	3.3 4,21 4.2 11 2.5	2.8 30 2.8 23 3.8 30	12.0 1/7 12.4 28/4
極値用期年份	3.2 9 1953	3.8 13 1953	6.1 25 1953	12.4 28 1953	9	11.7 29 1952	1	10.9 1 1952	7.6 24 1952	7.3 11 1952	4.2 11 1952	3.8 30 1953	12.4 28/4 1953
湘川	北	鄭 鬼	¥ .			g)·m	32 48 1	η λ=	110 4	5 B H	= - M		
1941 1942 1943 1944 1945	43.7 31.4 28.8 27.9 29.4		118.9 84.6 77.2 92.1	138.0 102.9 141.9	黨 142.0 143.8 123.5 174.8 238.4	216.9 134.6 167.8	222.7 205.4 162.5 246.1	174.4 97.3 170.8	100.8 72.6 113.2	68.0 59.5 37.5	46.2 59.4 37.2 45.1 56.4	35.7 39.1 36.1 35.9 44.4	1363.7 1307.0 975.0 1302.8 1265.2
1946 1947	49.8 25.1				122.2				70.9 99.8	78.5	44.3	36.8	987.3
平 均	35.2	46.2	88.2	130.8	157.5	178.1	178.3	135.8	90.3	73.9	48.1	38.0	1200.2
		武 涟	E			φ=]	30 38 1	ι λ-	114 1	7°B H	= 23.0	М	
		口徑不			蒸	发	*	(毫米)					
1928 1929 1930 1931 1932	40.3 34.1 37.2 32.2 47.6	39.2 30.8 28.9	74.4 58.9 83.2	105.0 48.0 88.9	142.6 96.1 117.8 103.6 102.3	120.0 120.0 158.5	157.1 232.5 97.7	139.5 105.4 129.9	72.0 93.0 151.6	80.6	42.0 48.0 45.0 52.8 73.4	27.9 24.8 40.3 37.7 53.4	1109.0 962.9 1009.5 1078.1 1352.9
1933 1934 1935 1936 1937	33.9 50.4 49.9 43.6 40.0	35.6 55.6 44.7 39.8 38.8	74.8 103.6 99.1 66.3 66.8	73.5 79.6 93.7	139.3 156.8 140.4 123.8 145.4	184.5 145.3 157.3	293.8 227.2 156.1	237.2 237.5	131.1	78.4	58.4 62.5 45.7 73.7	41.7 45.1 43.5 40.6	1185.1 1472.5 1375.9 1272.6
平 均	41.0	42.1	81.6	85.4	124.7	143.8	196.5	171.7	130.4	89.7	55.7	39 • 4	1202.1

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		恩施	i			Ø= 3	0°16′ N	λ-·	109 22	R H.	- 434.6	· w	
		160 20			-t-					4	- 45464		
1951 1952	30.0	33.0	-	110.3	系 - 87-20	发 178.6	_	(毫米)	-) 64.4	(33.2)	34.5	985.1
1953		(22.6)	50.9	87.4	(124.2)	131.9	144.0	(176.1))110.4	(36.6)	(32.2)	(17.6)	953-2
平均	24.7	27.8	47.8	98.9			160.2 蒸发量			50.5	32.7	21.4	969.2
1951	_	-	_	_	-	取八1	一 —	-	_	_	_	2.4	_
1952 H 1953 H	2.3 26 1.7 15	3.1 22 3.3 28	5.2 22 4.1 7	9.3 9 6.7 28	6.8 7 8.6 7	9.7 16 7.0 14	9.6 4 7.0 22	8.8 3 8.4 27	6.5 14 8.9 2	5.3 7 4.0 1	3.7 2 2.6 18	1.8 12 1.6 10	9.7 16/6 8.9 2/9
包 期年份	2.3 26 1952	3.3 28 1953	5.2 22 1951	9•3 9 1952	8.6 7 1953	9•7 16 1952	9.6 4 1952	8.8 3 1952	8.9 2 1953	5•3 7 1952	3.7 2 1952	2.4 1 1951	9•7 16/6 1952
湖	南	邵斯	B			P = 3	27°15'1	N λ=	111 2	3 E H	250	.O M	
1951 1952 1953	45.8	(40.1) 31.1 (29.6)	52.3	121.9	95.3	194.41	214.6	(150.4)	(167.8) 1144.1)117.1) 82.1 (53.0)	62.9	90.1	1430.4 1274.0 1154.9
平 均	42.3	33.6	53.7	88.0						84.1	53.2	63.7	1286.4
1951 H 1952 H 1953	4.2 20 3.2 21 4.0 6	4.8 19 4.0 22 4.0 11,21	5.0 17 6.1 22 4.7	5.1 7 8.3 16 9.7 28	9.7 31 7.5 13 9.0 9		蒸发量 9.9 28 10.7 1 9.2 30	(毫米) 11.0 20 8.8 27 10.9 3	10.7 19 9.8 24 8.7	6.6 13 9.1 2 5.0 2	5.0 2 4.9 10 2.4 18	5.0 14 6.3 24 2.8	11.0 20/8 10.8 17/6 10.9 3/8
極傾日期年份	4.2 20 1951	4.8 19 1951	6.1 22 1952	9.7 28 1953	9.7 31 1951	10.8 17 1952	10.7 1 1952	11.0 20 1951	10.7 19 1951	9.1 2 1952	5.0 2 1951	6.3 24 1952	11.0 20/8 1951
iI	西	九五	Ľ		蒸	9= 2		入 毫米)	115 59	5 E H	= 28.0	м	
	40.0 (39.3)	22.7	54.3	99.9	125.5 102.7 120.4	125.00 174.3 121.5	(120.6) 204.5 185.8	210.5 150.4 192.0	(91.6) 91.4	97.0 60.2 (62.6)	37.9	47.1 42.5 32.4	1070.7
小均	39.7	22.4	49.5	88.4			195.2		91.5	61.4	37.7	37.5	1053.7
1951 H 1952 H	2-2	1.8	3.5 18 4.5 23	4.3 11 7.2 17	7.0 23 7.4 15	7.3 21 9.8 30	7.1 27 10.9 31	10.7 21 10.5 2	7.0 5 5.1 11	4.7 4x 4.6 3	3.9 2,4 3.1 11	2.8 8,14 2.3 14	- 10.9 31/7

								_			_		
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 #	2.7	2.2	5.8 25	5•9 27	8.2	8.9	7.8 29	8.8	6.9	4.5	2.7	2.0	8.9 21/6
極値財	2.7 17 1953	2.2 11 1953	5.8 25 1953	7.2 17 1952	8.2 9 1953	9.8 30 1952	10.9 31 1952	10.7 21 1951	7.0 5 1951	4.7 4* 1951	3.9 2,4 1951	2.8 8,14 1951	10.9 31/7 1952
		南昌	4			P= 2	28 42 1	g 2_	115°5	i's F	I= - M		
		口徑不	明		蒸	发	量	(毫米)					
1929 1930 1931 1932 1933	59.0 55.6 43.5 84.0 56.0	34.7 50.6 50.6 47.0 56.0	78.6	96.0	89.0 111.0 97.0	158.1 162.0 133.0	209.0 199.0 243.5	180.0 203.5 190.0	133.0 144.0 129.0	172.0 134.0 113.0 153.0 98.9	84.0 94.5 115.0	57.0 83.0 97.0	1334.2 1378.7 1470.0 1476.8
1934	73-5	96.0	112.0	76.0	-	. –	-	-	-	-	_	-	-
平 均	60.6	47.1	78.5	100.6	107.3	143.4	214.3	196.1	138.5	134.2	110.7	83.6	1414.9
		玉	Ц			φ _m	28 40 1	n a-	118 1	5 B I	I= 93.0	5 M	
					蒸	发		量 (毫米					
1951 1952 1953	42.5 40.5	22.9 (27.5)	40.3 (55.3)	85.5 (95.3)	(88.9)	130.5	152.4	175.6	128.3	82.0 (68.1)	51.8 75.2 (49.5)	51.3 53.5 (32.6)	
平 均	41.5	25.2	47.8	90.4	101.4	143.1	202.2	206.9	120.7	75.1	62.4	43.1	1159.6
1951	-	_	_	_	-1	日最大	蒸发量	(毫米)) _	_	4.0	3.4	-
1952 H 1953	3.1 7 3.3 12	3.0 23 2.9	4.6 23 5.3 25	8.2 17 9.2 28	6.7 15,16 7.4 9,24	9.5	3	9.2 1 10.3	7.4 11 6.3 26	5.9 4 5.8	1 4.4 25 3.4	14 2.6 19 2.2	10.8 3/7 10.3 13/8
極簡別年份	3•3 12 1953	3.0 23 1952	5•3 25 1953	9•2 28 1953		9.5 19 1953	3	10.3 13 1953	7.4 11 1952	5.9 4 1952	4.4 25 1952	3.4 14 1951	10.8 3/7 1952
		輪り	11			φ= :	25 50 1	v 1=	114 50	S E	I= 109	,5 M	
					蒸	发	量	(毫米)				4- 0	
1951 1952 1953	67.8 42.3	55.7 45.9	56.4	106.7	135.0 104.5	163.3 173.2	179.6	179.8 (227.2)	146.8	125.7 (84.9)	95.3	67.8 57.2 (35.3)	1369.3
平 均	55.1	50.8	69.0	96.2						105.3	73.6	46.3	1316.1
1951 H 1952 H 1953	3.7 18 3.6 11	- 4.4 14 4.6 13	5.8 23 5.9	8.5 16 7.9 28	9.6	9.3 23 9.8 25	蒸发量 11.3 5 10.7 16	7.8 3 11.1 12	7.7 12 6.9 29	- 6.8 2 6.0 1	4.5 3,7,10 3.6 8	4.4 14 3.9 15 2.7	- 11.3 5/7 11.1 12/8
極期年份	3•7 18 1952	4.6 13 1953	5.9 10 1953	8.5 16 1952	9.6 4 1952	9.8 25 1953	5	11.1 12 1953	7.7 12 1952	6.8 2 1952		4.4 14 1951	11.3 5/7 1952

_				_								_	-
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
福	建	浦	协			P =	27 55	n Â	118 3	5 B	H= 269	.6 M	
	ì				-14-	12-	JE.	(de .li >					
1939	-	47.1	48.5	_	蒸	发 111.9	150.7	(毫米)		75.5	47.7	58.8	-
1940			54.9 70.6	107.3	95.1	100.7	172.4	182.0	134.2	81.8	50.8	45.7	1104.2
1942	53.0	21.6 97.6	46.1	87.9	102.3	135.3	173.9	158.4	122.1	-	50.9	-	_
1952		25.4	25.8	42.5	41.2	72.0	114.5	_	140.2	103.8	98.7	64.5	100
1953	38.8	_											1249.7
T 19	37.5	38.9	04.	104.2	109.9	133.2	181.5	196.8	108.9	83.4	52.0	41.7	1152.7
					[日最大	蒸发量	(毫米))				
1939	-	3.5 13	3.9	_	_	7.5 25	7.2	7.7	6.9 4	5.2 8	4.4	2.4 1,25	_
1940	2.4	2.9	4.7	5.8 18	6.4	7.0 17	7.5	8.0		5.4	3,3	2.6	8.0
1941	2.6	2.7	4.6	6.4 18	6.5	7.5	8.0	7.5	5.5	5.1	.3.5	17 3.5	16/8
1942	2.7	2.3	2.7	6.1	6.9	6.6	4	10	3,4	7	1 -	30	4/7
1951 W	1,1	7 27 5.5 22	11, 2:	2 23 8.5 11	21 8.2 3	16 5.3 1	5.9 24	5•9 23	5.6	4.3 12	3.4	2.3	=
1952	1.8	1.4	1.6	2.8	2.8	5.2			7.6	6.4	4.6	3.7	_
1953	2.8 10	3.1 12	30 5 • 4 25	18 7.3 28	17 7.7 10	30 8.5 21	9.7	10.4	6.3	6.8	4.0	3.7	10.4
極値		5.5	6.5	8.5	8.2	8,5	28	10.4	7 6	10	18	28	12/8
年 份	10	22 1951	17	11 1951	3 1951	21	28	12	7.6	10	4.6	3.7	10.4
		-//-	-//-	-//-	17)1	1953	1953	1953	1952	1953	1952	1952 1953	1953
		崇	=			-	0 3	2_	0	,			
		,,,,,					27 45 N		118 01	. 5 H	= 208.	(M	
1941	52.5	44.2	81 4	116.0	蒸	发	# (毫米)					
1942	61.9	2002	00.2	110.7	83.6	122.5	117.4 155.6	201.1	-	107.9		40.9	1251.4
1944	52.9	55.5	93.1	-	117.4	118.8	150.9	178.7	158 1	60 1	99.9	79.5	1254.9
1945		_	19.0	103.1	133.5	121.0	178.3	169.5	96.7	121.8	80.3	52.9	1195.9
1946	79.2 38.8	65.3	76.9	99.9	66.5	109.1	120.3	165.8 183.0	161.4 137.8	137.3	83.8	42.8	1187.5
作均	56.6	49.7	72.5	102.3	116.9	119.0	141.7	173.4	133.3	122.2	80.9	54.0	1222.4
		武夷山	1			W= 2	7°39″m	(A.S.	117053	* "	-(514.0	c) w	1
						7-2	, <i>37</i> F	4~	AA1 73	a 13:	-(714-0) M	
1949	-	_	_	-	業	发	*	(毫米)			75.	50.	
1950 1951	88.7	102.4	91.1	119.7	153.8	134.0	- :	184.5	147.4	155.4	75.3	59.5	-
1952	81.8						191.0					87.8	1461.5
平均			()	30)	1160)	175.01	201.09	510.0	113.9	72.91	56.8	34.0	1214.0
-	3047	70.7	03.7	104.2	143.2	153.0	194.7	219.3	136.2	118.7	91.0	76.1	1425.6

											O.		
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
					1	7 1 1	女 山 目						
1951 M 1952 H 1953	4.6 12 4.5 18 4.3 2	6.1 20 3.5 10,23 4.8 12	5.1 17 6.2 23 6.3	6.6 7 10.0 18 8.5 26	9.1 9,26 8.0 15 9.3	10.5	蒸发量 10.2 19 10.3 2 9.9 27	10.1 23 12.6 2 9.9 16	9.5 7 7.4 11 8.6	8.6 13 7.5 2 5.6 10	6.6 1 7.1 13 3.7 27	6.3 14,15 4.8 15 2.8 26	10.5 25/6 12.6 2/8 9.9 27/7,16/8
極値別	4.6 12 1951	6.1 20 1951	6.3 10 1953	10.0 18 1952	. 9.3 9 1953	10.5 25 1951	10.3 2 1952	12.6 2 1952	9.5 7 1951	8.6 13 1951	7.1 13 1952	6.3 14,15 1951	12.6 2/8 1952
		邵道	5		蒸	% = 2	27°21°1	(老米)	117 25	, E	= - M		
1940 1941 1942 1943 1944	42.0 34.2 49.6 104.1 87.5	35.3 29.1 17.1 47.1 70.5	43.6 51.6 44.8 51.0 81.5	70.6	86.0 122.7 84.4 106.8	147.8 115.4 104.8	157.5 121.6 170.2 140.0 234.0	179.3 204.3	101.4	103.6 91.0 118.0	48.0 43.1 83.7 119.0 41.4	49.0 35.4 45.7 112.4 41.2	995.3 1057.5 1127.1
1945	25.8	24.7	79.7	91.3	136.3	133.9	204.7	182.9	119.7	122.4	78.6	41.5	1241.5
平 均	47.8	35.3	60.2	80.4	106.1	121.9	177.6	181.3	134.4	90.1	59.0	42.6	1136.6
1940 H 1941 H 1942	2.9 24 2.5 20 2.6 30, 31	2.8 23 2.6 4 2.6	3.3 27 4.2 21 3.8 19,20	5.2 8 5.8 18 5.9			蒸发量 7.8 6,12 8.0 5	(毫米)		4.8 10 5.2 1	3.9 8 3.4 13	2.9 12,17 2.1 18,22	8.8
征 航日 期	2.9 24 1940	2.8 23 1940	4.2 21 1941	5.9 23 1942	7.3 23 1940	8.3 29 1941	8.0 5 1941	8.8 8 1941	7.1 6 1941	5.2 1 1941	3.9 8 1940	2.9 12,17 1940	8.8 8/8 1941
		福多	ž.			<i>9</i> = ;	27 04 1	N 2=	119 3	вв н	= 116.	о м	
					蒸	发	-	(毫米)					
1937 1938 1939 1940 1941	63.2 60.1 63.8 45.3	62.9 72.5 64.0 46.8	(74.9) (80.6)	108.9	128.9	91.0 212.5 131.9	(187.4) 200.4 (157.9))137.90 202.7)184.30 157.4	(147.9) 136.4 (158.3) 138.8	(110.0) 137.9)(98.3) 98.9 124.0	94.7 (64.3)	69.3	1264.4 1307.9
1942 1943 1946 1947 1948	67.0 68.4 - 33.5 48.9	35.3 71.6 61.3 37.8 35.6	75.9	115.3	131.6 86.3 109.6	109.4 115.6 80.9	165.2 138.6 136.8 191.7 110.9	74.4 165.4 182.8	130.4 122.6	100.0	79.0 - 68.8 72.1 82.5	58.9 41.3 62.1 48.1	1331.4 — 1157.1 1004.0
1949	59.4	50.8	-	-	-	-		~		-		0-0	gam.
平 均	51.7	43.9	84.5	102.3						106.8	72.4	58.4	1213.0
1937 H 1938 H 1939 H 1940 H	- 6.0 1 4.5 13 4.6 3 3.8 20	5.0 14 5.5 1 4.8 12 4.3	- - 6.3 22 5.4 27 6.6 22	9.6 23 - 6.7 18,30 7.6	10.7	最大 7.3 6,3 10.6 13 8.9 25 8.7 17 9.3	0 16	(毫米) 8.0 2 10.6 12 10.4 29 7.9 9	7.4 7 10.5 3 8.4 16 6.9 10 7.7	6.3 17 7.2 13,15 6.3 9,16 5.8 6 6.6	6.0	6.0 19,24 5.2 9 4.2 3,25 3.6 11 3.7	10.9

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1942	3.4	6.0	6.4	6.6	7.6	9.0	-	-	_		um um	_	-
極 値 日 期 年 份	6.0 1 1938	6.0 24 1942	6.6 22 1941	9.6 23 1938	10.7 5 1938	10.6 13 1938	10.9 8 1938	10.6 12 1938	10.5 3 1938	13,1		6.0 19,24 1937	10.9 8/7 1938
		南召	Z.			go _m	26 38	н ж	118 1	OE E	I= 127.	2 M	4
1020	(40.5)	(58.1)	(50 1	_	蒸	发		(毫米)	/1 AE R	(77.5)	. 62.2	77.7	
1940 1941 1942 1943	52.6 37.6 62.5 60.5	67.0 25.9 27.2 72.0	57.1 72.2 71.8	110.1 112.7 97.0	94.8	131.4 178.4 169.8	194.3 180.5 170.1	211.7	155.8	88.2 89.9 97.1 98.6	61.0 27.3 79.8 88.0	56.3 32.5 47.2 65.6	1280.3 1242.0 1312.4
1944 1945 1951 1952 1953	50.8 53.9 65.1 64.8 44.1	81.8	86.0 58.9	90.0 93.2	176.0	157.5 162.8	221.3 209.9 151.8	223.0 191.3	134.0 157.6 136.3	145.7	70.4 83.4 74.0 107.8 (62.2)	71.9 60.8 65.5 64.2 40.9	1521.3 1523.1 1322.4 1222.1
华 均	54.4	48.3	75•5	103.9					144-7	105.6	70.8	52.5	1346.2
1939 1940 1941 1941	3.0 14 3.5 25 3.3 6 4.8	4.3 18 4.1 28 2.5 4 3.4	5.6 5 4.9 31 4.9 22 5.2	- 8.6 30 7.2 29 6.0	8.4 9 7.3 2 7.6	8.1 25 8.0 3 8.2 17 8.4	8.6 31 9.0 25 8.7	8.2 29 8.6 17 8.2 2	7.5 16 7.9 10 6.9 6	5.3 7 5.5 18 5.4 7	3.7 11 3.9 6 2.1 1,4	3.9 3.0 19 2.0 30	9.0 25/7 8.7 13/7
1951 E	17 5.6 31	1 5,6 1	11,25 5.5 10	6.6 28	21 8.6 20	9 8.3 19.2	9.1 5 28	10.4	8,6	7.2 11	4.7 2,6	3.4 27	10.4
1952 # 1953 #	3.9 18 3.8 12	6.1 12 4.3 14	5.7 31 6.9 25	6.8 18 7.4 28	7.7 15 8.0 9	9.0 12 8.5 18	8.3 4 9.1 27	8.7 13 10.9	7.1 10 5.8 26	6.3 2 4.7 1	6.2 13 3.3 18	4.2 16 2.6 21	9.0 12/6 10.9 1/8
極 値 明 年 份	5.6 31 1951	6.1 12 1952	6.9 25 1953	8.6 30 1940	8.6 20 1951	9.0 12 1952	9.1 28,27 1951 1953		8.6 7 1951	7.2 11 1951	6.2 13 1952	4.2 16 1952	10.9 1/8 1953
	i	少縣				P= 2	6°24° N	1 2=	117 47	B H	- 44.4	M	
					蒸	发		(老米)					
1940 1941 1942	46.8 38.6	52.2 45.9	50.9	96.6	146.7	150.8	168.5 174.8 167.0	199.2	-	92.0	59.2	41.5	1183.2
1943	46.8 54.0	63.5	80.9	115.1	142.8	154.1	139.3	-		47.6 102.4 82.5	60.5 76.5 55.1	35.9 62.2 46.5	1186.4
1945 1946 1947 1948 1949	38.3 54.8 43.6 72.2 40.7	27.7 75.3 40.1 53.1 49.2	58.9 51.4 83.3	129.9 84.4 70.3	78.2 102.2 70.9	129.4 76.8 106.7	202.6 134.8 138.1 161.9 203.6	172.8 186.2 184.1	146.0 165.8 126.7	107.8 95.2 99.9 72.6 83.1	60.1 68.1 60.8 40.4 61.4	34.6 40.8 59.0 54.2	1205.4 1184.2 1108.3 1096.4
1950 1951 1952 1953	49.5 30.2 44.8 41.9	49.0 34.2 42.2 45.8	68.6 31.3 51.7 73.2	78.6	124.5	112.6	142.8 185.0 147.9 201.3	175.2 167.2	121.9	83.3 114.4 85.3 96.1	60.7 53.8 83.0 68.2	47.2 46.4 49.3	1085.3 1131.0
平 均	48.1	46.5	59.8	87.2	106.7	117.9	168.3	175.6	137.3	93.7	60.1	46.5	1147.5

1 2 8 4 5 6 7 8 9 10 11 12 全年 1940 17 26 31 27 10 6 13 11 27 71,9 8 48 6/6 6/6 17 19/20 18 23 4 11 16 12/3 18 19/21 18 19/20 18 23 4 11 16 12/3 18 19/21 18 19/20 18 23 4 11 16 12/3 18 19/20 18 23 4 11 16 12/3 18 18 19/20 18 23 4 11 16 12/3 18 18 18 19/20 18 23 19 1 6 5 5 5 5 5 7 7 7 7 7														
1940 2.7 3.6 4.5 5.2 7.5 8.6 8.0 8.4 8.4 4.7 3.9 2.0 8.6 1941 3.3 3.4 8.6 6.7 8.7 7.1 1.8 12.3 12.3 18 6 17 19.20 18 23 4 11 16 16.3 1951 2.2 3.0 3.6 6.0 6.5 7.0 8.8 9.9 7.1 5.6 3.7 2.7 9.9 18 12 41 7.28 12 23 19 16 12.6 7.7 7.9 1952 3.0 4.2 4.6 7.0 6.4 6.9 7.9 7.4 6.2 5.0 3.6 2.7 8.9 1952 3.0 4.2 4.6 7.0 6.4 6.9 7.9 7.4 6.2 5.0 3.6 2.7 8.9 1953 2.7 4.3 7.0 7.3 7.3 8.2 8.2 8.2 8.3 6.8 6.3 4.3 3.3 1953 12 13 25 26 9 20 24 10.12 6 2 8 - 1954 1941 1953 1953 1953 1952 1952 1941 1941 1940 1953 1953 1951 1941 1936 49.0 52.1 58.9 110.6 105.5 132.2 206.6 186.0 150.0 20.164.1 115.4 65.7 139.3 1933 71.1 56.9 55.1 152.2 206.6 186.0 150.0 20.1 13.5 50.4 74.6 1275.1 1934 79.8 42.2 74.6 6.6 112.2 13.2 206.2 206.5 186.0 150.5 132.2 27.5 40.9 1944 79.8 42.2 74.6 6.6 127.5 115.4 65.7 139.3 71.1 56.9 55.1 152.6 20.6 2186.0 200.4 139.5 103.6 51.5 22.6 36.6 1372.7 1944 79.8 42.2 74.6 6.6 112.2 13.2 206.5 186.0 200.4 139.5 103.6 51.5 22.6 36.6 1372.7 1944 79.8 42.2 74.6 6.6 112.2 13.2 206.5		1	2	3	4	5	6	7	8	9	10	11	12	全 年
1940 2.7 3.6 4.5 5.2 7.5 8.6 8.0 8.4 8.4 4.7 3.9 2.0 8.6 1941 3.3 3.4 8.6 6.7 8.7 7.1 1.8 12.3 12.3 18 6 17 19.20 18 23 4 11 16 16.3 1951 2.2 3.0 3.6 6.0 6.5 7.0 8.8 9.9 7.1 5.6 3.7 2.7 9.9 18 12 41 7.28 12 23 19 16 12.6 7.7 7.9 1952 3.0 4.2 4.6 7.0 6.4 6.9 7.9 7.4 6.2 5.0 3.6 2.7 8.9 1952 3.0 4.2 4.6 7.0 6.4 6.9 7.9 7.4 6.2 5.0 3.6 2.7 8.9 1953 2.7 4.3 7.0 7.3 7.3 8.2 8.2 8.2 8.3 6.8 6.3 4.3 3.3 1953 12 13 25 26 9 20 24 10.12 6 2 8 - 1954 1941 1953 1953 1953 1952 1952 1941 1941 1940 1953 1953 1951 1941 1936 49.0 52.1 58.9 110.6 105.5 132.2 206.6 186.0 150.0 20.164.1 115.4 65.7 139.3 1933 71.1 56.9 55.1 152.2 206.6 186.0 150.0 20.1 13.5 50.4 74.6 1275.1 1934 79.8 42.2 74.6 6.6 112.2 13.2 206.2 206.5 186.0 150.5 132.2 27.5 40.9 1944 79.8 42.2 74.6 6.6 127.5 115.4 65.7 139.3 71.1 56.9 55.1 152.6 20.6 2186.0 200.4 139.5 103.6 51.5 22.6 36.6 1372.7 1944 79.8 42.2 74.6 6.6 112.2 13.2 206.5 186.0 200.4 139.5 103.6 51.5 22.6 36.6 1372.7 1944 79.8 42.2 74.6 6.6 112.2 13.2 206.5						— FI	思大素	主七旦	(+ U)					
1941 37 36 31 27 10 6 13 11 27 7.9 8 8 6 6 6 17 19,20 18 23 4 11 16 16 1951 1951 23 30 4.8 6.6 7.8 7.7 11.8 12.3 16 1951 1952 3.0 3.6 6.0 6.5 7.0 8.8 9.9 7.1 5.6 3.7 2.7 9 1 10 3.0 4.2 4.6 7.0 8.4 8.9 7.9 7.4 6.2 5.0 3.8 2.7 8.9 1952 30 4.2 4.6 7.0 8.4 8.9 7.9 7.4 6.2 5.0 3.8 2.7 8.9 12 13 25 28 9 20 24 10,12 6 2 8 28 14 30 18 5 28 4 2 10 4 21 9 29 6 125 13 25 28 9 20 24 10,12 6 2 8 - -	1940	2.7	3.6	4.5	5.2					8.4	4.7	3.9	2.0	8.6
1951 1952 23	Ħ	17	26	31	27	10	6	13	11	27		8	4×	6/6
1951 2.2 3,0 3,6 6,0 6,5 7,0 8,8 9,9 7,1 5,6 3,7 2,7 9,9 19 19 24 17 28 12 23 19 1 6 1,2 6 7 1,8 1952 3,0 4.2 4.6 7,0 8.4 8.9 7,9 7.4 6.2 5,0 3,8 2,7 8.9 18 1953 2.7 4.3 7.0 7.3 7.3 8.2 8.2 8.3 6.8 6.3 4.3 28,6 12 13 25 28 9 20 24 10,12 6 2 8 12 13 25 28 9 20 24 10,12 6 2 8 12 13 25 28 9 20 24 10,12 6 2 8 7,9 16,6 8 9 1941 1953 1953 1953 1952 1952 1941 1941 1940 1953 1953 1953 1953 1952 1952 1941 1941 1940 1953 1953 1951 1941 1941 1940 1953 1953 1955 1952 1952 1941 1941 1940 1953 1953 1955 1954 1955 1954 1941 1941 1940 1953 1953 1955 1954 1955 1954 1955 1954 1941 1941												_		
1952 3.0		2.2	3.0	3.6	6.0	6.5	7.0	8.8	9.9		-		2.7	9.9
1953 28						-						_		
12 13 25 28 9 20 24 10,12 6 2 8	世	28	14	30	18	5	28	4	2	10	4	21		
機 値 3.3 4.3 7.0 7.3 8.4 8.9 11.8 12.3 8.4 6.3 4.3 2.7 12.3 8 9 6 13 25 28 5 28 11 16 27 2 8 7.9 16/8	1953								-					
## ## 1941 1953 1953 1953 1952 1952 1941 1941 1940 1953 1953 1951 1941 1940 1953 1953 1953 1951 1941	Date Adv	**	-3											
## ## 1941 1953 1953 1953 1952 1952 1941 1941 1940 1953 1953 1953 1951 1941 1952														
1936 49.0 52.1 58.9 110.8 105.2 129.2 206.2 188.0 150.2 164.1 115.4 65.7 1395.5 1937 (51.3) 53.6 50.7 111.9 (132.2) (90.2 200.5 188.0 150.2 164.1 115.4 65.7 1395.5 1938 71.1 56.9 85.1 152.6 (168.2 188.0 200.4 139.5 103.6 96.1 52.6 36.6 129.2 1394 27.9 34.8 49.3 76.9 59.4 71.8 116.4 (110.9) 84.8 55.9 (45.5) 75.7 807.3 1941 21.6 20.7 75.2 66.5 (56.2 289.9 73.5 115.6 89.7 24.3 1343 54.9 63.9 71.5 103.0 142.6 128.5 76.4 51.0 134.4 52.4 53.4 85.8 103.0 142.6 128.5 76.4 51.0 134.4 52.4 53.4 85.8 103.0 142.6 128.5 76.4 51.0														
接													1952	
1936 49.0 52.1 58.9 110.8 105.5 129.2 206.6 188.0(150.2)164.1 135.4 65.7 1395.5 137 (51.3) 53.6 50.7 111.9(132.2)(90.2)201.5(132.1)164.1 133.5 80.4 74.6 1276.1 1398 71.1 56.9 85.1(152.6)108.2188.0)200.4 139.5 103.6 98.1 52.6 36.6 1292.7 1393 27.1 42.3 52.1 - 88.8 112.2 135.2 88.2 73.5 40.9 28.4 - 1940 25.9 34.8 49.3 76.9 59.4 71.8 116.4(110.9) 84.8 55.9 (45.5) 75.7 807.3 1940 22.6 20.7 75.2 66.5 (56.2)289.9 73.5 115.6 89.7 - 1943 54.9 63.9 71.5 - 103.0 142.6 - 128.5 76.4 51.0 - 1944 52.4 53.4 85.8 103.0 142.6 128.5 76.4 51.0 1944 52.4 53.4 85.8 128.5 76.4 51.0 1944 52.4 53.4 85.8 128.5 76.4 51.0			福州	4	•		φ= 2	26 °05'1	g Am	119 1	8'3 1	H=91.0	M	
1936 49.0 52.1 58.9 110.8 105.5 129.2 206.6 188.0(150.2)164.1 131.8 465.7 1395.5 1937 (51.3) 53.6 50.7 111.9(132.2)(90.2)201.5(132.1)164.1 133.8 80.4 74.6 1276.1 133.8 71.1 56.9 85.1(152.6)206.2 1189.5 103.6 98.1 52.0 36.6 1292.7 11939 27.1 42.3 52.1 - 88.8 112.2 135.2 88.2 73.5 40.9 28.4 - 807.3 1939 27.1 42.3 52.1 - 88.8 112.2 135.2 88.2 73.5 40.9 28.4 - 807.3 1939 27.1 42.3 52.1 - 88.8 112.2 135.2 88.2 73.5 40.9 28.4 - 807.3 1939 27.1 42.3 52.1 - 88.8 112.2 135.2 88.2 73.5 40.9 28.4 - 807.3 1940 25.6 50.7 75.2 66.5 (56.2)289.9 73.5 115.6 89.7 - 1943 54.9 63.9 71.5 - 103.0 142.6 - 128.5 76.4 51.0 - 1944 52.4 53.4 85.8 103.0 142.6 - 128.5 76.4 51.0 - 1944 52.4 53.4 85.8 103.0 142.6 125.7 112.9 73.5 63.2 1192.9 95.5 40.6 (53.5) 86.0(120.6)101.4)151.9 182.4 129.1 103.8 97.7 58.8 1185.3 195.5 (51.4) 45.4 (86.9)100.9 96.9 144.5 194.9 201.0 106.9 99.1 80.9 65.3 1274.1 年 54.1 50.7 69.1 91.1 123.8 134.8 189.1 198.3 124.0 120.5 88.5 70.6 1314.6 - 138.5 13.9 3.8 5.5 7.9 7.5 8.8 9.0 8.0 9.3 6.2 4.4 3.9 9.3 19 21 13 15 14.15 6 11 2 17 3 16 17 3 19 19 13 15 14.15 6 11 2 17 3 16 17 3 19 19 19 13 15 14.15 6 11 2 17 3 16 17 2.2 8 9 8 7 19 19 11 12 13 15 14.15 6 11 2 17 3 16 17 2.2 8 9 8 7 19 11 12 11 - 24 5.12 30 9 28 3 38 - 11 17 8 8 14 4 15 12.2 8 9 8 7 19 19 11 12 6 18 6 18 5.2 5.5 7.7 5.8 8 14 4 15 12.2 8 9 8 7 1 1940 1.6 2.3 5.2 4.8 5.2 5.5 7.7 5.8 8 4.7 4.2 3.9 3.9 3.9 7.7 8 16 48 31 21.30 1 30 12 8.10 7.24 13 30 3 12/7 1941 4.2 3.0 5.3	- (1)					蒸	发	量(毫米)					
1938 71.1 56.9 85.1(152.6)(108.2 188.0)200.4 139.5 103.6 98.1 52.6 36.6 1292.7 1939 27.1 42.3 52.1 86.8 112.2 135.2 88.2 73.5 40.9 28.4 - 1940 25.9 34.8 49.3 76.9 59.4 71.8 116.4(110.9) 84.8 55.9 (45.5) 75.7 807.3 1941 59.8 42.2 (74.8) 73.5 115.6 89.7 - 807.3 1943 54.9 63.9 71.5 103.0 142.6 128.5 76.4 51.0 - 1944 52.4 53.4 85.8 103.0 142.6 128.5 76.4 51.0 - 1944 52.4 53.4 85.8 103.0 142.6 125.7 112.9 73.5 63.2 1192.9 49.3 49.4 61.0 113.1 101.3 119.8 181.2 142.6 125.7 112.9 73.5 63.2 1192.9 195.2 59.5 40.6 (53.5) 86.0(120.6)(101.4)151.9 182.4 129.1 103.8 97.7 58.8 1185.3 19.2 (51.4) 45.4 (86.9)100.9 96.9 144.5 194.9 201.0 106.9 99.1 80.9 65.3 1274.1 年							129.2	206.6	188.0					
1930 27.1 42.3 52.1 86.8 112.2 135.2 88.2 73.5 40.9 28.4 - 1940 25.9 34.8 49.3 76.9 59.4 71.8 116.4(110.9) 84.8 55.9 (45.5) 75.7 807.3 1941 59.8 42.2 (74.8) 24.3 1943 54.9 63.9 71.5 103.0 142.6 128.5 76.4 51.0														
1941 1942 21.6 20.7 75.2 66.5 (56.2) 289.9 73.5 115.6 89.7 - 1943 54.9 63.9 71.5 103.0 142.6 120.5 76.4 51.0 1944 52.4 53.4 85.8 120.5 76.4 51.0	1939	27.1	42.3	52.1	-	-	86.8	112.2	135.2	88.2	73-5	40.9	28.4	-
1942 21.6 20.7 75.2 266.5 (56.2) 289.9 73.5 115.6 89.7 - 1944 52.4 53.4 85.8 128.5 76.4 51.0	1940	25.9	34.8	49.3	76.9	59 • 4	71.8	116.4	(110.9)	84.8	55.9	(45.5)	75.7	807.3
1943 54.9 63.9 71.5 - - 103.0 142.6 - - 128.5 76.4 51.0 - - - - - - - - -							-	-	-	-	-	-		-
本 均 49.3 49.4 61.0 113.1 101.3 119.8 181.2 142.6 125.7 112.9 73.5 63.2 1492.9 本 均 49.3 49.4 61.0 113.1 101.3 119.8 181.2 142.6 125.7 112.9 73.5 63.2 1492.9 本 均 49.3 49.4 61.0 113.1 101.3 119.8 181.2 142.6 125.7 112.9 73.5 63.2 1492.9 ★ 方									_	_				_
大き 1951 51.5 66.2 66.8 86.3 153.8 158.6 220.4 211.4 (136.0) 158.7 86.9 87.7 1484.3 1952 59.5 40.6 (53.5) 86.0 (120.6 (101.4) 151.9 182.4 129.1 103.8 97.7 58.8 1185.3 119.3 (51.4) 45.4 (86.9) 100.9 96.9 144.5 194.9 201.0 106.9 99.1 80.9 65.3 1274.1							-	-	-	-	**		-	-
1951 51.5 66.2 66.8 86.3 153.8 156.6 220.4 211.4 (136.0) 158.7 86.9 87.7 1484.3 1952 59.5 40.6 (53.5) 86.0 (120.6) (101.4) 151.9 182.4 129.1 103.8 97.7 58.8 1185.3 19.3 (51.4) 45.4 (86.9) 100.9 96.9 144.5 194.9 201.0 106.9 99.1 80.9 65.3 1274.1 本 均 54.1 50.7 69.1 91.1 123.8 134.8 189.1 198.3 124.0 120.5 88.5 70.6 1314.6 — 日最大蒸发量(ま米) 1936 3.3 3.3 3.9 9.8 7.7 7.8 9.8 9.6 7.9 8.6 6.7 3.9 9.8 7.7 7.8 9.8 9.6 7.9 8.6 6.7 3.9 9.8 7.7 7.8 9.8 9.6 7.9 8.6 6.7 3.9 9.8 7.7 7.8 9.8 9.6 7.9 8.6 6.7 3.9 9.8 7.7 7.8 9.8 9.0 8.0 9.3 6.2 4.4 3.9 9.3 7.7 7.8 9.8 9.0 8.0 9.3 6.2 4.4 3.9 9.3 7.7 7.8 8.8 1.4 1.5 12.28 9.8 7.9 7.5 7.8 8.8 7.9 5.2 2.7 2.6 9.8 7.9 7.5	本 均	40.2	40.4	61.0	112.7	101.3	110.8	181.2	142.6	125.7	112.9	73.5	63.2	1192.9
1951 1952 51.5 66.2 66.8 86.3 153.8 158.6 220.4 211.4(136.0)158.7 86.9 87.7 1484.3 199.3 (51.4) 45.4 (86.9)100.9 96.9 144.5 194.9 201.0 106.9 99.1 80.9 65.3 1274.1 本 均 54.1 50.7 69.1 91.1 123.8 134.8 189.1 198.3 124.0 120.5 88.5 70.6 1314.6 一日最大蒸发量(速米) 1936 3.3 3.3 3.9 9.8 7.7 7.8 9.8 9.6 7.9 8.6 6.7 3.9 9.8 N 21 4.24 27 9 7 29 1 19 22 8 4 3 9/4.1/7 1937 3.9 3.8 5.5 7.9 7.5 8.8 9.0 8.0 9.3 6.2 4.4 3.9 9.3 N 19 21 13 15 14.15 6 11 2 15 17 3 16 15/9 1938 4.7 5.9 6.9 8.6 8.3 9.0 9.8 8.2 7.9 5.2 2.7 2.6 9.8 N 22 31 17 7 8 8 8 14 4 15 12.28 9 8/7 1939 1.6 2.8 4.6 6.3 8.9 7.7 5.7 5.7 5.5 4.3 1.7 - 1940 1.6 2.3 5.2 4.8 5.2 5.5 7.7 7 5.8 4.7 4.2 3.9 3.9 3.9 3.9 1.6 4.8 31 21.30 1 30 12 8,10 7,24 13 30 3 12/7 1941 4.2 3.0 5.3 4.1 3.9 6.9 13.4 9/6 18 4 31 21.30 1 30 12 8,10 7,24 13 30 3 12/7 1951 3.6 3.8 1938 1938 1938 1938 1938 1938 1938 193		47.03	47 • 4	02.0	11) 11	101.5	117.0	20202	24500					
1951 1952 51.5 66.2 66.8 86.3 153.8 158.6 220.4 211.4(136.0)158.7 86.9 87.7 1484.3 199.3 (51.4) 45.4 (86.9)100.9 96.9 144.5 194.9 201.0 106.9 99.1 80.9 65.3 1274.1 本 均 54.1 50.7 69.1 91.1 123.8 134.8 189.1 198.3 124.0 120.5 88.5 70.6 1314.6 一日最大蒸发量(速米) 1936 3.3 3.3 3.9 9.8 7.7 7.8 9.8 9.6 7.9 8.6 6.7 3.9 9.8 N 21 4.24 27 9 7 29 1 19 22 8 4 3 9/4.1/7 1937 3.9 3.8 5.5 7.9 7.5 8.8 9.0 8.0 9.3 6.2 4.4 3.9 9.3 N 19 21 13 15 14.15 6 11 2 15 17 3 16 15/9 1938 4.7 5.9 6.9 8.6 8.3 9.0 9.8 8.2 7.9 5.2 2.7 2.6 9.8 N 22 31 17 7 8 8 8 14 4 15 12.28 9 8/7 1939 1.6 2.8 4.6 6.3 8.9 7.7 5.7 5.7 5.5 4.3 1.7 - 1940 1.6 2.3 5.2 4.8 5.2 5.5 7.7 7 5.8 4.7 4.2 3.9 3.9 3.9 3.9 1.6 4.8 31 21.30 1 30 12 8,10 7,24 13 30 3 12/7 1941 4.2 3.0 5.3 4.1 3.9 6.9 13.4 9/6 18 4 31 21.30 1 30 12 8,10 7,24 13 30 3 12/7 1951 3.6 3.8 1938 1938 1938 1938 1938 1938 1938 193						,								
1951 1952 51.5 66.2 66.8 86.3 153.8 158.6 220.4 211.4(136.0)158.7 86.9 87.7 1484.3 199.3 (51.4) 45.4 (86.9)100.9 96.9 144.5 194.9 201.0 106.9 99.1 80.9 65.3 1274.1 本 均 54.1 50.7 69.1 91.1 123.8 134.8 189.1 198.3 124.0 120.5 88.5 70.6 1314.6 一日最大蒸发量(速米) 1936 3.3 3.3 3.9 9.8 7.7 7.8 9.8 9.6 7.9 8.6 6.7 3.9 9.8 N 21 4.24 27 9 7 29 1 19 22 8 4 3 9/4.1/7 1937 3.9 3.8 5.5 7.9 7.5 8.8 9.0 8.0 9.3 6.2 4.4 3.9 9.3 N 19 21 13 15 14.15 6 11 2 15 17 3 16 15/9 1938 4.7 5.9 6.9 8.6 8.3 9.0 9.8 8.2 7.9 5.2 2.7 2.6 9.8 N 22 31 17 7 8 8 8 14 4 15 12.28 9 8/7 1939 1.6 2.8 4.6 6.3 8.9 7.7 5.7 5.7 5.5 4.3 1.7 - 1940 1.6 2.3 5.2 4.8 5.2 5.5 7.7 7 5.8 4.7 4.2 3.9 3.9 3.9 3.9 1.6 4.8 31 21.30 1 30 12 8,10 7,24 13 30 3 12/7 1941 4.2 3.0 5.3 4.1 3.9 6.9 13.4 9/6 18 4 31 21.30 1 30 12 8,10 7,24 13 30 3 12/7 1951 3.6 3.8 1938 1938 1938 1938 1938 1938 1938 193	200					莱 .	告	昌 (本本人					
1952 59.5 40.6 (53.5) 86.0(120.6)(101.4)151.9 182.4 129.1 103.8 97.7 58.8 1185.3 19.3 (51.4) 45.4 (86.9)100.9 96.9 144.5 194.9 201.0 106.9 99.1 80.9 65.3 1274.1 本 均 54.1 50.7 69.1 91.1 123.8 134.8 189.1 198.3 124.0 120.5 88.5 70.6 1314.6 —日最大寒度(寒*) 1936 3.3 3.3 3.9 9.8 7.7 7.8 9.8 9.6 7.9 8.6 6.7 3.9 9.8 1937 3.9 3.8 5.5 7.9 7.5 8.8 9.0 8.0 9.3 6.2 4.4 3.9 9.3 19 21 13 15 14.15 6 11 2 15 17 3 16 15/9 1938 4.7 5.9 6.9 8.6 8.3 9.0 9.8 8.2 7.9 5.2 2.7 2.6 9.8 1939 1.6 2.8 4.6 -	1951	51.5	66.2	66.8	86.3	****				(136.0)158.7	86.9	87.7	1484.3
一日最大蒸发量(主米) 1936 3-3 3-3 3-9 9-8 7-7 7-8 9.8 9-6 7-9 8-6 6-7 3-9 9-8 1937 3-9 3-8 5-5 7-9 7-5 8-8 9-0 8-0 9-3 6-2 4-4 3-9 9-3 19 21 13 15 14,15 6 11 2 15 17 3 16 15/9 1938 4-7 5-9 6-9 8-6 8-3 3 9-0 9-8 8-2 7-9 5-2 2-7 2-6 9-8 1940 1-6 2-8 4-6 6-3 3-9 7-7 5-7 5-5 4-3 1-7 - 1940 1-6 2-3 5-2 4-8 5-2 5-5 7-7 5-8 4-7 4-2 3-9 3-9 7-7 1941 4-2 3-0 5-3				(53.5)	86.0(120.6)	(101.4)	151.9	182.4	129.1	103.8		-	
日最大蒸发量(ま米)	19,3	(51.4)	45.4	(00.9)	100.9	96.9	144.5	194.9	201.0	106.9	99.1	00.9	07.5	12/4-1
1936 3.3 3.3 3.9 9.8 7.7 7.8 9.8 9.6 7.9 8.6 6.7 3.9 9.8 21	平 均	54.1	50.7	69.1	91.1	123.8	134.8	189,1	198.3	124.0	120.5	88.5	70.6	1314.6
1937 3.9 3.8 5.5 7.9 7.5 8.8 9.0 8.0 9.3 6.2 4.4 3.9 9.3 19.0 19.0 19.0 19.0 19.0 19.0 19.0 19.0	-						日最大	蒸发量	(毫米)				
1937 3.9 3.8 5.5 7.9 7.5 8.8 9.0 8.0 9.3 6.2 4.4 3.9 9.3 19 21 13 15 14,15 6 11 2 15 17 3 16 15/9 1938 4.7 5.9 6.9 8.6 8.3 9.0 9.8 8.2 7.9 5.2 2.7 2.6 9.8 8.7 1939 1.6 2.8 4.6 6.3 8.9 7.7 5.7 5.5 4.3 1.7 - 1 1 25 11 24 5,12 30 9 28 3 3														9.8
19 19 21 13 15 14,15 6 11 2 15 17 3 16 15/9 19 19 22 31 17 7 8 8 14 4 15 12,28 9 8/7 19 19 10 22 31 17 7 8 8 14 4 15 12,28 9 8/7 19 10 22 31 17 7 8 8 14 4 15 12,28 9 8/7 19 10 22 34 46 6.3 3.9 7.7 5.7 5.5 4.3 1.7 - 10 11 25 11 24 5,12 30 9 28 3 38 - 19 10 10 23 5.2 4.8 5.2 5.5 7.7 5.8 4.7 4.2 3.9 3.9 7.7 10 11 4.2 3.0 5.3		2												
H 30 22 31 17 7 8 8 14 4 15 12,28 9 8/7 1939				13							17	_		
1 1 25 11 -	H	30	22	31	_		8	8				-		
1940					-	-		6.9	7.7					-
1941 4.2 3.0 5.3	1940	1.6	2.3	5.2			5.5	7.7	5.8	4.7		3.9	3.9	7.7
1942	H	16	48	31	21,30	1	30	12	8,10	7,2	13	30	3	12/7
1942							***	-	-	-	-		-	
日 5 24 3単 2 27 9 9/6 個 値 4.7 5.9 6.9 9.8 8.3 13.4 9.8 9.6 9.3 8.6 6.7 3.9 13.4 日初 30 22 31 9 7 9 1.8 19 15 8 4 3,16,3 9/6 分 1938 1938 1938 1936 1936 1942 1936 1936 1937 1936 1936 3年 1942 1938 1938 1938 1938 1948 1948 (意来) - 日設大蒸炭量(意来) 1951 3.6 5.3 4.9 7.6 8.4 10.6 10.0 14.3 9.7 9.2 6.0 4.6 14.3 出 29 19 17,18 4 31 27 22 20 19 13 2 4 20/8 1952 3.5 3.6 5.4 6.5 8.9 8.3 7.9 7.9 8.2 6.3 4.9 3.3 8.9 12 22 17 5 28 3第 17 25 3 3第 1 5/5 1953 3.6 3.8 6.8 6.8 6.3 7.6 7.7 8.1 9.1 7.3 7.0 4.5 4.5 9.1														
日初 30 22 31 9 7 9 1,8 19 15 8 4 3,16,3 9/6 年 分 1938 1938 1938 1938 1938 1938 1938 1938								-	-	-	-	-		9/6
日 初 30 22 31 9 7 9 1,8 19 15 8 4 3,163 9/6 1938 1938 1938 1938 1938 1936 1936 1936 1936 1937 1936 1936 3年 1942 1936 1938 1938 1938 1938 1938 1938 1938 1938	極値	4-7	5.9	6.9	9.8	8_3	13.4	9.8	9.6	9.3	8_6	6.7	3-9	13-4
一日最大蒸发量(き米) 3.6 5.3 4.9 7.6 8.4 10.6 10.0 14.3 9.7 9.2 6.0 4.6 14.3 H 29 19 17.18 4 31 27 22 20 19 13 2 4 20/8 1952 3.5 3.6 5.4 6.5 8.9 8.3 7.9 7.9 8.2 6.3 4.9 3.3 8.9 29 12 22 17 5 28 3第 17 25 3 3第 1 5/5 1953 3.6 3.8 6.8 6.3 7.6 7.7 8.1 9.1 7.3 7.0 4.5 4.5 9.1		30	22	31	9	7	9	1.8	19	15	8	4	3,16,3	9/6
一日最大蒸发量(き米) 3.6 5.3 4.9 7.6 8.4 10.6 10.0 14.3 9.7 9.2 6.0 4.6 14.3 H 29 19 17.18 4 31 27 22 20 19 13 2 4 20/8 1952 3.5 3.6 5.4 6.5 8.9 8.3 7.9 7.9 8.2 6.3 4.9 3.3 8.9 29 12 22 17 5 28 3第 17 25 3 3第 1 5/5 1953 3.6 3.8 6.8 6.3 7.6 7.7 8.1 9.1 7.3 7.0 4.5 4.5 9.1	7 63	1938	1938	1938	1936			1938			1936	1936	3年	1942
H 29 19 17,18 4 31 27 22 20 19 13 2 4 20/8 1952 3.6 5.4 6.5 8.9 8.3 7.9 7.9 8.2 6.3 4.9 3.3 8.9 H 29 12 22 17 5 28 3\mathbf{x} 17 25 3 3\mathbf{x} 1 5/5 1953 3.6 6.8 6.3 7.6 7.7 8.1 9.1 7.3 7.0 4.5 4.5 9.1								蒸发量)				
1952 3.5 3.6 5.4 6.5 8.9 8.3 7.9 7.9 8.2 6.3 4.9 3.3 8.9 8.9 12 22 17 5 28 3\pi 17 25 3 3\pi 1 5/5 1953 3.6 3.8 6.8 6.3 7.6 7.7 8.1 9.1 7.3 7.0 4.5 4.5 9.1						31				19				
1953 3.6 3.8 6.8 6.3 7.6 7.7 8.1 9.1 7.3 7.0 4.5 4.5 9.1	1952	3.5	3.6	5.4	6.5	8.9	8.3	7.9	7.9	8.2	6.3	4.9	3.3	8.9

10													
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極強	3.6	5.3	6.8	7.6	8.9	10.6	10.0	14.3		9.2	6.0	4.6	14.3
日期	29,7	19 1951	1953	1951	1952	27 1951	22 1951	20 1951	1951	13	1951	1951	20/8
	1953												
		永 安				Pm :	25°58'1	n 3=	117°2	1 E E	E- 210.	.0 M	
					並	发	#	(毫米)					
1938	-	-	-		- 1	-		-	-	143.7	91.7	65.7	-
19 39	48.4	73.2	65.2	101.9	161.6	128.4	188.2	190.8	157.7	95.5	64.2	71.7	1352.9
1941	31.7	31.3	(57.9)	91.2	117.8	137.6	162.3	170.4	115.1	103.1	39.0	38.5	1095.9
1942	49.9	33.5	91.3	(01.0)	100.0	104.3	104.7	196.9	179.3	105.0	13.3	48.4	1300.4
1943	54.4	70.7							157.2	128.6	94.9	65.3	1303.4
1945	35.6	22.1	86.0	145.5	157.0	180.5	231.4	200.2	138.9	136.5	81.6	47.8	1323.5
1946	71.1	92.3								116.4		36.3	1449.7
1947	31.7	36.8								104.3	73.9	58.4	1225.5
1948	56.1	47.7	90.0	98.1					148.1		71.4	73.1	1353.7
4 10	51.0	53.1	1103	100.5						111.0	11.4	74.3	1317.5
1938	_	_	_			日最大	蒸发量	(主米)	_	6.9	4.5	4.1	
Ħ	-	849	-	-			_	-	-	15	2,25		_
19 39	3.5	6.8	8.2	ends	_	10.6	10.4	9.4	8.6	6.3	3.7	3.3	10.6
1940	3.1	5.8	7.9	7.8	7.6	7.9	9.2	8.3	6.9	6.2	4.3	2.9	9.2
1941	2.5	2.4	21 5.8	20	3,24			17	6.5	19 5.1	3.1	2.4	3/7
N .	3#	21	20	4,19	23	3	9	7	2	2	1	21	7/8
1942	3.9	4.3	6.7	6.0	8.8	8.7	-	-	_	-	_		_
極 植 期	3.9	6.8	8.2	7.8	8.8	10.6	10.4	10.0	8.6	6.9	4.5	4.1	10.6 26/6
年 份	1942	1939	1939	1940	1942	1939	1939	1941	1939	1938		1938	1939
							0 .						
		長汀			14-	9=	25 45 1	g Au	116 20	O'B F	!= 311.	3 M	
3030		62.2	43.5		蒸	发		(毫米)			(1- 1)	/>	
1939	57.8	82.9	41.5	94.9	104.4	116.7	136.9	210.3	146.0	100.7	66.7	(75.1) 60.6	1202.3
1941	40.6	32.5	56.7	68.6	87.2	137.0	119.6	154.8	112.9	112.9	47.0	39.3	1009.1
1942	72.5	25.0 83.8	73.0	100.8	145.3	125.3	119.9	109.4	144,2	101.4	137.0	69.3	1196.7
1944	91.2	50.7	72.8										2207 2
1945	45-7	21.9	79.7	111.0	114.7	120.8	181.3	1 38.5	160.3	135.8	52·3 75·4	62.2 38.4	1197.3
1951 1952	51.5	66.3	46.5	71.2	133.8	124.3	184.3	150.8	164.0	136.8	74.6	80.4	1284.5
					112.5								
平均	59.9	46.6	64.5	82.4						114.3	69.7	58.4	1177.2
26.00							蒸发量						
1939 N	_	4.8	3.6	_	_	6.9	10.1	10.4	11.6	6.1	4.3	3.9	11.6
1940	3.0	7.8	5.5	6.5	6.8	7.5	7.7	9.6	7.4	6.1	3.9	3.5	9.6
1941	2.8	3.0	4.3	5.8	15	8.4	7.2	8.2	7.0	8 5.7	3.4	2.6	23/8 8.4
1942	6	1	20	16	23	4	11	10	9	1	1	7,25	4/6
W	22	2.5	5.0	4.9	6.4	7.9	-	_	_	_	-	_	-
1951 #	3.3	4.1	4.0	4.8	7.8	7.3	8.2	6.9	7.8	7.7	5.0	5.2	8.2
1952	4.0	3.1	4.4	8.0	6.2	8.2	5	29	5	1	2	14	5/7
H	28	12,14	23	29	16	27	-		-	-	-	-	-

									_			_	
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極 値 財 年 份	4.5 22 1942	7.8 26 1940	5.5 11 1940	8.0 29 1952	7.8 9 1951	8.4 4 1941	10.1 21 1939	10.4 30 1939	30	7.7 1 1951	5.0 2 1951	5.2 14 1951	11.6 30/9 1939
		連	破			Ø= ;	25 42'	N 4-	116 4	4'E E	i= - M		
					蒸	发	*	(毫米)					
	82.6	65.7 99.6	101.0	101.7	136.4	164.8	154.0 180.0 155.5)170.9 218.7 190.3	191.2	152.3	126.1 99.1 158.3	132.0 142.5 138.0	1557.7 1609.0 1907.7
1945 1946 1947	100.5 139.7 102.4	63.4 140.8 91.1	123.7 102.0 129.5	120.9 123.0 113.0	149.2	140.2 134.4 108.2	190.8	175.2 136.6 172.4	162.1 149.4 173.6 178.5 157.8	183.5 135.5 175.7	144.8 149.9 158.2	119.7 105.7 113.5	1766.8 1660.3
1949	164.0	129.0	-	-	-	-	-	-	-	-	-		-
平 均	127.5	83.5	123.5	121.1	140.2	145.6	171.9	184.3	169.0	161.8	132.5	139.4	1700.3
					蒸	发	量 ((毫米)					
1951 1952 1953	58.6 54.5 52.5	66.4 52.7 51.6	50.5 61.1 76.1	(80.9)	125.4	121.8	171.2	143.9	133.5 122.7 112.9	111.9	115.2	58.3 65.8	1181.6
平 均	56.6	59.6	55.8	72.0	131.1	119.3	145.5	142.4	128.1	116.2	86.1	62.1	1174.6
1939 H 1940 W 1941 W	4.3 7,12 6.2 8 9.1	8.2 27 5.5 1 8.3 2	7.3 13 6.7 20 8.4 24	7.8 5 7.5 17 8.8 14	- 日 - 8.4 2 8.2 12 8.7 30	最大美元。9.1 3 8.0 4,26 8.5 13	8.8 31 8.8 26 9.1 8 12	(毫米) 10.5 30 9.1 9 8.8 4末	9.1	6.8 8 7.8 20 7.9 2	6.5 8 6.8 17 6.0	4.7 19 6.1 6 7.8 25	10.5 30/8 9.1 3/69/8 9.2 3/9
極 慎 別	3	8.3 2 1942	8.4 24 1942	8.8 14 1942	8.7 30 1942	9:1 3 1940	9.1 12 1941	10.5 30 1939	3	7.9 2 1941	6.8 17 1940	7.8 25 1941	10.5 30/8 1939
1951 W 1952 W 1953	4.1 19 3.2 28 4.2 13	5.0 22 4.0 11,25 5.4	3.2 11 5.3 30 6.3 26	5.8 28 7.6 18 8.1 28	7.6 23 7.3 4 10.8 9	最大 7.0 28,30 10.6 18	8.7 18 8.6		6.9 13 7.0 24 6.3	5.9 17 7.1 3. 5.8	3.7 4,5 5.3 13 5.4	3.2 14 4.6 16	8.6 5/7 11.1 16/8
極値別年俗	4.2 13 1953	5•4 13 1953	6.3 26 1953	8.1 28 1953	10.8 9 1953	10.6 18 1953	18	11.1 16 1953	24	7.1 3 1952	5•4 8 1953	4.6 16 1952	11.1 16/8 1953
		惠多	ē			p. :	25°08'1	1 4-	119 20	'E E	I= - M		
1946 1947 1948 1949		72.2	119.1	121.8	135.0	(96.4)	161.5	(205.3)	(203.6))175.4 179.6	196.6	155.5	109.2	1654.0 1630.0

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 妈	80.1	87.6	5 97.0	129.	7 127.	4 119.	3 168.	5 198.	6 189.	5 196.	3 145.	8 102-4	1642.0
		okte i s	Aa				۰.		0				
	1	龍才	5			9	25 06"	N A.	1170	1'B 1	H= 332	.6 M	
					蒸	发	- #	(毫米)					
1939	-	_	-	-	_	_	_	_	-			105.3	, -
1940	9	90.2							168.5			112.4	1503.5
1942	-	-	71.6	97.6	138.2	185.1	134.5	170.7	185.6		88.9	74.4	_
1943	83.1	85.4	82.7	119.0	155.9	108.8	130.4	_		139.1	133.2	109.0	-
	113.8	64.9	88.1	81.5	83.4	100.2	163.6	149.4	154.4	124.1	77-9	72.7	1274.0
1945 1952	-	-	-	-	-	part	-	128.4	104.6	109.9	91.1	78.8	1423.9
1953	(57.5)	50.8	63.9	72.0	75.1	109.3	173.7	184.2	(106.3	X 103.3	90.8	(79.8)	1166.7
平 均	77.3	61.0	86.7	95.4	99.8	129.6	171.0	163.3	136.2	137.0	99.0	85.9	1342.0
]	日最大	蒸发量	(毫米))				
1939	-	_	-	_	-	_	-	-		8.1	6.0	5.6	-
1940	3.6	5.0	6.0	5.9	6.9	9.0	8.9	7.7	7.5	8.1	7,10 6.4	18 5•4	9.0
1941	5.0	28 5 • 4	12 6.0	11,21	9.0	12 8.0	8.7	7	8,9	25 7.8	13	14 7.8	12/6
H	5	13	22	16	10	2	24	15	5,6	29	-	25	-
1942	_	_	5.6 20	5.0 24,30	6.4	7.2	-	-	-	-	. =	-	-
1952	-	-	-	_	_	-	-	7.6	6.2	5.2	4.9	4.4	-
Ħ								3	19	2,4	13	15	-
1953	3	12	6.1 25	6.4 28	7.6	7.5 20	7.8	11.0	9.8	5.6 28	5.8 17	5.0 11	11.0
極質		5.4 13	6.1	8.1 16	9.0	9.0	8.9	11.0	9.8	8.1	6.4	7.8	11.0
年份	1 2	1941	25 1953	1941	10 1941	12 1940	13 1940	12 1953	1953	9,2	1940	25 1941	12/8 1953
										1940			
		厦片	9			P= 2	24°32'1	I λim	1180	PE E	I= 12.	3 M	
					主	10-	W.,						
1951	(58.5)	50.5	45.2	55.0	蒸 128。20	发 102.5	量(毫米) 150.0(159.7	1145.3	116 0	112 8	1277.2
1952	92.4	90.7	(82.7)	90.2	127.4	133.1	121.9	149.1	123.4	150-2	116.3	80.8	1358.2
1953			215.7(1804.5
平 均	79.8	76.7	81.2	93.0	125.7	129.4	164.5	186.5	152.2	157.7	127.2	106.0	1480.0
30.55							秦 发量						
1951	3.7	4.1 19	2.6 17.29	4.6	7.8	7.8 25	8.3		11.6		6.8	7.0	11.6
1952	6.3	5.7	5.9	7.1	7.3	7.7	9.4	8.6	6.7	7.3	6.1	11.9	19/9
1953	18	16 7.6	16 8.9	15 8.7	15 9.1	14 8.7	28 10.1	31 17.0	6,28	9.0	13 8.3	28 6.4	28/12
H	2	8	25	3	3	24	3	12	25	10	7,9	10	12/8
極値	6.6	7.6	8.9	8.7	9.1	8.7	10.1	17.0	11.7	9.0	8.3	11.9	17.0
日期年份	1	1953	25 1953	3 1953	3 1953	24 1953	3 1953	12 1953	25 1953	10 1953	7,9	28 1952	12/8
				-,,,,	-,,,,	-//3	-//3	-//3	-//3	2773	2773	1776	1953
台	灂	澎佳粤	a			Ø- 2	5°38' N	1-	122 04	9 TJ 12	- 00 0	W	
-	173	W IE				P= 2	, JU N	70,000	122 04	. IS II	= 99.0		
					蒸	发	量(毫米)					
1937		76.9	92.7	(90.4)	115.8	94.0	171.4	125.6(151.3)	165.8	98.7	83.5	-
						_			-				

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938 1939 1940	76.8 81.6 94.5	84.2 76.7 80.0	80.4	112.5	141.8	115.3		181.7	163.7			91.2	1798.4 1423.2
平 均	79.2	80.5	85.9	128.6	137.8	171.6	201.3	192.0	181.5	141.0	106.5	105.2	1610.8
1937 H 1938 H 1939 H 1940	- 5.9 17 4.6 8 5.2 8,9	5.8 4 7.1 22 4.1 5,18 4.5	4.8 13 8.0 31 5.2 17 6.2 12	7.0 10 8.8 17 7.6 8,10 8.7 21	5.7 9 7.3 13 8.2	日最大 6.1 6 9.8 27 6.7 28 9.3 16	蒸发量 7.5 29 12.7 20 7.1 10,2 7.6 19	6.3 2 8.5 1 7.5	6.4 9 9.0 6 7.9 10 7.9 18	6.7 3x 7.7 14,1 7.7 6,2	8.4	7.7 12 7.9 6,7 5.3 20	- 12.7 20/7 8.4 27/11
年 份	5.9 17 1938	7.1 22 1938	8.0 31 1938	8.8 17 1938	8.2 11 1939	9.8 27 1938	20	8.9 26 1940	9.0 6 1938	7.7 4x 1938 1939	8.4 27 1939	7.9 6,7 1938	12.7 20/7 1938
		大屯山				φ=	25°11'1	N 1=	121°3	1'E 1	H= 109	6.2 M	
					蒸	- 发		(豪米)					
1937 1938 1939 1940	53.7 36.6 66.4	56.0 55.5 51.7 55.3	58.0 65.5 57.8 69.0	96.6 100.1 73.2 73.2	87.0 79.1 71.7	(63.4 127.7 83.3	124.7	108.4 105.8 114.4	(66.8		66.7 32.9 38.4	39.7	922.9 770.1
平 均	45.2	53.6	61.7	86.7			107.9		71.6	60.4	35•7	33.0	846.5
1937 1938 H 1939 H 1940	4.8 25 4.2 1 8.1	8.5 21 6.3 15 4.5 19	6.1 30 6.5 2 5.8 2 5.8	7.0 9 8.0 17 5.3 9 5.3	6.5 24 5.9 30	日最大 4.8 14 6.0 3 5.2 26 4.8 18	30 7.5 27			6· 4·4	5.5 5 2.9 4 3.0 21	6.7 1 3.6 6 2.6 29	8.5 21/2 8.0 17/4 7.9 8/5
福 值日 初年 份	8.1 5 1940	8.5 21 1937	6.5 2 1938	8.0 17 1938	8	6.2 26 1939	. 3	7.5 20 1937	6.9 1 1940	7.2 3 1937	5.5 5 1937	6.7 1 1937	8.5 21/2 1937
		基隆				φ=	25 09'	n 1=	121 4	5'E	H= 32.0	O M	
1917 1918 1919 1920 1921	93.2 104.4 67.2 89.9 58.8	78.8	67.9 57.5	117.7 77.5 62.9	94.4 123.5 112.0	116.6 164.9 141.6	203.3 185.1 254.0 161.7	210.9 226.5	167.2 177.6 165.4	127.9 91.1 115.4 163.0 159.0	108.8	74.3	1488.4 1379.5 1525.5 1363.0 1505.8
1922 1923 1924 1925 1926	47.9 70.9 60.7 57.1 114.1	42.0 82.8	105.1 75.4 108.9	110.6 96.2 69.7	200.0 151.2 127.8	145.1 159.7 191.1	241.1 229.0 212.7	211.6 187.5 199.3	175.6 166.7 185.8	111.7 118.8 143.2 211.5 92.0	131.8 164.9 146.2	103.4 104.0 134.2	1300.7 1656.0 1621.3 1744.7 1608.1
1927 1928 1929 1930 1931	30.7 44.3 49.1 62.8 67.7	43.3	66.5 91.5 100.5	110.6 116.4 116.1	116.6 112.6 102.6	130.3 139.6 146.4	225.7 161.5 166.2	147.5 165.6 198.1	102.0 154.2 146.3	1/3.6 129.3 167.5 95.6 116.3	69.1 100.7 97.6	77.3	1325.9 1246.9 1379.3 1391.1 1367.0
1932 1933	90.8									103.8		74.8	1301.8

			_										
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1934 1935 1936	38.9 54.3 .63.8	66.1 51.5 46.9	80.1 87.2 72.8	69.6	130.7	120.7	197.9 1 7 9.2 253.2	153.2	140.8	142.7	102.7	56.4 58.7 48.8	1484.7 1291.3 1465.2
1937 1938	43.1	56.0 65.5					249.2 202.3				91.2 85.3	52.1 62.0	1371.7 1409.4
平 均	64.2	60.5	79.9	95.9	115.4	140.9	209.5	201.4	161.5	133.9	102.3	74.6	1440.0
					- F	日最大	蒸发量	(事米)					
1917	5.4	5.8	7.7 5.4	5.0 7.3	8.0	12.3	13.0	12.7	8.6	7.1	8.5 5.9	4.6 5.4	13.0
1919	7.2	7.2	4.2	6.0	7.2	8.7	14.6	11.6	10.8	7.0	8.2	5.2	14.6
1920	6.4	6.8 5.7	5.1 5.3	4.8 6.8	7.3	7.2 7.7	9.0	10.3	7.8	9.7 9.4	5.9 7.5	4.9 5.3	10.3
1922	6.3	3.3	5.6	9.0	6.0	8.5	9.6	11.8	9.0	7.1	6.6	5.7	11.8
1923	7.0	3.6 5.5	9.8	7.9 6.5	9.0	9.8 8.5	10.4	9.5	10.5	9.5	9.2	6.5	10.5
1924	4.3 3.1	8.0	9.0	5.4	7.2	9.6	9.5	11.0	8.5	9.4	7.8	6.8	11.0
1926	6.1	5•5	8.3	8.5	9-4	8,5	11.2	11.0	10.0	7.1	6.6	5.2	11.2
1927 1928	2.4	3.0 4.9	6.0	5.8 6.9	5.0 6.8	8.5	9.2	9.7	9.8 7.0	8.5 9.2	8.6 6.3	7.0	9.8 9.2
1929	5.7	5.0	5.8	6.6	7.0	8.2	9.6	10.7	7.4	7.8	7.6	7.6	10.7
1930	4.0 5.4	6.0 5.0	6.2	6.7 5.2	7.0	8.2	.9.0	8.4	9.5	6.7	6.0	5.0 4.2	9.5
1932	5.6	4.8	7.5	5.0	6.9	8.3	14.5	12.0	6.7	9.0	6.5	5.7	14.5
1933	2.7	5.0	6.3	6.1	8.7	11.0	12.7	9.5	9.7	. 7.2	9.5	6.3	12.7
1934 1935	7.1 4.5	5.3 4.2	7.7 5.9	11.1	8.0	9.0	9.3	12.2 8.6	7-5	10,6	5.3	5.8	9.3
1936	3.3	2.1	5.8	8.2	5.4	10.8	12.3	10.9	9.1	7.6	5.7	4.2	12.3
1937 1938	2.8 3.4	4.1 6.3	4.2 6.2	6.9 7.8	6.6	6.9 9.2	14.1	8.9 7.8	9.2 7.3	8.0	7.3 5.0	4.7	14.1
包 期	7.2	8.0 27	9.8	11.1	9.4	12.3	14.6	13.8	11.8	10.6	9.5	7.6	14.6
年 份	1919	1925	25 1923	1934	24 1926	27 1917	25 1919	12 1918	12,1		1933	1929	25/7 1919
		松	11			# = ;	25°04'1	1 L-	121 3	3'E I	H= 7.3	M	
					蒸	发		(毫米)					
1936	68.6	76.0	87.7	133.8	154.3	94.0	201.1		138.2			86.4	1487.4
1938	84.8	79.5	101.0	106.8	140.8	185.8	166.9	173.5	161.2	135.9	111.8	99.1	1547.1
1940	77.1	87.7		101.4			139.0 157.8			103.2	100.0	82.9	1386.5
平 均	83.1	89.6	87.1	118.7	141.8	132.4	165.1	168.2	157.8	129.2	112.8	87.8	1473.7
						日最大	蒸发量	(毫米)				
1936	-	-		_	****	-	11.6	9.8	8.8	7.4	6.3	5.2	11.6
1937	4.6	5.0	7.4	0.4	10.0	6.5	17 8.7	9.5	9.7	7.4	7.3	16 7.0	17/7
1938	19 5.4	26 6.8	15 8.7	9.8	9.8	30 8.6	19 7.5	20 8.4	7.9	8.4	11 6.6	12 7.0	9/5
1939	17 5.3	7.5	30 6.4	1	13	27	18	23	29	6	4	-6	1/4,13/5
W	29	6	2	8.4	9.5	7.6	7.5	10.5	7.6	7.6	6.0	5.5	10.5
1940 W	4.8	5.3 13	6.1	7.4	7.8 25	6.0	8.8	10.0	6.8		Serie Serie	_	-
種館	5.4	7.5	8.7	9.8	10.0	8.6	11.6	10.5	9.7	8.4	7.3	7.0	11.6
3 期年 份	17	6	30 1938	1938	1937	27 1938	17 1936	22 1939	1937	1938	11 1937	12,6	17/7
				, 55	-/31	-750	2750	-/3/	-/31	2/30	1/31	1938	1930

													03
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
							9 .						
		台北				Po	25 02'1	n 2-	121 3	1'8 1	I= 8.0	M	
					蒸	发	-	毫米)					
1897	61.7		60.0		129.1	153.4	188.4	142.3		112.6	65.0	57.3	1209.9
1898	60.3	67.2	103.7				168.4				54.6 52.5	58.4 70.2	1213.0
1900	43.3	44.7	68.9	110.5	144.6	132.2	192.0	160.3	129.8	132.0	80.4	75.8 59.7	1314.5
1111													1274.7
1902 1903	77.6	85.1					206.5				79.9 59.2	61.6	1527.1 1256.5
1904	68.7	94.3					121.8				92.0	61.3	1361.2
1906	50.9	44.0								132.2		104.6	1596.3
1907	104.8	69.0								171.7		81.8	1733.4
1908	90.0	88.2								157.1		78.1	1673.9
1910	89.1	74.9								110.9	99.9	75.4 58.6	1603.5
1912	52.7	73.7					213.4				87.5	71.7	1393.1
1914	90.8	69.7					192.5				63.5	61.3	1369.2
1916	62.7	52.5								69.5	56.7	44.6	1262.0
1917	52.2	60.6	70.2				150.2			87.4	66.6	51.2	1223.6
1918	54.2	66.5	75.5				168.3			58.1	70.9	56.5	1222.8
1920	62.8	32.7	61.9	66.1	100.6	144.9	137.1	201.7	138.0	104.1	74.9	67.6	1192.4
							175.2						1207.8
1922	43.5	44.9	64.8				177.3			90.7 78.2	62.1 78.2	47.9 55.7	1125.2
1924	49.9	39.9	66.7				157.0			82.1	82.5	36.0 43.5	1098.0
1926	41.2	43.1	63.4				179.6				59.3	38.5	1131.2
1927	32.9	29.8	62.7				155.8			97-7	48.9	30.0	971.6
1928	32.8	34.1	43.8				165.1			62 . 9	41.5	26.4	870.8 985.1
1930	34.5	58.3		103.6	121.5	143.2	123.1	152.2	131.8	91.4	75.8	42.2	1147.5
1932	71.8	44.8	81.3				155.2				82.9 68.0	70.7	1226.9
1934 1935	35.0	55.7	69.2				134.6				57·4 80.8	58.9	1188.1
1936	44.7	40.1		100.3			172.8				85.7	54.2	1136.7
1937	50.8	53.9	59.8							123.1	92.2	52.4	1211.5
1938	56.1	55.2	68.2				132.3				71.7	67.1	1172.1
1940	66.4	81.0	82.6				181.3			-	-	om,	
本 均	56.4	55.0	74.0	96.3	123.5	144.6	177.1	169.2	140.5	107.1	76.0	58.9	1278.6
2000							集发量			, -			
1897	3.8	3.8	7.0	5.0	7-4	9.6	9.0	7.9	7.3	6.7 5.9	5.1	3.7	9.6 9.3
1899	4.5	4.8	5.4	5.5	6.7	8.0	10.3	7.2	6.8	5.6	4.7	4.1	10.3
1901	4.3	3.7	5.8	7.3		7.1	9.6	7.4	7-4	6.4	5.1	5.4	9.6
1902	4.9	6.3	6.1	6.4	7.6	9.7	10.3	9.7	8.5	7.1	5.5	5.5	10.3
1903	3.6 6.3	5.2	6.1	6.7	7.4	9.4	9.3	10.5	7.2	6.2	3.7	4.8	10.5
1905	4.9	3.6	4.2	7.7	8.7		13.1	10.5	8.5	6.1	6.7	4.6	13.1

年月	1.	2	3	4	5	6	7	8	9	10	11	12	全 年
1906	4.2	4.3	6.2	6.3	8.2	11.5	10.8	11.0	10.5	8.1	7.9	6.2	11.5
1907 1908 1909 1910 1911	6.2 5.4 4.2 5.6 4.1	6.4 6.9 5.2 5.5 4.7	6.9 7.3 6.9 7.8 5.4	6.8 9.0 8.3 7.9 6.8	10.1 9.0 10.9 8.9 6.4	8.9 9.9 14.2 10.1 10.3	9.8 11.7 16.2 12.6 11.6	12.1 10.7 12.3 10.3 13.8	10.5	8.2 8.0 7.8 6.9 6.1	6.8 5.7 6.7 7.9 5.9	6.0 6.4 6.2 4.8 3.9	12.1 11.7 16.2 12.6 13.8
1912 1913 1914 1915 1916	3.8 6.0 5.0 4.1 5.9	4.5 4.2 5.7 4.2 3.0	5.5 5.0 5.2 5.2 3.8	7.5 6.2 7.4 7.6 6.7	8.6 7.8 7.6 B.1 7.0	8.9 9.5 8.8 7.4 8.2	10.1 10.2 11.8 9.4 7.5	9.6 9.3 9.4 11.8 9.1		7.5 6.2 6.0 6.6 4.2	5.4 6.6 5.0 4.6 4.0	5.2 4.7 3.8 3.7 3.8	10.1 10.2 11.8 11.8 9.2
1917 1918 1919 1920 1921	2.9 3.9 3.5 3.0 4.1	4.0 4.3 4.2 2.7 4.4	5.0 5.1 3.6 4.5 4.8	5.0 6.4 5.6 5.4 6.3	7.9 5.3 6.9 6.5 7.8	9.4 8.1 8.5 8.5 7.9	8.3 8.3 9.4 7.9 10.6	8.6 9.9 8.9 10.9 10.3		5.8 4.5 5.9 5.6 4.6	3.7 4.3 4.3 4.9 4.3	3.3 3.1 3.0 2.9 2.9	9.4 9.9 9.4 10.9
1922 1923 1924 1925 1926	2.9 2.9 3.0 2.5 3.4	3.7 5.7 4.7 3.7 3.4	3.9 5.6 4.8 5.0 5.0	6.1 5.6 6.6 4.9 4.5	6.0 E.2 7.8 6.1 8.2	8.5 6.8 7.1 7.2 8.8	8.4 9.5 8.9 8.8 7.4	9.6 8.1 7.4 7.6 7.7	5.9 7.0 5.6 6.2 7.4	4.7 4.6 4.6 5.4 5.3	4.3 4.5 3.9 3.8 3.6	2.9 3.2 2.7 2.3 2.0	9.6 9.5 8.9 8.8
1927 1928 1929 1930 1931	1.6 1.8 1.5 3.0 2.9	3.4 2.2 2.7 4.3 3.4	5.7 5.1 4.4 5.3 4.9	5•4 4•7 5•5 5•5 5•2	6.4 6.7 6.3 6.5 6.7	7.7 6.4 8.1 7.6 8.0	7.2 6.9 6.9 7.9 7.2	7.0 8.4 6.9 7.8 8.5	6.2 7.4	5.9 4.8 4.3 4.6 5.0	2.9 3.0 4.6 4.6 4.5	1.8 1.6 2.8 2.8 3.0	7.7 8.4 8.1 7.9 8.5
1932 1933 1934 1935 1936	3.5 3.1 3.3 3.3 2.8	3.4 2.8 4.2 4.2 4.1	4.8 4.3 4.2 4.7 4.5	6.4 5.3 5.4 5.0 6.0	6.6 6.4 6.2 5.3	8.0 7.2 6.1 6.3 6.6	7.5 7.6 7.4 7.0 9.3	7.9 6.4 8.5 7.5 7.9	6.0 7.6 8.9 5.9 8.0	6.2 5.4 6.4 7.1 5.8	5.0 3.4 4.2 5.0 4.1	4.4 4.1 3.5 3.0 2.8	8.0 7.6 8.9 7.5 9.3
1937 1938 1939	3.1 3.8 3.7 26 4.0 7	3.8 4.3 4.6 18 5.1 18	3.8 5.0 4.3 2,31 5.3 28	6.0 6.0 5.9 10 6.2	6.8 5.4 7.2 15 8.1	5.4 7.4 7.3 27 B.5	7.4 7.5 7.0 8 9.8 25	8.9 7.9 10.5 28 9.6 21	8.3 6.5 8.1 24 7.2 18	6.6 6.1 7.2 6	5.6 4.1 5.1 3	4.3 4.4 4.1 18,20	8.9 7.9 10.5 28/8
個 値 日 期 年 份	6.3 21 1904	8.5 18 1904	7.8 19 1910	9.0 20 1908	10.9 29 1909	14.2 9 1909	16.2 13 1909	13.8 1 1911	10.9 4 1907	8.2 3 1907	7.9 21,1 1906 1910	6.4 5 1908	16.2 13/7 1909
		新	竹			φ= 2	24 48'1	1 2-	120 58	3'E E	I= 32.8	M	
1938 1939 1940	75.8 77.7 79.8	67.6 81.5 74.1	79.9 57.8 65.0	92.8	蒸 151.9 121.6 96.9	223.8	187.1	158.9	152.0	133.7	105.4	71.6	1578.4 1355.5
平 均	76.8	74.6	68.9	107.6	_				166.0	128.3	96.8	91.3	1467.0
1938 H 1939 H 1940	4.1 14,15 4.7 11 4.8 3	6.0 22 5.0 25 4.4 20	7.1 31 4.1 31 4.9	6.4 1 5.7 7,19 5.0	7.8 15 8.5		发量 10.3 28 8.0 12 7.4 16	(毫米) 8.8 15 7.6 3% 8.0 28	8.2 25 7.8 8 6.9 3	6.5 13 7.8 30	5.1 25 4.9 1	4.4 5,30 5.1 4	10.3 28/7 9.3 27/6
極 値 期 年 份	4.8 3 1940	6.0 22 1938	7.1 31 1938	6.4 1 1938	8.5 23 1939	10.1 23 1938	10.3 28 1938	8.8 15 1938	8.2 25 1938	7.8 30 1939	5.1 25 1938	5.1 4 1939	10.3 28/7 1938

月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
年	1	4	0	-3	0	0		0	3	10	11	12	* *
		宜	M			Ø-a	24 46	H 1-	121°4	5'E 1	H- 7.4	M	
13					*	发		(毫米)					
1936 1937	48.6	61.4	68.0	88.4		126.9	199.0	177.6	116.0		63.0	40.9	1213.5
1938	56.3	56.3		113.6	116.8	167.6	183.0	127.8	112.6	111.5	43.9	47.9	1215.3
1940	55.6	72.8	69.8	80.0					134.2	-	-	-	_
五 均	53.8	61.7	72.2	93.0	109.6			(楽米)		106.9	63.3	47.2	1183.6
1936	-	-	_	4.6	4.7	6.9 29	8.4 17	8.2		5.7	3.7 10	2.9	_
1937	4.6	3.9	5.4	6.1	6.3	6.6	9.0	7.6	6.8	6.7	5.4	3.5	9.0
1938 H	3.9	4.6	5.3 3#	6.7	6.3	8.4	8.1	6.3	6,5	5.8	3.5	3.7 23.	8.4
1939 H	5.1	4.3		9.0	6.0	24, 2		28	9.7	5.0	6.8	30	28/8
1940	16	12	5.6	4.9	5.8	8.7	9.5	7.6	7.2	-	_	-	_
極 値 B 明	7	4.6	5.6	9.0	6.3	8.7	9.5 13	11.1	9.7	6.7	6.8	4.1	11.1 28/8
年 份	1939	1933	1940	1939	1937 1938	1940	1940	19 39	1939	1937	1939	19 39	19 39
		台中	ь			.	24 09	, n 1	= 120°	41 'E	H = 77	. 1 M	
					160		24 09	Α	- 120	42 0	77-11		
1900					蒸 128.1		199.2						1528.0
1902		120.5	139.1	160.4	136.1	133.2	196.1	170.8	173.7	150.9	115.5	75.5	1676.9
1903	77.6	107.1	83.2	150.5	139.5	146.3	135.1	167.7	156.2	149.9	126.6	99.6	1530.3
1905 1906	98.5	83.7			153.5							90.5	1512.0
1908	109.3	97.2	99.1	107.0	119.6	158.3	175.4	148.1	143.7	134.0	107.5	93.9	1519.4
1909	76.0				115.8							103.4	1496.5
1910 1911 1912	75.5	85.5	89.6	109.0	154.8 119.5 124.9	173.5	143.3	113.1	94.9	95.6	83.4 81.6 93.3	88.1 72.8 89.6	1388.7 1253.9 1240.2
1913	83.0	87.1	83.6	134.8	137.1	138.2	149.3	169.4	137.2	169.4	131.4	78.5	1499.0
1915	86.9				89.1								1465.0
1916 1917 1918	96.3 89.4 89.0	92.0 79.3 87.0	90.2	91.5	185.5	132.5	129.9	153.4	152.7	130.6	96.4	86.1 74.3 103.2	1499.7 1329.7 1451.5
1919	93.5				116.0							82.6	1427.1
1921	100.1	91.3	98.8	144.8	127.7	162.3	189.0	186.8	146.1	144.4		92.7	1422.4 1579.5
1922	79.3	79.6	126.0	127.9	152.4	145.1	166.7	143.7	173.2	144.5	122.1	106.6	1394.2
1924	69.0		93.7		158.8							81.0	1444.8
1926 1927	91.2	76.5 75.0	103.3	76.5	130.3	121.0	180.7	160.1	154.0 155.0	136.9	125.9	95.2	1451.6
1928 1929	94.7 98.8		87.1	108.0	110.8	119.4	181.6	118.3	154.5	167.3	107.8	109.8	1444.9
										100			

										-			
年月	1	2	3	4	5	6	7 .	8	9	10	11	12	全 年
1932	105.1 126.7 113.8	94.6 93.9 105.2	105.9 118.7 133.2	114.9 116.5 165.6	202.5 149.6 187.7 222.5 152.7	151.0 149.3 159.8	211.9 185.3 191.8	145.8 163.5 230.2	166.0 162.8 212.6	173.1 185.5 207.8	153.0 140.5 153.9	114.5 108.3 124.2	1791.2 1685.4 1738.7 2020.6 1606.3
1937 1938	119.8 92.0 106.4	81.2 113.3 87.1	98.0 95.7 92.3	141.7 132.9 131.9	177.7 158.1 163.9 151.7 152.5	150.6 138.6 200.3	176.7 187.2 168.6	146.1 126.5 143.5	154.2 178.9 151.9	196.6 183.3 162.1	169.1 141.2 123.5	110.4 85.4 92.1	1592.4 1702.5 1638.9 1611.4 1625.8
1940					126.9					_			_
平 均	93.9				145.1					150.9	118.0	96.6	1540.7
1900 1901 1902 1903 1904	5.0 4.7 5.4 4.3 6.0	4.7 5.9 5.6 4.8 5.2	4.4 6.1 6.8 5.0 4.7	5.9 7=4 7=7 6.9	6.4 6.7 7.9 6.9 8.3	最大 7.6 8.1 7.0 8.6 7.1	蒸发量 7•9 7•8 9•3 8•2 7•5	(毫米) 8.1 7.2 8.0 8.0 7.6	7.2 9=1 6.9 6.5 6.4	6.9 7=3 6.7 7.0 6.7	6.6 6.1 4.8 6.0 5.9	4.8 5.2 4.1 5.8 4.6	8.1 9.1 9.3 8.6 8.3
1905 1906 1907 1908 1909	5.0 5.0 5.4 4.1 4.2	4.5 4.7 4.3 7.6 4.7	4.7 5.0 5.7 5.2 5.8	7.5 6.4 6.8 5.8 5.6	7.5 6.8 7.5 6.9	7.0 9.0 6.9 8.3 8.8	7.9 7.8 7.5 8.4 7.7	8.5 7.2 7.1 7.7 7.0	7.9 6.0 6.2 6.3 6.4	5.9 6.0 5.4 5.8 5.5	6.0 7.0 5.2 5.5 5.3	4.0 4.5 4.4 4.1 4.2	8.5 9.0 7.5 8.4 8.8
1910 1911 1912 1913 1914	4.0 3.8 3.1 4.4 4.4	4.1 4.0 2.9 4.8 5.0	7.0 4.5 4.6 5.0 5.4	5.9 6.1 6.6 7.0 6.5	7.2 6.8 7.1 7.3 7.2	8.5 7.6 5.6 7.1 7.9	7.1 6.1 6.7 8.7 7.4	5.8 5.8 5.9 7.4 7.0	5.0 4.8 6.2 6.8 6.5	6.3 4.8 5.8 7.4 6.0	-4.5 4.9 4.9 5.7 4.9	4.1 3.9 4.6 4.6 3.7	8.5 7.6 7.1 8.7 7.9
1915 1916 1917 1918 1919	4.8 4.5 3.9 6.8 4.5	4.7 5.2 4.5 4.3 4.0	5.2 5.1 4.9 5.0 4.7	E.8 6.3 4.5 5.4 6.2	5.8 7.6 5.5 6.0 5.6	6.8 7.2 6.2 6.4 7.4	7.4 7.2 6.4 6.8 7.3	7.4 6.4 8.2 7.4 6.8	7.2 6.2 7.4 8.5 6.7	6.9 7.5 5.8 6.8 5.8	4.7 5.0 4.6 4.9 4.9	4.6 4.2 4.1 4.1 4.7	7.4 7.6 8.2 8.5 7.4
1920 1921 1922 1923 1924	4.5 4.9 3.7 4.4 4.5	4.8 5.0 4.2 5.5 4.6	6.6 5.5 6.5 5.9 4.8	6.1 7.6 6.1 6.1	7.0 7.0 8.0 7.8 7.0	7.1 8.3 7.7 7.4 7.7	6.6 7.9 7.5 6.9 8.0	6.7 8.5 6.9 6.6 7.4	6.9 6.7 6.3 7.1 6.3	6.0 6.0 5.5 6.6 5.9	4.7 5.4 4.8 5.9 5.5	3.9 4.0 5.0 4.7 4.1	7.1 8.5 8.0 7.8 8.0
1925 1926 1927 1928 1929	3.6 4.0 4.3 4.8 4.4	4.8 4.5 4.6 5.4 5.0	4.9 6.1 5.3 5.9 6.7	5.3 6.0 6.2 6.9 7.4	6.7 6.2 6.0 6.4 7.3	-6.7 6.4 7.5 6.8 8.0	7.0 7.6 8.2 7.3 7.8	6.5 7.1 7.6 7.7 7.4	6.3 7:1 6:6 7:1 8.3	6.9 6.9 9.0	5.7 5.7 5.4 6.0 6.5	3.9 4.3 4.7 4.7 4.6	7.0 7.6 8.2 7.7 9.0
1930 1931 1932 1933 1934	5.0 4.7 5.2 5.5 3.7	5.7 5.0 4.8 5.6 5.0	6.2 5.8 6.4 6.2 5.4	9.5 7.0 6.8 - 7.6 6.3	8.6 7.6 8.4 8.6 6.9	8.7 8.9 7.0 7.9 7.2	8.1 8.0 7.9 8.4 7.2	8.9 8.0 8.4 8.6 7.8	8.1 7.7 7.1 8.4 6.9	8.1 8.2 7.9 8.7 7.8	5.8 7.3 6.6 6.5 6.0	5.4 5.2 4.9 5.0 5.1	9.5 8.9 8.4 8.7
19 35 19 36 19 37 19 38 19 39	4.5 5.6 4.5 4.5 5.2 30	5.4 4.9 6.0 4.8 6.0	6.5 6.3 6.6 6.0 6.0	5.9 7.6 6.2 8.0 6.4	7.4 7.3 7.3 7.0 7.5	7.2 7.8 7.7 8.5 8.0 26	6.6 7.6 7.2 7.4 8.3	6.9 6.9 6.3 7.0 8.4	7.9 7.6 7.2 7.0 7.4	6.5 8.4 8.7 7.6 6.2	6.5 6.9 6.2 6.1 6.2	5.5 5.1 4.8 4.6 4.8 3,18	7.9 8.4 8.7 8.5 8.4 30/8
1940	4.4	5. 8	6.5	6 3	7.9	7.3	8.0	7=4 17	7.7 549	-	-	-	-
福 億 期 年 份	6.8 24 1918	7.6	7.0	9.5 24 1930	8.6		. 9	8.9 11 1930	9.1 15 1901	9.0	7.3 7 1931	5.8	9.5 24/4 1930

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		花主				9 - :	23 58'	E R-	121°3'	7'8 1	E= 17.	6 M	
					蒸	发		(毫米)					
1922 1923 1924 1925 1926			78.7 76.8	118.9 103.6 76.4	113.5 172.9 143.3 126.1	131.9 138.6 121.6 168.3	182.4 179.2 173.9 164.2	145.1 147.2 156.3 181.7	117.7 163.1 134.2 137.8 141.8	127.9 124.5 151.2	106.8 120.2 85.6	111.7 91.1 82.7	1287.3 1532.6 1394.4 1394.0 1361.4
1927 1928 1929 1930 1931	68.0 68.1 72.4 77.0 90.9	73.2	71.1 112.6 91.8	85.7 126.5 139.0	105.1 111.4 138.7	126.6 173.4 163.8	208.0 171.3 148.1	144.0 157.5 222.3	128.5 143.9 153.2 194.8 137.6	127.3 179.1 137.5	81.0 93.5 97.7	87.0 85.3 68.1	1204.6 1313.2 1509.4 1570.0 1385.3
1932 1933 1934 1935 1936	88.3 73.5 61.0 52.0 60.6	56.6	83.4 87.8 82.4 88.0	109.7 108.9 105.7 86.6	138.2 129.4 99.9 113.0	128.1 134.3 146.0 104.6	183.4 171.9 158.5 167.3	160.4 208.3 190.7 139.3	105.8 142.9 137.3 131.8 141.4	88.4 125.6 122.3 113.4	91.8 103.4 77.8 87.3	80.6 73.8 77.8 78.4	1314.7
1937 1938 1939 1940	64.1 87.2 80.4 62.4	66.2 53.6 66.8 68.9	69.9 73.6 69.4	96.2	115.2 134.3 101.8	117.6 184.9 132.2	212.0 195.3 155.1	124.5 140.3 169.6	142.4 134.8 134.0	134.5	102.3	66.9	1311.8 1404.5 1309.7
平 均	75.0	64.2	83.9	100.9	118.9	138.8	179.7	162.5	140.2	125.6	94.7	81.9	1366.4
1922 1923 1924 1925 1926	4.2 5.0 4.5 4.4 5.5	3.7 4.7 4.1 4.0 4.5	4.7 5.2 4.2 5.5 6.5	5.9 6.8 6.3 6.9 5.8	4.2 8.2 6.9 7.0 5.0	最大利 7.7 7.9 7.5 9.0 6.8	悠 友量 8.7 8.8 8.0 8.3 7.7	7·3 6·8 7·5 8 ₌ 0 7·3	6.0 7.8 7.5 9.1 8.0	5.4 7.5 6.5 7.3 6.7	6.0 5.5 5.0	6.0 6.0 4.5	B.7 8.8 8.0 9.1
1927 1928 1929 1930 1931	3.8 5.3 4.3 4.9 4.8	3.9 4.0 5.0 6.0 6.4	4.5 4.8 6.4 5.8 7.0	5.4 5.8 7.8 6.9 6.8	3.6 6.5 6.5 7.0 7.3	6.6 7.2 8.4 7.2 8.2	8.8 9.3 8.0 7.7 9.1	7.4 8.9 7.3 8.8 7.4	6.8 6.0 8.2 8.8 6.8	5.9 7.0 7.7 7.8 6.9	4.8 5.0 4.9 5.3 5.4	6.2	8.8 9.3 8.4 8.8 9.1
1932 1933 1934 1935 1936	5.1 4.1 3.0 4.1 5.0	4.3 4.2 2.3 4.2 2.7	5.6 5.4 5.0 5.0	6.3 5.8 6.0 5.6 6.7	6.6 6.4 5.5 5.6 6.4	6.5 7.0 7.5 6.2 7.2	8.0 8.0 7.8 7.4 8.1	7.5 8.0 8.3 6.8 7.0	6.0 7.1 8.0 6.7 6.2	5.9 6.0 5.7 5.7	5.7 4.5 3.9 4.5 5.4	4.2 2.0 5.2 4.5 3.6	8.0 8.3 7.4 8.1
1937 1938 1939	3.6 5.3 4.5 10 3.9 7.8	4.8 -4.5 5.1 11 4.8 20	5.2 4.8 5.1 31 5.2	5.9 .5.4 6.8 2 5.3	5.9 5.7 6.7 9 7.0	6.2 7.3 7.3 30 7.0 29	8.1 8.8 8 7.7	8.6 6.6 7.1 28 8.7	6.3	6.8 5.7 8.7 31	5.1 5.1 5.7 8	3.9 3.5 4.9 20	8.6 8.1 8.8 8/7 -
極値用期年份	5.5	6.4	7.0 26 1931	7.8 15 1929	8.2 21 1923	9.0	9.3 26 1928	8.9	9.1	8.7 31 1939	6.0 28 1923	6.2	9•3 26/7 1928
		淮 1	朔			P= 2	23°32'1	4-	119°33	B F	I= 9.4	М	
1903 1904 1905	96.0 103.1 124.0	107.6 120.1 110.5	113.1 109.6 97.7	127.7 157.2 124.5	144.2 184.8 173.3	139.7 167.7 164.7	201.2 195.1 150.3 204.2	141.9 169.8 210.7	242.8 174.5 209.2 165.1 155.8	203.9 233.2 185.4	154.6 217.6 143.5	154.6 168.5 108.2	2022.7 1752.9 1991.1 1811.8 1862.1

\ p													
年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1907	124.5	87.8	96.0	144.0 95.8	195.1	186.6	218.8	170.9	172.3	190.8	148.8	96.3	1815.6 1749.6
	96.9 109.7	95.6	119.3	149.5	205.2	238.8	229.0	217.1	192.0	218.8	162.7	135.3	1888.3
	108.2			158.0									1935.9
1913	92.5	92.5	99.1	166.9	174.9	165.0	173.5	193.8	168.3	253.4	164.0	122.3	1803.3
	103.9	100.1	139.6	151.4 141.9 163.2	122.6	177.7	194.2	180.8	197.4	184.1	142.2	129.4	1841.9 1813.9 1847.0
				110.6							,		1763.0
1918	136.1	91.1	119.2	159.0 128.6	154.4	164.0	174.0	152.2	217.4	156.9	122.7	103.1	1750.1
1920	117.1	68.3	103.4	133.5	155.7	151.8	154.7	174.6	175.7	194.8	149.4	130.2	1709.2
1922	89.3			128.2									1656.4
	96.4	80.2	111.3	156.8	175.5	140.5	185.5	196.1	154.0	158.0	172.6	109.8	1899.9
1925 1926	69.0	92.8	100.5	94.6	160.1	165.0	175.5 237.8	181.2 202.4	208.2	242.3	157.1	132.2	1792.9
	111.7			112.8									1688.5
1928 1929 1930	93.1	82.8	132.6	131.3 170.9 165.0	192.5	184.2	159.6	142.4	203.9	226.9	138.5		1701.6 1839.8 1686.3
1931	96.9			112.7									1635.7
1932 1933	123.5			128.8									1712.6
1934 1935	91.5	103.3	130.8	141.5	177.8	194.4	166.7	179.6	192:1	215.8	133.7	94.9	1822.1 1638.9
1936	101.9	89.3	85.5	146.9	170.8	165.4	198.4	165.3	164.2	189.2	148.1	99•9	1724.9
1937	82.3	52.8	57.9	152.4	124.6	191.6	134.0	96.1	167.0	156.1	133.9	88.0	1716.6
				163.3								119.8	1914.7
1	10401	7081	11)09	1370)			蒸发量			17201	1,000	117.0	1795.4
1902 1903					7.3	6.8	7.9	8.5	11.2				11.2
1904	5.4	6.0	5.6	7.6	8.8	7.8	7.8	8.6	9.5	12.8	11.0	7.6	12.8
1906					.9.0								10.0
1907	5.1	5.3	5.5	6.5	8.0	9.5	10.4	7.6	7.5	9.7			10.4
1909		4.8	6.0	9.0	9.5	11.2	9.1	8:7	10.6	11.1	8.4	6.6	10.2
1911													10.1
1912 1913 1914	5.6		6.3	7.1	8.8	7.8	8.1	8.1	9.6	11.1	7.6	7.0	9.8 11.1 9.7
1915	5.3	6.4	7-5	7.9	6.8	8.1	7.5	8.5	9.8	9.5	7.6	7.3	9.8
1917					6.1	7.3							9.4
1918	5.5	6.1	6.8	7.7	8.4	7.6	8.1	7.4	10.0	9.2	5.7	5.0	10.0
1920 1921													10.2
1922													13.2
1923 1924 1925	5.0	6.2	6.4	6.9	7-4	7.5	8.1	8.4	7.6	8.2	7.9	5.8	11.8 . 8.4 10.6
1926													9.7

											_		
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1927	5.5	4.6 5.4	7.3	6.1	6.7 7.3	6.8 7.2	8.5	7.7	7.7	8.4	7.7	6.3 5.5	8.5 9.4
1929	5.1	4.5	6.4	8.3	8.9	8.8	7.1	6.9	8.7	9.5	6.9	4.9	9.5
1930	4.0	5.1	7.1 7.5	7.6	7.7 7.4	7.5 7.6	7.0	7.3 6.7	7.5	9.3	7.2 7.8	5.7	9.3
1932	6.1	5.3	6,6	6.4	7.7	7.2	7.7	7.7	7.0	8.2	6.7	6.2	8.2
1933	4.4	5.3	7.4	6.9	8.8	7.6	6.8	8.4	9.4	9.3	9.4	6.1	9.4
1934 1935	4.0	5.3 5.2	6.8	7.3	8.2	9.1 7.1	8.5	7.8	11.0	11.1	7.2	6.1 5.5	11.1
1936	5.7	5.2	5.9	7.3	7.8	8.7	8.8	6.9	8.0	9.2	7.0	4.3	9.2
1937	3.9	5.3	5.7	8.8	9.1	7.6	8.7	6.8	7.6	8.7	6.4	4.8	9.1
1938	4.4	6.2	6.3	7.9	8.6	9.0	8.9	6.8	8.9	8.0	8.2	6.5	9.0
極値別	8.0	8.0	B.4	9.0	9.B	11.2	10.4	9.3	13.2	12.8	11.0	8.0	13.2
年份	1902	14	1903	1910	7 1916	29 1910	13 1908	1928	18 1922	1904	1904	1903	18/9 1922
		阿里山	L			a,	23 31 '1	1-	120°4	3'E F	2400	5.1 N	
					蒸	发	量	(毫米)					
1934	49.5	53.8	75.5	77.6	62.6	81.0	56.5	86.4		90.8	76.2	83.3	859.3
1935 1936	63 . 9	75.2 33.8	51.6 49.6	71.8	57.9 83.4	68.3	43.8	46.3	62.8	80.8	88.9 93.7	70.8	782.1 846.3
1937	70.4	70.9	60.5	65.9 78.8	82.0	50.2	62.1	42.1	69.8	67.3	75.7	59.2	776.1
1938	84.0	50.4	54.0	10.0	96.3	91.5	74.4	56.4		81.7	63.4	67.6	862.4
1939 1940	57.6	82.8 67.4	61.1	55.2 60.9	57.5 58.5	64.3	59·4 72·0	72.7	63.1	64.1 89.6	73.1 65.8	87.0	797 . 9 839 . 6
平 均	62.8	62.0	63.0	74.9	71.2	70.4	63.3	61.8	64.1	77.9	76.7	75-3	823.4
			- 30	1402			蒸发量			1107		1,700	- 250 4
1934	3.7	4.0	5.3	5.6	4.5	5.2	3.1	5.9	4.8	5.1	4.4	3.8	5.9
1935 1936	4.0 3.9	5.1	3.8	5.5 7.5	3.8	4.6	2.9	3.7 4.7	5.5 4.2	4.1	4.7	5.6 5.2	5.6 7.5
1937	4.3	5.9	3.8	6.2	5.6	4.6	2.6	4.0	4.4	3.9	3.7	6.2	6.2
1938	4.4	5.0	4.7 5.4	4.9	5.9 4.8	5.0	2.7	3.6 5.3	5.0	3.8	4.5	3.6	5•9 5•9
運值		5.9		7.5			, .						
日 期		26	5.4	8	5.9 3#	5.7	4.7	5.9	5.5	5.1	5.4	6.2	7.5 8/4
年份	1938	1937	1939	1936	1936	1939	1939	1934	1935	1934	1936	1937	1936
		台南	有			ga_ ;	23°00'1	1 1-	120°1;	3'N E	= 12.7	7 M	
							-						
1900	97.3	107.8	119.2	160.8	蒸 148.7	745.3		(毫米)	147 7	152.3	104.4	120.3	1650.2
1901	120.4	102.1	155.4	147.1	143.9	149.5	189.8	127.4	169.5	150.8	123.4	97.5	1676.8
							171.3					98.1	1825.2 1520.1
							117.1						1642.0
							158.7						1602.3
							123.4						1653.3
1908	94.1	104.1	119.4	147.4	189.6	187.1	178.3	164.0	176.9	152.6	126.0	89.9	1729.4
1909	96.9	112.8	152.7	184.9	174.6	224.7	194.0	186.7	170.5	152.0	103.0	106.4	1859.2
							194.0						1883.1
							174.0						1795.1
1913	92.5	99.4	119.8	188.4	192.9	172.6	161.9	189.0	154.8	173.6	131.6	92.0	1768.5
							146.0					87.9	1745.1
1915 1916							180.7						1677.0
	7,00			2,300			-57.4	-3-67		- 32.04	27240	24214	

											_		_
年月	1	2	3	4	5	6	. 7	8	9	10	11	12	全 年
1918	114.4	105.8	148.9 148.5 169.1	182.5	187.3	186.6	151.2	148.5	189.3	128.9	101.5	98.3	1664.6 1742.8 1683.6
1921 1922 1923	92.1	113.3 91.3 91.0	132.2 121.2 138.7 165.3 136.2	194.0 157.0 185.1	132.3 181.5 227.3	148.5 147.8 158.6	169.4 162.1 165.4	150.6 119.9 131.1	131.7 121.9 153.9	159.0 139.7 159.6	103.5 124.0 135.0	98.3	1534.4 1629.7 1579.6 1809.6 1511.7
1925 1926 1927 1928 1929	116.6 98.3 90.6	113.3 83.8 94.3	124.8 138.1 114.6 108.0 154.9	94.1 104.3 126.3	138.0 138.6 152.5	119.9 128.9 109.7	189.6 114.6 176.7	141.3 138.9 100.4	120.2 154.0 133.1	128.3 130.1 131.2	108.1 106.7 89.5	108.6 98.6 83.5 99.1 96.7	1630.9 1506.1 1396.3 1411.4 1607.1
1930 1931 1932 1933 1934	74.6 95.8 100.0 83.3 81.2	98.7 92.4 95.1	130.5 118.5 117.1 127.0 112.6	122.9 127.0 175.6	135.2 179.5 220.9	138.1 129.4 117.7	148.9 142.5 149.7	128.0 116.0 191.6	129.7 123.6 149.4	121.9 118.7 141.7	101.7 98.6 102.6	84.1 88.9 78.3 92.8 82.3	1519.5 1428.3 1423.1 1647.4 1457.0
1935 1936 1937 1938 1939	87.6 93.4 93.8	60.2 112.6 82.5	113.4 102.0 132.2 98.9 116.5	168.2 198.9 137.5	189.5 205.1 163.3	159.6 157.1 203.1	179.1 181.7 160.0	153.7 123.3 113.9	167.6 180.2 164.7	162.6 148.9 132.2	136.7 112.0 97.6		1507.1 1662.4 1722.4 1539.7 1425.2
1940	94.6	115.7	115.5	129.3	132.6	143.6	127.4	140.3	148.3	-		-	-
平 均	100.9	103.0	132.4	154.7	169.8	153.7	159.2	145.4	153.6	145.5	115.5	98.9	1632.6
1900 1901 1902 1903 1904	4.4 5.4 5.4 4.4 3.9	5.7	6.4 7.0 6.8 7.4 5.5	7.8 7.4 8.5 7.1 7.9	8.1 7.6 8.5 7.0 7.8	最大利 6.8 6.9 6.0 7.7 6.6	恢 发量 7.9 7.5 7.5 6.9 6.2	(金米) 8.1 5.7 6.2 5.8 6.2	7.2 6.4 7.2 6.3 6.4	6.8 7.7 6.2	5.6 5.5 5.9 4.7 5.9	5.5 4.2 4.7 4.0 5.0	8.1 7.6 8.5 7.7 7.9
1905 1906 1907 1908 1909	4.8 5.3 5.1 4.8 4.2	5.1 6.2 6.8 5.0 5.3	5.0 6.3 7.1 6.4 6.8	6.4 7.7 7.5 7.5 8.3	7.3 8.9 6.9 8.6 9.2	6.7 7.2 7.8 9.4 9.9	7.1 7.5 7.5 8.0 8.8	7.4 7.1 7.5 7.0 7.8	6.8 5.9 6.7 7.0 7.4	6.2 8.8 5.9 6.0 6.4	5.5 6.3 4.6 6.3 6.1	4.7 5.2 5.0 5.1 4.3	7.4 8.9 7.8 9.4 9.9
1910 1911 1912 1913 1914	4.7	5.9 5.0 5.8 5.7 5.5	7.9 6.4 7.4 5.8 6.0	8.3 8.5 9.0 9.5 8.1	9.2 8.5 8.8 8.8 9.2	11.5 8.7 8.2 7.6 8.9	9.2 8.4 8.0 7.2 7.5	7.6 8.3 8.5 7.6 12.8	7.0 7.9 7.2 6.4 6.6	6.3 6.6 6.4 7.8 5.8	5.2 5.4 5.7 5.5 5.1		11.5 8.7 9.0 9.5 12.8
1915 1916 1917 1918 1919	4.1 5.1 5.4 5.2 4.3	5.3 5.2 5.6 5.5 5.5	5.5 5.5 6.9 7.2 6.8	7.5 7.6 6.7 7.7 7.1	6.2 8.8 6.5 8.4 7.5	8.9 7.7 7.0 7.9 7.6	8.1 9.6 6.7 7.9 7.6	7.5 6.9 8.3 6.8 6.5	7.8 7.3 7.6 7.9 7.2	6.1 7.9 7.4 6.4 6.7	4.7 6.0 6.0 4.9 5.5	5.0 4.4 6.1 4.0 5.0	8.9 9.6 8.3 8.4 7.6
1920 1921 1922 1923 1924	4.9 5.0 4.0 4.6 5.0	4.8 5.4 4.6 4.9 4.3	6.2 6.5 6.6 7.2 5.8	7.0 8.2 7.7 9.1 6.7	7.2 7.9 7.8 10.0 7.8	6.8 6.7 7.3 7.8 6.1	7.0 7.4 7.6 9.3 6.5	6.5 7.4 6.5 6.0 6.4	6.5 6.6 6.2 7.7 6.0	5.5 6.0 5.6 7.0 6.0	5.0 5.0 6.2 5.5 5.9	4.4 3.8 5.3 5.2 6.0	7.2 8.2 7.8 10.0 7.8
1925 1926 1927 1928 1929	3.4 4.5 4.1 4.3 3.9	4.9 5.8 4.7 5.0 5.0	5.7 6.8 5.8 5.5 7.0	6.5 6.6 5.9 7.1 7.6	9.2 7.0 7.0 7.5 8.2	7.4 6.9 6.6 6.4 6.7	6.7 7.5 6.1 7.2 7.0	6.9 6.0 6.5 6.3 6.1	7.4 6.6 6.3 6.0 7.3	7.1 5.7 5.4 6.0 6.2	5.9 4.9 4.8 4.7 4.8	4.5 4.6 3.9 4.6 4.0	9.2 7.5 7.0 7.5 8.2
1930 1931 1932	3.6 4.5 4.3	5.0 4.5 4.5	6.4 5.4 5.7	7.3 6.7 6.8	7.4 6.9 7.2	7.2 6.7 6.9	6.7 6.9 6.4	6.5 6.8 6.2	6.2 5.7 6.1	6.4 5.2 5.4	5.0 5.3 4.1	3.7 3.7 3.8	7.4 6.9 7.2

\ n													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1933 1934	3.7 3.7	4.4	5.9 6.3	7.8	8.8	6.6 7.6	7.1	7.2	6.6	5.9 5.4	4.8	4.0	8.8
1935 1936 1937 1938 1939	3.9 3.7 4.6 4.2 6.0	4.0 3.9 5.5 4.8 5.6 27	6.6 6.0 7.2 5.2 5.6	6.7 7.6 9.0 6.3 6.2 11,12	8.3 8.4 9.5 6.9 6.3	6.8 8.4 7.4 8.2 6.5	6.9 8.3 7.8 7.2 7.9	7.0 7.2 6.8 6.6 6.8 3	7.3 7.6 6.8 6.6 24	6.1 6.8 6.1 5.7 5.9 2	5.0 5.8 4.9 4.3 4.5	4.8 4.4 3.9 6.7 4.0	8.3 8.4 9.5 8.2 7.9 10/7
1940	4.0	5.5		6.3	6.8	7.8	6.6	6.9	6.5	-		-	600 Aut
極傾日期年份	,	6.8 7 1907	7.9 29 1910	9.5 24 1913	10.0 30 1923	11.5 29 1910	9.6 19,2 1916	12.8 10 1914	7.9 3* 1911 1918	8.8 21 1906	6.3 3k 1906 1908	6.7	12.8 10/8 1914
		台 东				φ= ;	22°45'1	1 2-	1210	9 B E	H= 8.9	M	
100					蒸	发	# (毫米)					
1902 1903 1904	152.1 103.3 118.8	148.8 80.0 114.2	108.6 126.5 146.5 101.5 104.8	144.0 154.4 163.9	128.4 142.7 173.5 189.8	135.6 157.9 139.3 122.8	181.3 187.9 198.5 143.8	113.0 191.8 151.1 156.2	180.9 154.3 181.8	193.9 120.0 175.1	140.0 128.5 125.1	93.5 131.8 137.1	1547.2 1860.0 1681.2 1730.1 1872.2
1907 1908 1909	160.6 124.6 114.3	135.6 102.7 103.4	173.5 180.1 97.5 129.3 138.9	152.0 135.4 123.2	136.9 130.3 112.9	133.0 167.8 180.7	186.1 221.6 163.2	227.8 153.0 188.9	161.2 157.3 168.4	154.0 126.8 111.4	136.9 103.4 101.5	138.6 95.5 134.6	2055.1 1902.8 1615.9 1631.8 1796.5
1912 1913 1914	142.8 122.8 121.2	162.1 121.7 94.9	141.3 179.6 136.3 120.9 110.3	186.8 152.0 134.6	157.0 152.1 170.0	140.5 223.0 163.1	217.3 147.1 189.7	179.9 187.1 163.8	179.8 145.7 123.3	160.6 163.1 125.2	137.6 141.1 96.0	117.7 103.8 102.8	1997.4 1961.7 1795.8 1605.5 1627.7
1919		94.4 97.0 94.5	90.8 124.0 114.0 106.3 143.9	96.2 140.7 110.6	131.0 170.7 106.1	170.6 232.0 172.4	146.4 163.9 188.1	195.2 129.3 169.6	156.8 149.9 176.6	137.7 126.8 128.9	122.6 97.9 132.0	93.8	1639.8 1550.1 1620.2 1599.9 1592.4
1922	112.3	96.0 86.9 82.8	127.9 132.9 123.8 120.2	127.9 136.8 136.9	161.3 185.0 211.5	171.6 160.7 141.1	193.8 168.8 163.8	154.1 175.4 171.5	139.9 182.8 140.7	154.1 161.2 131.5	131.7 137.0 158.6	105.7 112.6 101.1	1678.4 1684.7 1752.4 1668.1 1760.0
1927 1928 1929	126.0 132.5 107.2	100.4 156.8 125.2	132.4 117.7 122.9 169.9 188.1	113.0 129.1 193.2	103.9 174.5 186.3	136.7 145.4 191.4	159.2 214.7 185.8	173.9 136.6 184.0	155.1 155.6 194.2	196.6 193.0 251.4	164.2 134.3 162.2	146.8 139.0 159.7	1719.2 1693.5 1834.4 2110.5 2241.3
1932 1933 1934	155.1 151.5 136.7	143.1 154.8 95.0	146.5 142.8 151.2 113.8 163.9	160.4 150.1 139.4	193.8 160.3 125.0	186.6 169.1 195.5	213.1 168.5 180.2	191.0 234.3 201.7	140.7 186.8 143.9	151.4 160.6 194.4	149.6 142.9 159.8	141.6 132.3 166.9	2016.2 1969.2 1962.4 1852.3 1868.9
1937 1938	110.4 114.3 107.4	125.7 91.9 98.7		147.7 120.6 88.1	163.2 158.2 101.5	136.0 248.5 135.1	191.5	111.2 144.1 160.9	163.8 152.2 142.2	167,9 150.0 124.7	121.9	93.4	1921.7 1643.9 1741.7 1356.8
华 均	122.6	115.7	130.3	141.5	151.5	170.7	185.6	174.0	159.7	159.4	139.0	123.1	1773.3

92													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
					—日	最大蒸	发量	(李米)					
1901 1902 1903 1904 1905	5.0	4.0 7.8 5.0 6.4 5.5	5.0 6.7 7.3 6.2 6.4	7.2 7.3 7.7 8.0 12.0	8.0 7.4 7.7 9.4 6.9	7.8 9.6 9.5 7.1 8.0	7.5 d.4 8.2 7.2 7.9	7.4 8.5 11.5 7.7 8.4	7.0 8.2 7.0 8.1 6.8	8.0 8.1 6.6 10.0 8.2	8.4 7.0 6.3 6.4 11.4	6.8 4.8 6.8 6.4 7.2	8.4 9.6 11.5 10.0 12.0
1906 1907 1908 1909 1910	7.9 6.4 8.0	8.0 7.0 5.4 5.9 5.9	8.9 10.4 5.5 7.8 6.2	15.3 7.3 6.7 6.8 6.6	9.2 8.9 7.7 7.4 7.9	9.4 7.0 7.6 7.9 8.9	9.6 8.2 9.6 7.8 7.8	9.2 9.0 8.3 8.2 7.4	6.7 10.4 7.3 8.2 7.4	9.3 6.4 6.3 6.4 6.3	7.3 7.3 4.9 5.2 6.6	5.9 6.8 4.7 5.7 6.1	15.3 10.4 9.6 8.2 8.9
1911 1912 1913 1914 1915	5.8 6.8	8.0 8.0 6.1 5.7 6.2	7.2 9.5 6.8 7.4 7.1	7.5 8.3 7.1 8.5 6.8	7.1 9.1 8.7 8.6 6.4	11.6 7.7 11.4 7.8 6.9	8.0 8.6 8.4 9.5 7.9	9.3 7.7 7.5 8.9 10.3	9.1 7.0 6.6 12.7	8.7 7.4 7.2 5.3 6.4	9.6 6.7 6.0 4.7 5.2	7.0 6.3 5.0 4.6 4.4	11.6 9.5 11.4 9.5 12.7
1916 1917 1918 1919 1920	4.9 4.6 4.7 4.7 5.5	4.8 5.8 5.5 5.9 9.1	5.1 7.3 8.0 6.4 6.8	7.4 6.3 7.4 7.6 5.5	6.6 7.2 9.8 7.1 5.4	7.3 9.3 11.1 7.3 7.9	8.6 7.6 7.5 7.7 8.2	8.6 7.5 6.2 9.0 7.3	7.4	7.3	8.1 6.1 4.8 6.2 5.5	4.7 4.8 3.7 5.2 4.7	8.6 9.3 11.1 9.0 9.3
1921 1922 1923 1924 1925	5.3 5.0	5.8 6.6 6.4 4.5 5.9	6.5 7.0 6.6 5.7 8.5	7.3 8.3 7.5 7.7 6.5	10.4 7.5 9.0 9.0 8.3	9.0 10.4 8.2 7.5 8.5	7.6 9.8 7.4 7.9 8.9	7.3 8.1 7.5 7.5 8.2	8.3 8.7 7.0	8.3 7.4 7.6 6.5 9.3	7.4 6.5 6.9 8.8 6.0	5.4 4.7 5.4 5.6 5.6	10.4 10.4 9.0 9.0 9.0
1926 1927 1928 1929 1930	6.3	5.4 6.8 8.4 6.2 8.3	10.0 7.8 6.6 8.0 8.8	7.1 6.2 7.0 10.8 10.8	7.2 7.4 9.5 9.5 9.6	8.0 8.2 8.3 10.0 12.2	11.9 9.4 8.8 9.2 11.3	8.0 8.5 8.4 8.3 8.9		10.0	8.3 7.9 8.5 8.5 8.0	7.2 7.1 6.8 7.6 6.4	11.9 10.0 9.5 11.9 12.2
1931 1932 1933 1934 1935	6.9	8.5 7.5 7.6 6.3 6.1	6.7 7.2 7.0 6.2 12.5	8.3 9.3 6.8 8.1 8.8	8.0 13.6 7.9 6.5 8.0	9.4 9.7 8.5 9.9 8.4	11.1 10.5 7.6 7.9 8.9	8.6 9.2 8.9 7.7 10.9	8.4 6.8 9.6 8.3 7.4	9.7 7.7 7.5 8.6 7.4	7.4 6.7 7.8 8.1 7.4	5.9 6.6 6.1 8.6 7.6	11.1 13.6 9.6 9.9 12.5
1936 1937 1938 1939	6.8 5.2 5.5 29	6.4 6.6 6.3 5.8 12 5.0	7.1 7.3 5.3 4.3 31 6.0	8.4 7.6 6.8 6.2 2 6.0	8.8 7.6 6.8 6.4 20 6.9	9.7 7.8 9.9 7.0 24 6.6 6.14	9.1 7.7 9.9 7.7 9 7.2	7.8 6.9 7.2 7.3 30 6.8 28	7.0 7.3 8.0 6.8 14 6.1 3*	8.3 7.5 7.0 6.1 7	8.2 6.4 5.6 5.2 9	5.7 6.0 5.3 5.0 4,20	9.7 7.8 9.9 7.7 9/7
徳 値日 期年 份	9.0	9.1 5 1920	12.5	15.3 8 1906	13.6	12.2	11.9 .14 1926	11.5	12.7	11.9	11.4 2 1905	8.6 9 1934	15•3 8/4 1906
		高加	淮			P = 2	2 37'1	N 2=	120 10	6'E F	I= 29.1	L M	F
					蒸	发	量	(毫米)					= 11
1933 1934 1935	122.0 118.6 133.0	139.6 126.2 126.4	168.5 150.3 146.4	209.2 179.9 175.6	207.9 254.3 161.6 180.0	160.6 146.7 185.5 138.0 155.1	178.7 154.1 138.2 134.9	152.7 213.3 183.7 104.1	165.6 145.1 156.5	172.6 154.0 147.5	135.9 131.5 137.9	132.6 118.1 126.5	1549.3 2014.4 1792.7 1706.8 1701.3
1938	103.5	96.4	110.2	136.8	169.0	131.4 225.1 65.2	161.9	104.4	135.1	121.6	100.7	99.5	1643.1 1564.2 1412.2
年 均	120.1	122.3	137.8	174.2	187.3	151.0	139.3	136.3	145.6	152.1	130.3	114.3	1710.5

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		1			E	最大主	医岩层	(毫米)					
1932 1933 1934 1935 1936	6.9 5.8 5.0 6.2 6.2	6.0 6.3 6.2 5.9 5.7	7.4 8.9 7.4 7.1 6.1	7.5 8.7 9.7 8.8 7.7	8.9 10.9 7.8 8.4 9.3	8.5 7.8 8.1 7.2 7.6	8.0 7.7 7.7 6.9 8.0	7.8 8.5 10.2 6.2 6.7	7.0 6.6 6.8 6.7 6.6	7.5 7.0 6.1 6.0 6.0	6.6 6.6 5.8 6.2 5.8	5.3 5.3 5.3	8.9 10.9 10.2 8.8 9.3
1937 1938	5.0 5.4	6.6 5.8	6.7	8.8	9.2 7.2	7.4	7.0 7.0	5.2 5.2	5.8 5.8	6.7 5.2	5.0	4.4	9.2 10.0
種 値 日 期 年 份	0.7	6.6 1937	8.9 15 1933	9.7 24 1934	10.9 9 1933	10.0 27 1938	8.0 18,1 1932 1936	10.2 5 1934	7.0 13,2 1932		6.6 5,1 1932 1933		10.9 9/5 1933
		恒差	F			φ= ;	22 00'	N λ=	120°4	5 ' E 1	H= 22.	3 M	
					蒸	发		(毫米)					
1901 1902 1903	139.2 174.9 126.2	128.7 174.9 125.5	180.7 173.5 174.5	190.9 218.0 173.7	216.4 159.0 191.7 211.1 208.8	149.8 168.8 191.6	178.8 187.5 182.7	111.8 157.2 126.6	162.2 188.6 142.6	145.3 206.9 156.9	149.3 161.4 156.4	170.9 145.7 170.8	1952.5 1866.6 2149.1 1938.6 1986.7
1906 1907 1908	164.5 170.5 135.4	144.6 146.0 139.2	185.3 194.4 157.4	191.2 168.0 196.9	185.9 205.1 185.9 171.2 199.7	196.1 141.6 157.0	174.8 181.5 133.1	189.3 171.1 115.6	151.4 142.6 146.7	181.2 150.8 145.2	169.9 149.1 142.6	157.8 146.6 125.1	1816.7 2111.2 1948.1 1765.4 2089.3
1911 1912 1913	149.0 182.2 147.0	147.4 173.8 154.8	194.6 214.2 199.5	182.4 237.5 215.1	188.7 182.6 229.8 192.4 232.3	236.5 143.9 178.6	181.1 189.5 152.6	139.0 159.2 166.0	143.3 162.7 148.7	196.7 178.1 198.8	196.6 182.5 192.2	181.9 165.3 153.5	2209.0 2131.1 2218.7 2099.2 2084.4
1916 1917 1918	159.8 155.3 184.3	138.2 142.9 147.0	179.3 205.3 182.0	208.6 172.3 214.3	140.8 217.6 165.2 218.8 183.2	154.1 168.5 219.6	222.8 145.8 153.7	120.4 174.9 124.7	159.4 175.1 188.5	145.7 172.4 186.1	154.8 171.6 155.3	133.0 169.0 151.7	2082.0 1993.7 2018.3 2126.0 2249.1
1921 1922 1923	173.2 151.4 170.0	139.4 127.8 110.4	185.5 173.3 171.5	191.2 212.4 192.2	161.4 167.6 217.9 229.0 217.6	165.6 150.6 156.5	183.2 174.6 172.9	158.9 123.2 131.6	157.4 136.5 168.3	206.6 197.5 156.6	190.6 184.7 191.8	147.0 126.9 170.2	2070.3 2066.2 1976.8 2021.0 1874.6
1926 1927 1928	135.4 131.4 143.2	149.9 119.5 156.8	190.1 169.0 176.6	137.3 165.7 171.8	196.5 158.1 176.6 155.1 178.6	168.8 148.0 128.8	172.8 140.2 160.3	171.2 146.5 135.0	144.2 158.4 135.0	167.9 181.4 164.5	169.0 167.7 128.8	157.8 139.5 125.3	1991.8 1922.5 1843.9 1781.2 1740.8
1931 1932 1933	149.4 212.8 197.0	163.5 178.1 174.3	190.0 219.0 212.8	226.6 204.8 242.9	186.8 180.9 203.5 247.9 191.2	164.2 156.3 136.9	164.0 144.7 162.6	108.7 130.7 230.2	126.2 134.6 188.7	181.1 180.2 233.8	175.1 197.2 237.0	170.1 185.9 204.1	2016.3 1999.8 2147.8 2468.2 2213.7
1936 1937 1938	169.1 118.2 189.8	115.4 132.9 163.7	198.2 175.0 186.3	212.2 220.7 188.7	238.6 234.2 201.6 224.5 150.4	162.1 158.5 250.6	170.6 171.6 179.8	133.9 154.6 104.6	154.1 165.8 160.9	201.7 196.6 186.0	228.6 170.8 172.2	163.7 173.8 170.7	2085.5 2143.8 2040.1 2177.8 1871.7
1941	154.2	139.1	164.6	169.7	176.7 192.6 254.0	148.1	161.7	172.0	143.8	166.4	148.2	141.9	1949.0 1902.3 2096.0

月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
年 1943										192.4			1911.3
1944	139.3	165.3	180.1	174.1	206.7					172.9	127.7	129.0	1878.8
		118.9			205.9	151.4	153.5	183.9	176.1	200.2		157.8	2156.2
平均	154.9	148.7	187.3	197.4						180.9	172.1	160.9	2025.7
1900 1901 1902 1903 1904	7.3 6.8 8.5 7.3 7.6	7.0 6.7 9.1 7.0 8.3	7.9 9.0 9.1 7.4 7.4	10.4 9.1 9.7 8.3 8.7	9.2 8.6 9.2 10.6 9.3	8.0 8.0 8.5 9.9 7.3	蒸发量 8.4 8.6 9.9 8.7 8.4	(東米) 6.9 7.3 7.7 7.3 7.8	8.3 8.0 9.0 7.7 8.5	9.5 7.9 8.7 8.2	6.9 7.3 7.8 9.8 7.5	6.6 8.4 6.9 7.6 6.8	10.4 9.1 9.9 10.6 11.1
1905 1906 1907 1908 1909	5.9 7.5 8.2 7.4 6.9	6.1 7.0 7.4 7.0 7.3	6.7 8.5 8.8 8.5 11.7	7.3 9.7 8.0 8.8 10.0	7.7 9.8 8.3 9.7 12.1	7.5 9.2 7.1 7.5 9.7	7.6 9.7 7.5 6.6 9.0	7.5 9.2 9.2 7.2 7.4	8.3	9.6 11:1 6.4 7.4 8.8	9.5 8.3 7.5 7.4 9.5	6.7 7.1 6.7 7.0 8.4	9.6 11.1 9.2 9.7 12.1
1910 1911 1912 1913 1914	8.9 7.0 8.3 7.7 7.3	8.5 8.6 8.1 7.1	9.4 8.4 9.4 8.4 9.5	9.3 7.9 10.8 8.7 9.2	9.5 10.7 10.9 11.3 9.8	9.3 10.0 8.4 8.9 8.4	7.8 8.2 8.8 7.9 7.6	7.4 7.5 7.5 7.1 7.2	8.4 8.8 9.2	9.6 10.0 8.3 10.5 9.7	11.2 9.2 8.5 9.2 10.6	9.4 9.8 9.1 8.3 8.8	11.2 10.7 10.9 11.3 10.6
1915 1916 1917 1918 1919	8.1 8.3 7.1 7.5 8.3	7.7 7.4 6.5 7.3 7.9	7.2 7.6 9.5 7.9 10.2	11.9 9.0 8.8 8.9 9.5	8.4 9.5 7.1 9.9 9.6	7.3 7.3 8.3 12.4 7.9	8.0 8.8 8.4 7.4 8.7	7.5 6.3 7.8 6.7 7.1	6.6	9.0 7.6 8.1 10.1 8.7	8.3 8.9 9.4 8.8 9.3	8.5 6.8 9.5 8.0 9.7	11.9 9.5 9.5 12.4 10.2
1920 1921 1922 1923 1924	7.6 8.9 8.2 8.7 7.4	8.9 7.6 7.3 5.7 6.6	9.6 8.9 7.3 9.0 7.8	10.5 8.9 12.8 8.6 8.3	7.6 9.2 10.3 9.5 9.5	7.6 9.1 8.0 10.9 7.5	9.3 8.4 8.1 7.4 7.1	6.8 9.2 6.9 6.3 6.6	10.8 7.9 8.0	9.2 9.6 10.1 8.2 9.4	8.2 9.5 9.3 10.5 10.1	8.3 7.9 7.9 7.3 7.6	10.5 10.8 12.8 10.9 10.1
1925 1926 1927 1928 1929	7.1 6.6 6.6 7.3 5.0	8.5 7.5 6.9 8.5 5.1	11.4 8.2 8.0 8.3 7.7	9.1 7.8 8.4 9.0 10.5	8.4 8.8 9.8 7.4 9.1	7.5 8.4 8.0 6.9 7.2	7.5 7.4 6.7 7.0 6.4	7.4 7.1 6.4 8.0 6.4	8.2 8.0	9.3 9.4 9.3 7.6 8.5	7.9 9.4 9.7 6.4 7.0	8.5 8.3 6.7 5.9 5.8	11.4 9.4 9.8 9.0 10.5
1930 1931 1932 1933 1934	6.5 7.4 9.8 11.1 9.5	7.3 8.0 8.8 10.1 9.4	8.3 10.5 11.0 10.7 9.6	8.8 11.0 10.8 12.3 10.3	9.0 9.4 8.8 11.8 11.0	8.0 8.6 8.1 7.1 8.5	5.7 7.1 7.0 8.7 8.2	7.5 6.2 5.6 9.2 7.1	6.5	11.0 8.2 9.4 12.9 9.3	10.0 8.8 9.3 11.8 8.8	7.4 8.8 9.2 9.6 10.5	11.0 11.0 11.0 12.9 11.0
1935 1936 1937 1938 1939	8.9 8.0 7.2 8.7 8.4	8.9	9.0	10.8 9.6 11.4 8.2 10.2	10.0 10.4 11.0	7.3	8.0	6.9	9.7 7.3 10.6	9.3 9.8		9.1	11.4
1940 1941 1942 1943 1944	6.5	7.5	8.1	10.0	10.8	8.9		7.2 8.5 7.4	7.1 7.0 7.2	7.9 8.2 9.3	7.6 7.4 8.5	7.3	10.8
1945 1946	6.7 7.7	8.4		10.6		9.1	9.0	7.8		8.3		7.2 7.2	12.2
組 館 日 初 年 份			14.2 11 1935	17	11	27	25	44	30,2	12.9 8 11 1933	11	10.5 2 1934	14.2 11/3 1935

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
廣	栗	曲江				φ=	24°55'	n 4=	113 0	7°B	H= 86.0	6 M	
					蒸	发		毫米)					
1951 1952 1953	82.4 (63.8)	(61.9) (44.6)	(39.0) (61.6) 69.1	87.4	(131.3	158.9	173.3	161.1	146.2	119.9 137.9 122.8	89.2 106.1 85.5	71.2 68.9 49.6	1377.0 1382.6
平 均	73.1	53.3	65.4	79.0				191.0		130.4	95.8	59.3	1379.8
1951 H 1952 H 1953	3.7 21,23 4.7 11	7.6 14 5.0 12	4.0 7,10 7.2 23 6.2 26	6.1 29 8.6 18 6.9 28	8.8 14 7.9 4,1 8.1 26	7.6 25 9.7	11.3 20 9.0 23		10.9 19 8.0 1,1 8.8 26	13 6.8 2 21	6.9 12 6.9 13 5.6	5.3 14 4.8 15 3.4	9.7 20/6 12.4 12/8
極質的	4.7 11 1953	7.6 14 1952	7.2 23 1952	8.6 18 1952	8.8 14 1951	9.8 21 1953	20	12.4 12 1953	10.9 19 1951	7.8 13 1951	6.9 12,1 1951 1952	5.3 14 1951	12.4 12/8 1953
		ill i	1 .			Çin ;	23 [°] 21 [']	y 4-	116°4	0'2 1	H= 5.3	M	
1952	83.7	68.1	85.5	90.1	蒸 160.3	发 132.4	140.4	(毫米)	124.1	160.6	128.6	78.7	1404.3
1953	77.4 80.6	65.1	84.7							(124.0)		87.9	1366.1
1352	4-6	4.7	8.0	6.5	一日:	最大蒸 7.6	发量(4 9	9.6
1953 H	18 4.6 2	23 5.9 8	31 5.5 12,25	15	19 6.2 28	14 9.4 24	6 8.6 24	8.6 30,3 10.1 12	6.6 1 16 7.8 18	7.3 22 5.8 29	5.6 20 5.0 3±	4.8 8 5.0 9	8.6 3k 10.1 12/8
極 値 期	4.6 18,2 1952 1953	5.9 8 1953	8.0 31 1952	6.9 21 1953	8.2 19 1952	9.4 24 1953	8.6 6,2 1952 1953		7.8 18 1953	7.3 22 1952	5.6 20 1952	5.0 9 1953	10.1 12/8 1953
		廣州	1 ()			φ= ;	23 08'	1 A-	113°1	7°B 1	E= 13.4	м	
	93.8 52.3 105.5 72.5 66.4		77.4 58.9 104.5 103.4	83.3 88.8 83.3	111.7 123.7 125.8	94.4 111.0	125.3 115.6 134.0	116.1 106.7 119.3	107.6 95.1 157.5 157.4	126.5 114.4 153.0 161.4 158.9	116.9 126.6 184.5	92.8 107.8 150.9	1262.7 1340.9 1458.4 1428.7
1926 1927 1928 1929 1930	126.6 103.2 84.0 94.4 47.5	62.7 53.8 84.2 57.0 72.6	65.8 82.6 93.6	99.5	100.7 75.2 89.1	134.4 98.9 119.2	131.1 156.7 132.9	145.6 120.9 132.9	148.6 122.0 144.7	124.7 157.2 146.3 156.0 150.7	147.0 125.0 115.8	130.6 98.1 80.9	1410.0 1404.0 1293.4 1326.5 1280.2
1931 1932 1933	73.3 118.5 53.2	34.7 57.6 39.4		62.0	127.3	91.5	102.0	114.2	91.0	152.6 121.0 139.4	97.3	92.8 77.6 71.5	1195.4 1138.6 1181.6
平 均	86.6	61.7	80.7	82.4	109.7	113.1	134.2	133.6	133.8	145.6	126.9	101.8	1310.0

96													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1921 # 1922 # 1923 # 1924 # 1925	5.6 14 4.4 10 4.8 4,18 4.2 8,13 6.3 31	6.0 3 3.6 27 4.2 2,4 3.9 1,28 5.6 22	5.4 12 4.2 29 5.5 28 6.0 8 5.6 12	6.2 24 5.0 16 5.1 28 6.4 24 6.0	一日 5.2 21 6.6 29 5.8 11 7.2 9 6.0 14,23	5.6 30 8.0 6	发量(5.9 22 - 6.5 20 6.4 27 7.5 9,10	毫米) 6.8 6 6.4 1 6.1 3 7.7 1 6.5	5.8 1 4.8 18 7.4 11 8.0 6 7.5 9,15	5.8 4,6 5.6 11 7.3 6,10 8.1 29 6.6	5.2 13 5.6 26 7.0 2 8.0 13,24 6.9	5.0 8 5.1 29 5.9 5 7.4 7 5.5	6.8 6/8 - 7.4 11/9 8.1 29/10 7.5
1926 H 1927 H 1928 H 1929 H 1930	6.4 12 5.1 11 6.3 14 4.6 18 4.0 31	5.4 1 4.4 1 5.9 22 3.9 17,21 5.2 20	5.6 14 5.7 21 5.7 9 5.8 9 5.8	3.8 7 6.3 28 5.7 14 7.4 22 6.2 30	7.2 6 6.6 31 4.2 12 6.6 27 7.4	5.5 27,30 7.1 21 4.7 14 6.4 5 7.4 29	7.5	6.6 15 7.6 28 6.9 2 7.5 15 6.7 12,29	6.8 20 8.2 17 5.4 24 7.1 9	6.1; 23 6.8 31 6.5; 21 7.6; 17	6.4 3 6.8 12.26 5.4 8 6.8 18 5.7	6.0 28 7.0 8 4.5 2 4.1 2,5,8 4.3 13	7.5 11/7 8.2 17/9 7.0 31/7 7.6 17/10 7.6 1,2/7
1931 1932 H 1933	4.1 7,18 5.1 22 4.0 4	4·3 3 4·4 3成 3·2 8	5.3 24 6.0 25 6.6 12	4.8 26 4.4 1,24 6.0	6.0 15,27 6.8 16 7.3 15	7.0 30 6.7 24 6.5 9	7.6 7 6.3 10 6.5 17,28	7.6 10 6.6 11 7.4	7.0 24,26 6.0 28-30 6.6 7,10	6.9 28 6.3	6.7 6 5.4 12 7.2	4.8 27 4.7 13-15 4.0 12,16	7.6 7/7,10/8 6.9 28/10 7.4 2/8
極 億 期	6.4 12 1926	6.0 3 1921	6.6 12 1933	7.4 22 1929	7.4 17 1930	8.0 6 1924	7.6 1,2,7 1930 1931	7.7 1 1924	8.2 17 1927	8.1 29 1924	8.0 13,24 1925	7.4 7 1924	8.2 17/9 1927
		廣外	H(I)			9- 1	23 [°] 00'1	ı 4=	113°1.	3'8 1	H= 18.9	M	
1950 1951	111.6 107.0 76.9 102.9 (89.3)	78.2 68.8	77.7 103.9 47.7 67.0 (50.7)	- (79.4 (79.1)	114.8) 157.8 131.3	127.4	174.0 199.7 166.6 (145.3)	148.7 177.0 162.7	191.1 175.1 138.1	151.4	145.8 110.5 147.7(105.3	121.2	1469.2 1446.5 1379.2
平 均	89.7	65.6	55.1	72.1	135.5	141.9	170.9	175.7	149.2	150.8	121.2	103.4	1431.6
1951 H 1952 H 1953 H	4.8 20 6.0 6 5.1 28	5.0 5 4.4 19 4.2 21	4.3 1 6.9 23 3.1 1,8	5.9 21 5.5 15,16 4.9	8.7 11 6.9	最大型 7.2 20 6.7 10 8.4 5	蒸发量 8.2 31 7.5 29 9.6 5	(毫米) 8.7 7 7.9 31 9.5 12	10.9 19 7.9 1 8.8 17	8.0 13 8.1 22 5.9 9	6.9 1 7.5 13 6.4 19	7.3 13 6.6 15 5.2	10.9 19/9 8.1. 22/10 9.6 3/7
極 値 期	6.0 6 1952	5.0 5 1951	6.9 23 1952	5.9 21 1951	8.7 11 1951	8.4 5 1953	9.6 5 1953	9.5 12 1953	10.9 19 1951	8.1 22 1952	7.5 13 1952	7.3 13 1951	10.9 19/9 1951
		满之	I			ØE (21°02'1	1 4-	110°2	B'# 1	H= 10.0	M	
1951 1952 1953	107.9	76.8	(95.8)	157.6	185.2(168.6	255.9	189.5	182.8	217.5		125.4	1894.5 1867.5 1597.4
华均	99.2	100.0	96.8	122.3	181.4	162.4	223.5	180.2	183.4	183.6	136.7	116.9	1786.5

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
					_ = =	县上菲	发量(本业)					
1951 H 1952 H 1953 H	7.8 21 5.8 8 4.5	7.0 19 4.7 8 7.1 26	5.4 7 7.0 5 8.3 26	8.0 21 9.0 15 4.9 28	10.4 21 9.1 25 7.0	12.3 14 8.8 1 8.0 25,26	12.0 13 10.6 12 9.0	10.6 27 8.0 7 11.1 24	10.2 20 11.5 12 7.8	8.8 2 8.8 17 8.8 3	9.0 3 7.0 19 8.8 5	8.2 4 7.4 8 4.6 29	12.3 14/6 11.5 12/9 11.1 24/8
種 健 日 期 年 份	7.8 21 1951	7.1 26 1953	8.3 26 1953	9.0 15 1952	10.4 21 1951	12.3 14 1951	12.0 13 1951	11.1 24 1953	11.5 12 1952	8.8 2,17,3 3年	9.0 3 1951	8.2 4 1951	12.3 14/6 1951
							25 [°] 15'1	. 1	110°10	·	256	0 W	
廣	西	桂材	k		,	Ψ= 1	2) 1) 1	n 4=	110 10	2 25 25	= 156.	O M	
1951 1952 1953	62.3 (51.9)		58.0 (49.2)	(88.5) (69.9)	燕 (102.6) (151.0)	发 - 176.4 170.3	(134.4)	(多米)	168.1	(125.9) (95.2)	93 .9 102.4 65.7	97.3 86.2 59.4	1324.3 1313.8
平均	57.1	46.8	53.6	79.2						110.6	84.1	72.8	1319.1
1951 H 1952 H 1953 H	- 4.0 19 5.4 11	4.5 22 2.9 14	5.8 18 4.4	- 6.5 16 6.0 2	- E - 6.0 10 9.5 19	最大 9.6 11 8.0 6	蒸发量 7.8 29 9.3 26	8.0 18 10.9 13	8.0 28 9.3	9.0 2 7.5	5.6 15 4.3 3x 4.5 26	7.7 14 4.7 1 4.3 1,2	9.6 11/6 10.9 13/8
極値明好	5.4 11 1953	4.5 22 1952	5.8 18 1952	6.5 16 1952	9.5 19 1953	9.6 11 1952	9.3 26 1953	10.9 13 1953	9.3 1 1953	9.0 2 1952	5.6 15 1951	7.7 14 1951	10.9 13/8 1953
		柳	H			φ= ;	24°18'1	n 4=:	109° 16	B H	94.0	М	
1951 1952 1953		104.3 84.2 47.5	68.5	(97.9) (147.4)	蒸 192.9 129.3	发 154.7 222.1	230.6	(毫米) 207.3 207.0	188.1 (189.2)	(124.4))175.5 —	(106.0) 152.2	123.9	1683.8 1789.9
平 均	84.3	94.3	79.2	122.7	161.1	188.4	205.6	207.2	188.7	150.0	129.1	126.6	1736.9
1951 H 1952 H 1953	6.2 12 5.1 21 7.8	8.4 20 7.0 14 3.6 7	5.1 7 9.8 18	6.7 7 11.0 11	一日 11.5 16 8.6 2 -	9.8	10.9	(老米) 10.8 1 10.3 8 -	9.9 19 12.3 13	6.4 29 9.5 1	6.5 7 7.4 30	9.7 14 7.1 1	11.5 16/5 12.3 13/9
極値用外	7.8 8 1953	8.4 20 1951	9.8 18 1952	11.0 11 1952	11.5 16 1951	11,1		10.8 1 1951	12.3 13 1952	9.5 1 1952	7.4 30 1952	9.7 14 1951	12.3 13/9 1952
		百色	ě,			φ= ;	23°55'1	N 1=	106°3	2 *E	H- 136	3.0 M	
1951 1952 1953	85.5 64.0				220.1		181.0		(114.9))110.5(111.5		90.2 92.9 64.3	1668.6 1513.9

30													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均	74.8	81.8	108.1	158.4	198.2	185.7	201.5	173.5	121.3	111.0	98.6	78.6	1591.3
					—日		族发量	(毫米)					
1952 W	6.5	8.6	9.1	10.3	12.4	10.6	11.3	8.8	8.2	11.4	5.8	5.0	12.4
1953	5.3	6.3	6.8	9.7	10.5	8.3	10.6	11.0	6.5	7.4	5.1	4.0	11.0
¥	13	15	27		21	24	17	3	1	3,5	8,17		3/8
極値期	6.5 30	8.6	9.1	10.1	12.4	10.6	11.3	11.0	8.2	11.4	5.8	5.0	12.4
年 份	1952	1952	1952	1952	1952	1952	1952	1953	1952	1952	1952	1951	1952
										,			
		梧り	44			φ _m ;	23 [°] 30'1	1 2-	111°2	5'B I	I= 45.3	M	
1													
1951	-	_	-	***	蒸	发	量	(毫米)	_	_	_	73.5	404
1952										160.7		73.5	1418.7
平 均	70.2	50.9	62.6	81.8						154.5	116.5	73.1	1404.4
1951	_			_		最大	蒸发量	(毫米)	_	wo	-	5.0	_
H	-	-	-	-	-	-	-	-	-	-	-	5	-
1952	4-4 30	3.7 14	7.6	7.1	6.9	8.4	10.3	10.1	8.2	7.3	6.6	5.1	10.3
1953	4-5	5.0	4.6	6.0	8.4	8.8	9.8	10.7	7.8	7.4	5.5	5.3	10.7
極頻用	4.5	5.0	7.6	7.1	8.4	8.8	10.3	10.7	28	7.4	6.6	5.3	10.7
年 份	1953	1953	1952	1952	1953	1953	1952	1953	1952	1953	1952	1953	1953
		南等	E.			9-	22 48 1	1 2-	108 1	8'E E	I = 76.7	м	
		m. '			蒸	发	*	(毫米)					
1950	63 4	95.0	-			-	-	-	141.0	123.6			3064.4
1951	61.4 55.5	85.9		102.8	127.1	145.0	129.0	127.6	121.6	111.1	(94.1)	72.0	1264.4
1953	59-4	41.1	64.7	60.0	125.3	126.6	165.8	157.5	113.7	(113.0)	78.7	62.4	1168.2
平 均	58.8	58.1	58.8	86.2	135.7	129.7	151.1	136.3	122.9	116.8	83.4	75-2	1213.1
	86	cm			-		蒸发量						
1951 W	4.1	5.5	5.2	6.0 30	8.2	7.8	7.0	7.9	9.4	6.0	5.5	6.1	9.4
1952	4.5	7.3	6.4	9.5	6.6	7.2	8.0	6.8	6.9	8.1	5.2	4.4	9.5
1953	4.0	2.8	5-7	6.1	7.0	15 7.3	7.1	7.6	6.4	6.0	5.4	5.4	7.6
36	8	14,21	11	29	21	30	16, 3	13	1	13	18	3	13/8
極頻	4.5	7.3 15	6.4	9.5	8.2	7.8	8.0	7.9	9.4	8.1	5.5	6.1	9.5
年份	1952	1952	1952	1952		1951	1952	1951	1951	1952	1951	1951	1952
黄	911	銅(9-	27°38'1	1 Z-	108 5	7'E E	E= 274.	,8 M	
						48-	-						
1951	_	_	_	_	燕	发	-	(毫米)	-	==	48.8	52.9	-
1951 1952 1953	- 39 • 4 16 • 3	37.2	51.5	107.5	58.5	164.0	166.6 151.3	137.4	103.5	45.3 38.2	32.2	52.9 37.8 23.8	980.9 863.3

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均	27.9	31.8	50.0	86.3	67.5	141.7	159.0	157.6	97-7	41.8	30.3	30.8	922.1
1951	-	-	-		— F	最大	蒸发量	(毫米)	-	-	4.1	2.9	-
1952	3.4 18	4.5	4.9	8.0	6.5	9.9	10.0	8.8	6.7	4.9	3.7	2.2	10.0
1953	1.6	2.8	4.4	5.7 25	7.0	9.6	8.0	9.2	5.5	4.5	2.5	2.4	9.6 21/6
極値期分	3.4 18 1952	4.5 21 1952	4.9 22 1952	8.0 16 1952	7.0 9 1953	9.9 17 1952	10.0 3,5 1952	9.2 13 1953	6.7 10 1952	4.9 2 1952	4.1 2 1951	2.9 27 1951	10.0 3,5/7 1952
		鎖;	À			P = (27°03'1	χ λ <u>-</u>	108°24	'R B	I= 463.	о м	
					蒸	发	量	(毫米)					
1950		28.9		84.6	79.7	116.8	101.2	131.2	56.9 126.2	55.5	51.3 47.6	24.4	804.9
1952	41.8	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	66.7	104.5	(82.2)	150.1)	(135.8)	(106.3)	101.8	(54.0)	41.2	49.2	846.9
平 均	30.7	28.7	35.3	66.7					94.5	63.0	45.7	38.0	915.6
1950	4.0	3.8	2.8	8.6	一日7.5	最大素	《 友董 6.9	(毫米)	5.5	4.3	6.0	1.6	9.6
1951	17	23	18	14 5.7	18	23	18	19	17 7.4	19	10	5	23/6
1952	27 2.9	19	16	24	31	9.5	10 7.9	17	6.3	20	5	26	17/8
1953	3 2.3	3.1	22	16 (7.5)	3	14 7.7	7.1	7.8	9	2 4.7	5 2.9	3.2	7.8
-,,,	12	11	10	26	21	21	31	1	29	1	26	14	1/8
極値期	4.0	3.8	5.6	8.6	8.5	9.6	9.5	12.3	7.4	5.7	6.0	3.5	12.3
年 份	1950	1950	1952	1950	1951	1950	1951	1951	1951	1952	1950	1951	1951
		成 9				gr == 2	26°51'1	# a-	104°15	5°E E	- 2316	.5 M	
					-21-	230	to the						
1951	-	-		-	蒸	发95.4	98.8	(毫米)	87.5	88.7	50.8	47.9	-
1952 1953				169.4				106.9			87.5	57.9	1342.1 1365.0
平均	78.9	105.8	154.0	139.0	157.6	128.3	137.9	133.1	81.3	67.4	103.1	67.4	1353.6
2000								(毫米)	-				
1951	-	-	_	_	_	7.6	6.7	10.3	8	7.5	12	3.5	-
1952	5.7	8.2	7.9	10.2	9.5	8.4	8.5	7.3	5.9	20	12,25		10.2
1953	23	9.5	12.6	8.8	13.5	9.3	7.6	7.2	5.2	5.3	5.5	5.6	13.5 8/5
極値期	6.6	9.5	12.6	10.2	13,5	9.3	8.5		6.4	.7.5	5.7	5.6	13.5
年 份	1953	1953	1953	15	1953	1953	1952	1951	1951	17	12, 25	1953	1953
		獨」	Ц .				25 51 1	r 2-	107°32	, E 11	= QAA	7 M	
		1PU	Ц			7- /	-)). 1		701 30	-			
1951	CHA	gest		_	蒸	发	量	(毫米)	-	-	400	55.3	-
1952	29.2	32.1							109.6			71.9	917.0
3,75	32.0	3401	,,,,,,	,000		- 37 4 -	->102			,,,,,,,	,-,,	, , , , , , , , , , , , , , , , , , , ,	

200													
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均	30.5	33-4	56.2	84.7	90.3	123.6	126.0	136.5	106.5	60.7	58.5	55.1	96 1.6
					一日	最大素	秦发量	(亲米)					
1951	-	-		-	=	-	-	-	-	-	-	2.8	-
1952	2.3	3.1	6.0	7.3	6.0	6.7	6.0	. 6.4	6.4	5.8	4.8	14,21	7.3
1953	19,20	14	18 5.8	16	9.4	14 8.6	7.5	8.4	28 6.4	. 6.3	3.3	13	16/4
日 日	8	12	10	27	28	9	29	13	30	2	7	13	9·4 28/5
極値	4.2	5.0	6.0	7.3	9.4	8.6	7.5	8.4	6.4	6.3	4.8	4.2	9.4
日期年份	8	12	18	16	28	9	29	13	28,30	2	1	13	28/5
- 07	1953	1953	1952	1952	1953	1953	1953	1953	1952 1953	1953	1952	1952 1953	1953
		盤県	紧			₽ ■ ;	25 [°] 45'1	1 2-	104°39	B B	I= 1322	2.0 M	
					4-		_						
1057			/88 A	220 6	蒸	发		· 主张)	80.4	07 6	73.4	73 0	
1951 1952		131.5	226.2	189.0	143.3	115.5	101.9	101.8	97.1	97.6 55.4	73.4	71.8	1406.8
1953	78.9	(86.8)	(133.2)	90.4	146.5	(130.3	136.7	154.9	64.6	78.8	82.1	65.0	1248.2
平 均	63.9	109.2	179.7	139.7	144.9	122.9	141.2	128.4	80.9	67.1	94-3	55.6	1327.5
					一日	最大素	秦发量	(毫米)					
1951	-	-	9.1	18.0	13.5	8.1	6.5	. 6.8	6.1	5.8	6.2	4.8	-
1952	4.7	18.4	13.5	15.3	10.8	7.7	25 9.1	6.8	8.5	20 5.6	13,14	4.4	18.4
1053	(11 0)	(7.2)	(0.5)	10	11	16	7.1	(8.7)	11	19	10	26	15/2
1953	(11.0)	(7.2) 12,15		9.5	8.7	7.8	17,18	(8.7)	5.2	6.1	7.6	4.5	11.0
極値	(11.0)	18.4	13.5	18.0	13.5	8.1	9.1	8.7	8.5	6.1	7.6	4.8	18.4
日期	12	15	6	27	3	1	5	4	11	19	8	30	15/2
年 份	1953	1952	1952	1951	1951	1951	1952	1953	1952	1953	1953	1951	1952
29	Щ	松油	F			φ=	32 39 1	1 1-	103°34	L'B B	I= 2881	.6 M	
					並	14-	19	1. n					
1951	1940	-	_	_	蒸	发	1	(毫米)		111.2	80.1	55.3	-
1952							171.3		98.4	78.5	72.1	52.2	1215.8
1953	,						(138.0)			(70.6)	74.8	48.8	1278.8
平 均	46.7	65.4	106.1	138.8			154.7		94.1	74.6	73.5	50.5	1247.3
2000					E	最大	蒸发量	(毫米)					
1951 N	-	-	-		-	_	_			9.8	4.1	3.4	-
1952	2.8	3.3	5.8	8.4	10.5	7.8	9.1	7.5	6.6	6.7	4.1	3.0	10.5
1953	22,26	12	28 7.0	7.0	8.1	8.2	8.2	8.8	16	20 4.2	14 3.9	2,6	8.8
Н	27	15	24	29	1	20	8	23, 25		4	11	14	23,25/8
極量	2.8	4.1	7.0	8.4	10.5	8.2	9.1	8.8	7.0	9.8	4.1	3.4	10.5
日前	22,26	15 1953	24 1953	21 1952	14	20 1953	2 1952	23, 25	1953	13 1951	20,14	31 1951	14/5 1952
U	-//-	-//3	-//3	-//-	-//-	-,,,,	-//-	-//3	-//3	-//-	1952	-//-	-//-
		nāc -	_				0		ė				
		廣う	C			φ=	32 26' N	1 1-	105 48	B B	= 484.	8 M	
					蒸	发	星	(毫米)					
1951	-	-	-		7/1/5	-	-	(電水)	95.5	(83.9)	71.8	86.1	_

													101
	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952 1953	103.4											79.2 (73.4)	1482.8 1423.2
平均	85.9	84.9	106.4	160.1	163.6	177.5	153.4	170.8	117.8	80.4	76.3	76.3	1453.0
					— E		蒸发量						
1951	-	-	-	-	-			_	6.5	6.5 3k	8.6	7.5	=
1952	8.2	5.2	23	13.5	9.9	12.1	8.6	11.2	7.9	8.8	5.1	7.2	13.5
1953	5.3	6.3	9.6	8.7	10.1	12.5	9.7	15.5	13.8	6.7	6.6	4.8	15.5 19/8
極値	8.2	6.3	11.0	13.5	10.1	12.5	9.7	15.5	13.8	8.8	8.6	7.5	15.5
日期	28 1952	12 1953	23 1952	19 1952	11 1953	1953	17	19 1953	1953	21 1952	5 1951	12	19/8
	4//2	-773	27,72	27,70	4//3	~///	-//3	-//3	-//3	-//-	27)2	2/)2	2773
		平道	3			φ= :	32 [°] 25'1	1 A=	104°35	'E H	= 876.	,6 M	
					蒸	发	哥	(毫米)					
1947	17.1	23.6		107.9	128.8	158.6	141.7	118.7	2	28.5	31.0	31.3	888.0
1948	29.0 50.7	23.7		122.9		119.7	129.3	115.8	70.0	70.7 52.4	54.5	57.4	992.8
1952	36.6	58.0	81.4		144.3		(163.3) (132.4)		90.1 (73.0)	51.4 (54.2)	47.2	41.8	1008.9
平均	33.4	42.5	71.1	97.0	131.3	135.5	143.5	131.3	61.9	51.5	45.5	39.6	984.0
					一日	最大素	蒸发量	(毫米)					
1947	0.7	1.4	3.2	6.8	7.4	7.2	6.1	7.2	2.9	1,31	2.1	1.6	7.4
1948	1.6	1.5	3.0	5.6	8.3	8.9	12.1	8.6	6.4	5.9	4.0	5.0	12.1
1949	3.9	6.9	6.7	9.2	9.4	7.4	9.3	7.1	4.7	5.0	4.1	3.2	9.4
1952	-	-	-	-		-	9.3	6.9	5.9	3.6	3.4	2.2	7/2
1953	2.5	4.4	5.4	5.8	8.9	8.8	8.8	8.4	4.7	21,31	3.5	1.8	8.9
1	12.26		7	26	27	27	9	5	7	11	9	13,25	27/5
極頻	3.9 25	6.9	6.7	9.2	9.4	8.9	12.1	8.6	6.4	5.9	4.1	5.0	12.1
年 份	1949	1949	1949	1949	1949	1948	1948	1948	1948	1948	1949	1948	1948
		達!	ik.	5 .		φ	31°16'1	n 1=	107°28	B H	= 296.	,5 ¥	
					#	12-	旦	and the N					
1952	21.8	(28.6)	55.2	122.0	蒸 102.9		量(153.6		(71.7)	48.7	33.6	20.0	895.9
1953	22.0	28.3	54.9	(75.9)	114.7	123.1	(119.3)	211.0	104.4	43.8	28.1	(21.3)	_
平 均	21.9	28.5	55.1	99.0					88.1	46.3	30.9	20.7	921.4
1952	1.3	2.2	4.9	6.7	8.2	最大為	发量 8.4	(毫米)	(4.6)	3.0	2.9	1.4	8.6
1953	26	14	22 3.9	27 7.1	7.8	8 7.4	9.1	9.3	22 8.4	2,5	1.8	1.4	8/6
H	26	18	8	27	12	16	24	19	2	18	3×	9	19/8
極 値 期	1.7	2.4	4.9	7.1	8.2	8.6	9.1 24	9.3	8.4	3.9	2.9	1.7	9.3 19/8
年 份	1953	1953	1952		1952	1952		1953	1953	1953	1952	1953	1953
		南 戎	c			0-	30°48'1	1 2-	106°04	2 E E	= 296.	.O. W	
		113 Л							200 04		2,504		
1053					蒸	发	量	(老米)	1126	64 81	40.3	31 1	100
1951	-	-	-	-	-		-	- 1	112.9 (04.7/	40.1	31.1	

1 2 3 4 5 6 7 8 9 10 11 12 全 1952 28.2 37.9 69.6 124.9 103.2 132.8 121.9 81.9 62.7 44.6 30.7 18.3 856 1953 22.6 31.1 50.1 72.3 120.9 151.3 149.5 223.5 126.6 60.6 43.9 27.3 1079 4 均 25.4 34.5 59.9 98.6 112.1 142.1 135.7 152.7 94.7 52.6 37.3 22.8 968 —日最大蒸发量(寒*) 1951 ———————————————————————————————————
25.4 34.5 59.9 98.6 112.1 142.1 135.7 152.7 94.7 52.6 37.3 22.8 968 -日最大蒸发量(寒米) 1951
一日最大蒸发量(速米) 1951
1951
日
1952 1.9 3.2 5.7 6.6 7.4 7.8 6.4 6.7 3.8 2.8 2.6 1.9 7 1.9 1.9 1.0 2.0 1 1 1 1.6 2.0 1 1 1 1.0 2.0 1 1 1.0 2.0 1 1 1 1.0 2.0 1 1 1.0 2.0 1 1 1.0 1.0
1953 1.3 2.5 3.4 5.6 8.1 8.4 9.5 13.7 9.9 4.2 2.6 2.2 13 31 11 9 27 30 17 27 19 2 30 15 19 19 19
31
極値 1.9 3.2 5.7 6.6 8.1 8.4 9.5 13.7 9.9 6.2 4.2 2.2 13 期 4 14 30 27 30 17 27 19 2 16 2 19 19 年 1952 1952 1952 1952 1953 1953 1953 1953 1953 1951 1951 1953 19 成都
押
成都
森 凌 量(寒*) 1938 (96.1)(184.1)(117.6)
1938 (96.1)(184.1)(117.6) 149.5(163.4)(163.2)106.3 (93.8) 58.4 38.4 1940 43.6 61.2 69.0 156.5(154.7)(201.0)161.5 135.1 87.3 (83.3) 59.4 - 1941 56.5 59.6 84.5 151.9 155.8 159.7 153.1 158.0 80.0 78.3 36.4 26.7 1200 1942 32.1 38.3 68.6 93.6 109.4 100.9 127.2 113.8 51.4 45.1 29.1 23.5 833
1938 (96.1)(184.1)(117.6) 149.5(163.4)(163.2)106.3 (93.8) 58.4 38.4 1940 43.6 61.2 69.0 156.5(154.7)(201.0)161.5 135.1 87.3 (83.3) 59.4 - 1941 56.5 59.6 84.5 151.9 155.8 159.7 153.1 158.0 80.0 78.3 36.4 26.7 1200 1942 32.1 38.3 68.6 93.6 109.4 100.9 127.2 113.8 51.4 45.1 29.1 23.5 833
1939 149.5(163.4)166.3 (93.8) 58.4 38.4 1940 43.6 61.2 69.0 156.5(154.7)(201.0)161.5 135.1 87.3 (83.3) 59.4 - 1941 56.5 59.6 84.5 151.9 155.8 159.7 153.1 158.0 80.0 78.3 36.4 26.7 1200 1942 32.1 38.3 68.6 93.6 109.4 100.9 127.2 113.8 51.4 45.1 29.1 23.5 833
1941 56.5 59.6 84.5 151.9 155.8 159.7 153.1 158.0 80.0 78.3 36.4 26.7 1200 1942 32.1 38.3 68.6 93.6 109.4 100.9 127.2 113.8 51.4 45.1 29.1 23.5 833
1942 32.1 38.3 68.6 93.6 109.4 100.9 127.2 113.8 51.4 45.1 29.1 23.5 833
1943 17.9 31.3 52.1 73.4 113.3 93.0 139.4 128.6 72.7 45.1 32.4 25.0 824 1944 13.7 30.8 59.3 78.4 129.0 108.7 170.6 155.2 68.1 43.1 47.1 24.4 928
1945 31.7 29.3 71.8 75.3 119.2 108.7 106.4 64.5 58.4 51.6 34.9 29.5 781
1946 24.6 47.7 63.3 108.4 107.7 87.6 106.9 107.1 63.5 55.0 28.7 18.9 819
1947 25.3 24.8 60.4 65. 113.7 81.2 76.4 79.5 62.1 38.9 31.1 21.3 680
1948 25.3 31.3 44.6 78.0 63.3 66.6 71.2 88.4 67.0 34.9 19.0 18.1 607
1949 17.4 20.5 52.5 53.6 99.3 64.8 79.3 67.3 37.1 32.2 28.4 16.7 569 1950 25.7 26.5 56.9 78.7 89.0 61.7 115.5 96.4 44.7 34.2 26.9 26.0 682
1950 25.7 26.5 56.9 78.7 89.0 61.7 115.5 96.4 44.7 34.2 26.9 26.0 682 1951 20.8 31.6 43.8 43.5(109.5) 89.0 (93.6)(81.3) 78.5 62.4 35.6 34.2 723
1952 48.5 48.7 78.8 152.7 (99.7)125.9(143.2) 95.7 96.2 47.7 44.3 36.0 1017
1953 28.5 45.7 74.1 81.9(140.4)(152.2)140.8 188.1 81.1 55.7 50.7 37.3 1076
平均 28.3 35. 62.4 87.3 111.5 100.0 117.2 109.5 66.2 48.0 34.2 26.0 826
80 Cm 蒸发量(素米)
1952 44.5 42.0 66.8 124.7 (83.8)127.4(119.2)(83.8)(81.2)(43.3) 40.9 34.3 891
1953 (25.6) 42.7 62.7 (71.7)(113.0)136.5(113.8)162.6 76.4 (52.5) 43.2 35.5 936
平均 35.1 42.4 64.8 98.2 98.4 132.0 116.5 123.2 78.8 47.9 42.1 34.9 914
一日最大蒸发量(恋米)
1938 8.7 10.9 7.7
1939 9.3 9.5 8.4 9.2 6.2 3.4 2.5
H 11 22 18 7 13 28 11,19
H 26 25 13 25 2 17 3,4 1 4 19 4 - 2
1941 3.1 4.2 5.9 7.9 12.6 10.6 10.7 (8.7) 5.8 6.2 4.0 2.7 12
H 1,23 19 22 11 31 30 30 10 3 8 2 5 31 1942 2.6 3.0 4.6 7.8 8.5 6.2 12.0 6.0 (3.8) 2.9 2.3 1.4 12
1942 2.6 3.0 4.6 7.8 8.5 6.2 12.0 6.0 (3.8) 2.9 2.3 1.4 12 H 27 3 15 23 16 9 15 31 9 3 13 4# 15
1943 1.5 2.2 3.8 5. 6.1 7.1 7.5 7.3 6.8 2.9 2.9 1.7 7 H 3 5 19 23,25 9 8 13 17 23 18 17 23 13
н 3 5 19 23,25 9 8 13 17 23 18 17 23 13
H 3 5 19 23,25 9 8 13 17 23 18 17 23 13
1944 1.1 2.5 3.1 5.2 9.4 10.6 9.8 9.2 6.2 4.9 3.4 1.9 10
1944 1.1 2.5 3.1 5.2 9.4 10.6 9.8 9.2 6.2 4.9 3.4 1.9 10 5,6 10 23 28 29. 25 18 18 8 27 1 26,31 25 3.945 4.7 3.9 4.0 4.9 8.9 5.9 7.7 5.7 4.2 3.3 2.8 2.0 8
1944 1.1 2.5 3.1 5.2 9.4 10.6 9.8 9.2 6.2 4.9 3.4 1.9 10 5,6 10 23 28 29 25 18 18 8 27 1 26,31 25 13,945 4.7 3.9 4.0 4.9 8.9 5.9 7.7 5.7 4.2 3.3 2.8 2.0 8 8 25 12,31 17 18 4 22 15 28 17 20 13 18
1944 1.1 2.5 3.1 5.2 9.4 10.6 9.8 9.2 6.2 4.9 3.4 1.9 10 1 5,6 10 23 28 29 25 18 18 8 27 1 26,31 25 1945 4.7 3.9 4.0 4.9 8.9 5.9 7.7 5.7 4.2 3.3 2.8 2.0 8 1 8 25 12,31 17 18 4 22 15 28 17 20 13 18 1946 1.6 3.6 4.5 6.6 7.2 5.6 6.8 5.9 3.8 3.8 2.6 1.3 7 1 1946 1.6 26 28 13 30 5 23 1 1.27 2 26 8 30
1944 1.1 2.5 3.1 5.2 9.4 10.6 9.8 9.2 6.2 4.9 3.4 1.9 10 10 10 10 10 10 10 10 10 10 10 10 10

		1											
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948 W 1949	2.2 18 2.0 31	2.1 20 1.5 2	3.3 9 3.6 20	4.9 30 3.9 25	6.3 6 5.8 19	4.0 28,30 5.2 11	4.8 27 5.6 30	4.2 38 4.6	4.3 2 2.7 1	2.1 18,20 2.7	1.5 14 2.5 5,11	1.6 13 1.2	6.3 6/5 5.8 19/5
1951 H 1952 H 1953	1.7 20 2.8 29 2.0	2.7 22 3.3 27 3.5	3.1 17 5.7 23 4.7	3.1 22 7.9 29 6.6	6.4 31 5.9 28 8.6	6.4 1 7.4 9 7.8	6.9 28 7.9 19,23	6.5 16 6.7 9	6.0 6.0 13 7.5	3.9 5 3.7 1 4.0	2.9 16 3.2 7 3.3	2.4 3 2.4 1 2.8	6.9 28/7 7.9 3# 10.8
極値期	28	10,27	9 6.4 13	28 10.9 25	18.5		12.0	9.6	3 9.2 7	9 6.2 13,8	17 4.0 2	21 2.8 .21	9/7 18.5 2/5
年份	1945	1941 o em	1940	1940	1940	1940	1942	1953	1939	1939	1941	1953	1940
1952 H 1953	2.3 23 2.7 28	2.8 15 3.4 27	4.9 23 5.2 9	6.1 29 6.8 28	6.2 22 7.7 12	较大系 13.0 8,9 7.8 6	末发量 7.6 21 9.0 26	(毫米) 6.3 12 10.7 8	5.1 2 6.9 3	3.0 31 3.9	2.6 3,21 2.8 26	2.6	13.0 8,9/6 10.7 8/8
極値別年份	2.7 28 1953	3.4 27 1953	5.2 9 1953	6.8 28 1953	7.7 12 1953	13.0 8,9 1952	9.0 26 1953	10.7 8 1953	6.9 3 1953	3.9 1 1953	2.8 26 1953	2.9 3 1953	13.0 8,9/6 1952
		逢 等	E.	`		φ= ;	30°30′1	1 1-	105°35	B E	= 354.	O M	
					蒸	发	量(毫米)					
1937 1938 1939 1940 1941	45.4 17.6 29.4 24.6 28.1	35.2 26.5 26.9 42.7 42.9	49.1 36.7 53.1	70.5 57.1 109.4	130.6 143.0 131.0 114.4 150.1	100.9 88.0 104.6 179.1	103.7 118.5 116.9 130.9	98.3 121.4 148.0 140.3	39.6 100.0 68.2	49.2 54.2 71.0 58.2 82.3	(38.5) 26.1 36.4 39.7 41.9	19.9 24.9 17.5 27.9 19.8	879.6 781.4 877.5 988.5 1094.1
1942 1943 1944 1945 1946	31.0 24.3 22.0 20.0 31.2	34.9 40.1 35.8 29.4 58.1	70.8 74.6 82.2	73.5 94.5 75.1	120.3 140.4 154.1 121.6 131.7	79.9 89.9 124.1	172.9 139.1 134.3	172.9 166.8 88.1		53.9 41.9 41.4 56.9 55.1	24.1 41.9 33.8 36.2 28.5	20.6 28.2 22.4 29.3 23.3	1069.3 982.6 957.7 867.6 915.0
1947 1948 1949 1950 1951	24.1 19.4 22.5 40.4 32.9	31.3 30.4 27.6 39.2 31.7	67.6 41.4 65.5 68.7 54.4	70.7 105.6 96.8	105.7 61.3 195.6 94.9 183.0	68.5 76.6 76.1	104.5 80.3 126.6 124.1 75.3	85.7 88.1	119.1 64.6 47.6 55.2 69.8	29.2 37.4 28.6 37.2 48.8	44.2 24.7 24.4 32.1 (23.6)	17.9 23.3 38.4 25.3 17.3	795.5 607.7 847.1 830.5 805.2
1952 1953	25.7	34.6 30.8	51.1 45.0		(57.8) 103.8				48.5	28.9	29.1 (37.2)	16.0	598.2 874.7
平均	27.1	35.4	64.5	90.3	125.8				73.6	48.1	33.1	23.2	869.0
1007	2.2	0.0	6 2	0 =			紫发量		4.0	2.0	2.0	2.5	0.3
1937 M 1938 M 1939	3.1 1.7 28 2.7 27	2.9 28 3.6 16 1.9 1,13	6.3 24 3.8 4 4.3 23	8.7 13 5.4 21 3.9 12	9.3 16 8.5 6 7.9 20	6.3 9 7.0 25 6.9	5.1 27 7.2 27 6.6	5.1 24 7.2 4 7.2 26	3.6 3 7.9 12	3.2 17 4.1 2 5.1	3.2 6 2.6 6 2.8 5	18 1.8 18 1.6	9.3 16/5 8.5 6/5 7.9 20/5129
1940 M 1941 H	1.8 28 2.5 23	4.5 19 3.0 12,20	4.2 9 4.5 5	6.4 12 7.4 21	10.3 30 12.0 23	8.9	8.2 12 9.5 10	9.0 3 6.2 13	5.9 13 6.1 28	3.6	4.9	3.2 22 1.6 5	10.3 30/5 12.0 23/5
1942 H 1943 B 1944	2.2 7 1.7 28 2.8 4	3.4 1 3.0 17,23 3.3 28	5.7 18 5.1 24 3.8 22	9.6 23 6.1 27 8.3 23	8.6 10 7.6 12 7.5 30	8.0 9 7.4 8 7.4 12	8.2 22 9.3 12,21 7.3 22	9.3 5 9.0 15 8.1 26	7.7 8 6.2 3# 6.2 25	5.0 7 3.3 27 3.0 15	2.6 13 2.8 1,27 2.9 10	2.2 12 3.0 22 1.8 11	9.6 23/4 9.3 12,21/7 8.3 23/4

、月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
年 \				1		8.0							
1945 H 1946	1.9	4.4	7.9 4 5.7	5.3 19 9.2	7.4 15 9.5	28	9.7 22 5.4	5.6 20 6.4	4.1 7 4.9	3.5 22 4.2	3.3 21 2.2	2.9 17 1.6	9.5
日	14	24	17	20,21		15	25	3₹	28	25	3	8,28	
1947 H	2.0	2.1	3.6	6,2	6.8	6.4	5.7 31	6.4	7.8	3.0	2.7	1.7	7.8 26/9
1948 H	1.4	1.9	3.0 7,31	5.1	6.5	6.5	4.7	4·1 3次	4.4	2.2	2.2	1.7	6.5
1949 H	1.9	2.3	4.6	6.2	9.8	5.6	7.2	6.8	4.1	1.9	1.8	2.1	9.0
1950	2.3	2.2	3.6	6.5	20	6.5	18,25		6.4	2.8	2.6	1.5	20/53/9
1951	1.8	3.8	3.3	4.9	30	6.2	5.3	5.4	5.1	3.3	5.9	30	30/5
1952 H	1.8	3.0 14	3.2	4.3	4.6	4.7	5.5	4.4	3.3	1.9	2.2	1.6	5.5
1953 Ħ	1.3	2.2	3.3	4.6	6.4	7.7	8.5	8.9	6.6	2.8	2.5	1.6	8.9
184 1	3.1	4.5	7.9	9.6	12.0	8.9	9.7	9.3	7.9	6.3	5.9	3.2	12.0
1 10	1937	19	1945	23 1942	23 1941	28,1	1945	1942	19 39	1941	1951	1940	23/5
		雅多	ŕ			1941	30 00 1	۱ ا	103°03	'E B	i= 636.	8 M	
		111			and dam								
1944		(51.5)					151.7		79.8	37.4	40.8	23.8	957-4
1945	24.1	25.2	43.0	102.2	117.8	84.0	96.7	72.0	47.6	35.5	23.8	21.3	718.6
1947 1948	19.7	23.6	55.7 32.6	59.9	94.0 59.3	74.8	69.3	73.3	56.2	25.7	24.8	16.5	593.5 549.5
1949 1950	17.0	24.1	49.3	45.9	91.3	40.6	63.8	55.8	32.6	22.0	15.4	14.6	472.4
1952 1953	27.9	51.4		115.9			159.0 128.8	80.5	82.9	45.7 53.3	37.2 (43.5)	28.2	970.3
平 均	21.8	35.1	52.7	73.3	100.4	87.2	97-2	101.4	56.7	34.5	26.8	20.4	707.4
1944	1.7	4-4	5.6	7.2	- E	最大 8.0	蒸发量8.4		6.6	3.0	2.6	1.9	8.4
1945	2	10	19	30	31 7.8	11	13,16		26	7	17,26		5k 8.1
1946	15	28	31	13	16	6.0	29 8.6		3	7 2.5	1.5		1/6 8.6
1947	24	24	28 3.9	21 5.0	7,28	5.5	22 5.3	21 5.0	7 3.5	2.7	22	8	22/7 5 . 9
1948	29,30	1.6	3.4	18	21	6.1			15	3.0	12	3×	21/5
H	18	13,21		24	30	29	20	12	8	9	3	9,12	
1949 H 1950	1.4	2.5 15 2.8	4.5 20 4.9	4.7 20 5.1	9,22	27	4.7 30,31	4.2	4.8	2.3	1.6	1.0 3K	4.8 3x
1952	8	20	31	2	6.6	6.5	8.4	5.2	5.6	3.4	3.0	2.2	8.4
1953	2.5	4.5	4.1	29 5•7	7.6	7.4	23	8.8	10	15	15	24	23/7
Ħ	26	28	5,7	29	9	13	26	12	13	8	6	23	26/7
	26	28	5.6	7.2 30 1944	31	8.1	11.0 26 1953	8.8	6.6 26 1944	5.5	3.0 15,6 1952	2.2 24 1952	11.0 26/7 1953
न क	1953	1953	1944	1744	1944	1945	1773	1953	1744	1953	1953	1772	4773

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		北裔	ž			P= ;	29 [°] 50'1	1 4=	106° 25	'R H	- 282.	6 M	
					蒸	发	量((毫米)					180
1937 1938 1939 1940 1941	48.0 27.0 32.3 35.6 39.3	52.3 36.2 42.4 48.4 40.8	47.6 58.3 53.3	52.7 48.3 93.9	119.4	47.0 65.5 118.2	114.9 83.7 74.2 98.9 133.7	98.2 110.2 138.6	118.7	33.3 51.9 69.4 49.8 56.2	28.4 33.1 27.8 46.1 31.5	21.9 31.3 29.4 38.7 36.8	896.8 661.8 795.9 879.2 813.0
1952 1953	27.0	41.4	63.3				161.5		93.4		39 .9 36.0	23.1	1202.0
平 均	34.9	43.6	66.1	83.8	114.4	97.2	112.7	134.0	73.6	50.3	33.8	30.5	874.8
30.43				7.0		_	蒸发量					2.0	20.4
1941 1952 H 1953	2.9 - 1.9 12	3.5	7.0	7.0 8.3 8 7.9 28	8.2 9.7 13 15.5 28	8.4 14.8 26 14.1 16	12.4 9.6 28 11.5	4.9 11.5 1 14.5 28	5.3 8.3 22 9.2	6.4 4.2 7 3.9 28	2.4 4.2 1 3.1 29	1.8 1.5 4,22 2.1 24	15.5
極偏知年份	2.9	3.5 11 1953	7.0 8 1953	8.3 B 1952	15.5 28 1953	14.8 26 1952	12.4	14.5 28 1953	9.2 2 1953	6.4	4.2 1 1952	2.1 24 1953	15.5 28/5 1953
		etha i	-	,	£ ,		0,,		0	,			
		內:	Z.L.			Ψ-	29 35 1	1 4=	105°03	8 8	= 343	,O M	
2028		20.0	*** 6		蒸	发		(毫米)	ma 0		20 4		
1937 1938 1939 1940 1941	30.5 18.4 18.9 23.8 32.1	30.2 31.3 26.2 31.0 38.0	48.6 37.5 36.2	69.2 48.4 81.8	140.4 89.6 94.4	83.9 57.9 120.4	133.6 73.5 81.4 85.0 119.8	88.1 86.6 90.4		51.4 40.7 67.7 32.2 61.7	38.4 16.9 35.6 32.8 44.1	20.7 19.1 17.1 23.9 30.3	992.5 656.7 651.6 695.0 954.6
1942 1943 1944 1945 1946	36.0 25.9 22.6 35.9 19.1	40.6 34.0 43.8 33.8 43.3	83.5 78.2 86.8	94.1 112.6 78.9	191.2 164.7 149.4	108.0 103.5 156.1	170.5 149.4 (120.8) 131.1 102.7	115.9 171.9 98.3	88.6	47.7 38.2 32.5 50.7 52.4	27.9 43.2 48.2 27.7 28.3	17.3 28.9 24.9 19.9 25.2	1053.3 1000.9 1005.1 953.4 923.4
1947 1948 1949 1950 1951	36.8 27.8 27.5 31.2 30.9	30.7 48.1 55.6 31.7 51.3	76.9 70.6 92.4 67.0 83.6	85.4 94.5 96.5	165.3	80.0 48.5 70.9	102.1 97.3 138.1 125.3 129.8	131.4 99.9 111.3	90.2 75.4 50.5	25.3 51.6 38.0 48.3 68.1	43.4 24.2 35.6 29.7 32.1	24.4 32.9 21.9 25.9 29.9	822.3 813.1 892.7 795.9 1011.2
1952 1953	46.0 (25.7)	49.8 (53.8)	98.4	175.7	117.1	150.2 (168.1	(169.1))142.3	(118.0)	(71.8) (72.7)	(30.2) (38.3)	(35.2) (37.8)	24.0 (22.6)	1085.5
平 均	28.8	40.1	75.3	97.9			121.9			45.6	34.2	24.1	902.8
1937	2.1	3.2	7.7	10.5	10.2	最大	蒸发量8.4	(老米)	7.1	3.5	3.8	1.5	10.5
H	20	22	29	13 5.7	18	30	23	25	6	17	5	16,17	
1938	28	4.3	4.7	22	30	8.4	31	5.5	2.5	1	1,6,12	6	30/5,11/6
1939 H	27	2.7		1	7.4	3.9	7.6	6.5	10,11		2.8	2	10,11/9
1940	22,27		3.7	6.9	6.6	8.7	6.0	5.7	10	3.3	3.7	2.2	8.7 29/6
1941 H	2.0	2.9	5.9	9.3	9.9	9.3	7.2	9.5	6.0	5.5	3.6	2.9	9.9 23/5
1942 H 1943	2.6 24 1.8	3.5	6.6 27 6.3	8.0 13 8.2	8.2 15 12.5	7.9	8.6 11,12 9.5	7.2	8.1	3.1	2.7	1.1 3,19 2.2	9.0 4/8 12.5
Ħ	22	23	22	27	13	8	29	15	23	10	12	2	13/5

				_									
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1944	2.0	3.4	4.7	11.0	9.6	9.5	10.4	10.6	6.3	3.2	4.3	2.2	11.0
1945	2.9	28	16	5.9	10.6	26	9.6	9.6	28 5.6	27 3.5	19	1.6	22/4
1946	14	26 3.3	30 5.2	9.3	19	6.3	6.4	6.9	2,3	21,23	3.1	17	19/5
H	28	25	28	6	31	29	25	22	21	9	26	6	31/5
1947	1.9	2.5	5.1	5.4	8.0	6.1	6.9	. 7.4	7.6	2.2	3.0	3.2	8.0
1948	12	27 4.8	19	19	20 5.9	29	8.2	7.2	7.2	30 3.7	17 3.7	9	20/5
M	3#	19	6	28	5, 31	5.5	22	11	10	14		2.3	
1949	31	3.4	9.2	7.8	9.3	6.1	8.0	8.3	5.6	4.4	309	1.6	9.3
1950	1.9	3.0	4.6	5.4	7.7	5.8	7.3	6.7	5.2	4.0	2.5	1.9	7.7
1951	23	5.4	7.5	5.3	19 8.1	10.8	18	9.0	7.0	12	3.1	20	19/5
并	26	22	17	12	31	2	25	16	26	20	5	22	2/6
1952	3.5	5.2	8.8	9.7	10.2	8.1	10.0	9.6	5.8	2.5	2.8	2.4	10.2
1953	26	12	6.2	6.7	9.0	16	7.6	9.0	6.6	31	2.7	1.7	13/5
H	11	11	9	27	12	24	6	18	3	9	8	18	24/6
極値	3.5	5.4	9.2	11.0	12.5	12.0	10.4	10.6	10.1	5.8	4.3	3.2	12.5
日 期年 份	26 1952	1951	1949	22 1944	13	1943	1944	1944	1946	13	19	1947	13/5
		樂山	1			P= 2	9°30'1	1 2-	103°45	'E E	- 367.	o M	
					-46-	1h							
1937	15.4	26.8	76.9	82 3	蒸	发 92.9	94.1	毫米) 84.8	45.8	46.0	30.3	14.7	727.8
1938	9.4	26.0	36.2		103.6	65.2	90.1	86.0	29.1	39.9	19.5	17.8	580.3
1939	21.9	19.1	40.2 38.6	77-0	92.1		124.0	122.2	53.6	64.8	40.0	19.0	744.2
1941	40.4	67.9			156.8				57,7	48.3	37.6	27.1	1113.8
1942	29.0	26.6	58.4	73.4	75.4	75.1	115.0	114.7	42.4	33.2	21.9	16.3	681.4
1943	13.6	21.3	51.4	65.6 55.0	107.7	83.4	126.3	84.1	64.5	36.5	28.4	21.5	704-3 563-5
1945	13.3	13.3	42.8	47.6	104.4	97.7	195.4	62.7	57.3	37.4	31.4	26.0	629.3
1946	22.5	35.3	48.2	102.4	96.8	78.2	114.7	122.6	67.7	56.3	33.3	26.9	804-9
1947	33.5	32.0	81.4		123.2	98.4		105.0	78.4	35.3	35.5	18.5	796.3
1948	22.5 19.8	37.9 31.2	51.7 54.8	81.3 55.9	75.4	71.0	92.9	110.8	69: 7 58.8	46.9	25.4	28.9	703.3
1950	32.4	47.1	65.0	71.8	195-0	(127.2)	(10 ₋₂)	156.8	(88.7)	70.9	37.5	28.6	1036.1
							•						
1952 1953	49.9	36.0 39.3	(56.5)	139.7	(108.8)	122.5	111.1(146.4)	(80.3) 53.5	40.7	33.7	23.7	836.7
平 均	22.1	32.4	56.4		110.6					43.5	30.7	22.4	762.7
	64.4	3244	,004	1000					,	4347	3001		
					- E	最大素		(毫米)					
1937	1.4	2.6	4.2	6.5	8.0	6.2	5.6	4.8	3.5	3.0	1.9	1.2 38	15/5
1938	1.2	2.6	2.8	4.4	6.1	5.2	6.6	6.0	3.9	3.3	1.8	1.3	6.6
1939	29	28	3.5	30	5.5	25 5•5	6.6	5.9	4.3	3.8	3.2	20	10/7
H 1940	30	12	29	6,12		20 8.7	12	21 5.4	10,11	13	7 2.7	22	12/7
H	2	26	13	25	29	26	4	11	10	18	3	10	28/6
1941 H	3.1	4.4	6.8	11.9	17.4 31	17.6	13.7	6.3	1,27	3.0	2.6	1:9	17.6
1942	1.8	2.2	3.6	4.5	5.8	6.5	7.1	6.1	3.3	3.1	3.0	1.1	7.1
1943	1.7	2.0	3.6	4.9	5.9	5.9	6.3 3#	5.2	4.0	2.7	23	1.6	6.3 34/7
H	22	27, 28	19	27	29	0	3K	20	2, 23	-)	23		J

									_				
年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1944	1.0	2.3	3.0	4.5	5.8	4.9	6.1	6.2	4.3	1.2	1.7	1.2	6.2
1945	1.3	11,12	4.1	30	7.2	25 6.8	13,14	16,18	4.1	2.8	10,19	2.2	16,18/8
日	20	28	29	14	19	5	24	24	6	2	15	9	19/5
1946	1.8	3.7	4.1	6.8	7.6	6.2	9.2 26	7.0	4.7	3.5	2.8	2.7	9.2 26/7
	20	-)	20	22		10	20	63	10	37	3	~1	20/1
1947	2.9	3.0	4.7	6.0	6.8	6.9	6,25	6.1	4.9	2.6	2.8	1.5	6.9 9/6
1948	1.5	3.5	3.9	5.0	5.5	5.6	5.1	5.6	3.9	3.1	1.6	2.2	5.6
M	19,28		10	27	30, 31		20	27	10	8	3,17		29/6,27/8
1949	1.8	2.1	3.6	4.1	2.9	2.4	9.2	7.7 30	4.8	4.1	2.7		_
1950	-	-	-	-	-		-	-	-	-	-	2.5	-
1951	2.5	3.8	4.9	6.2	11.5	10.5	(8.2)	9.7	5.6	5.2	3.6	7 2.3	11.5
N	28	17	17	30	30	1	1	15	24	13	5,14		30/5
1952	2.8	3.2	5.4	6.6	(6.2)	6.6	(8.0)	(5.9)	5.3	3.8	2.7	1.3	8.0
Ħ	27	22	29	7	22	21	23	24	13	5	7	4	23/7
1953	2.1	3.5	3.9	6.0	6.3	6.8	6.1	7.8	4.5	3.0	2.8	2.0	7.8 13/8
極頻	3.1	4.4	6.8	11.9	17.4	17.6	13.7	9.7	5.6	5.2	3.6	2.7	17.6
年份	1941	1941	1941	1941		1941				1951	1951	1946	1941
		重易	更			P= 2	29°30'1	1 2=	106°33	'B H	- 291.	7 M	_
	8	o cm			蒸	发	量	(毫米)					
1941	20.5	21.4			121.4					63.4	34.4	18.6	875.4
1942	27.3	32.1	71.5	84.6	103.9		180.6		105.2	45.2	26.6	18.3	_
1946	18.8	35.2		137.5	102.6	87.8	147.0	161.5	144.3	61.9	25.6	30.1	1010.6
1947	29.4	35.1	63.9	63.6	87.7	87.2	150.9	236.7	228.8	44.8	48.1	23.5	1099.7
1948	24.8	37.8	49.9		58.7					55.2	32.4	22.5	832.2
1949	23.0	31.7	56.8	52.9(106.6)	73.8	199.8	149.0	134-4	41.3	24.5	-	-
平 均	23.4	32.4	56.0	92.4	92.6	102.1	142.9	164.4	133.3	56.3	35.1	23.7	954.5
	8	0 cm			- E	最大	蒸发量	(毫米)					
1941	1.2	1.9	3.0	6.4	6.7	8.9	9.9	8.6	5.1	7.2	3.5	1.4	9.9
1942	27	7	26	23,29	8.6	6.7	10.0	20	22	27	11	19,29	6/7
1742	18,30		26	4	16	14	27	4			-	-	_
1945	-	e-2	-	4.7	7.8	7.5	7.8	7.2	7.4	4.3	2.4	1.2	-
1946	1.3	2.7	3.7	7.1	7.1	6.0	6.9	8.0	7	5.1	2.1	1.9	10.3
当	23	22	19	6	10	26	27	5	1	10	3	18	1/9
1947	26	2.6	3.9 3#	5.8	7.3	9.9	9.8	16.5	16.1	3.2	3.6	2.1	16.5 16/8
1948	1.8	3.4	3.2	4.8	5.8	6.9	8.6	28	8.0	3.3	2.2	1.3	8.6 30/7
1949	1.6	3.8	5.1	4.6	8.1	7.2	11.7	10.2	14.4	4.8	2.5	-	-
H	21	8	20	8	10	1	24	3	13	6	13	-	
極値	1.9	3.8	5.1	7-1		9.9	11.7	16.5	16.1	7.2	3.6	2.1	16.5
4 份		1949	20 1949	1946	16	29 1947	24 1949	16 1947	25 1947	27 1941	17	1947	16/8 1947
	71	-7-43	747		-/45	-741	7 40	71	-, -, -, -		, ,,		
		峨眉山	1			Po :	29°28' 1	1 2-	103 41	B H	= 31.37	.0 M	
		**/EI H									J- J1		
1					蒸	发	*	(来米)					
1941	-		-		119.4	98.1	86.4	89.2	65.0	79.9		53.8	-
1942	63.0	68.9	56.3	79.4			120.2			45.2		27.1 58.1	833.5
1743	0.00	2104	1701	7701	00.7	0303	10403	100.2	1207	47.05	44.0	7001	100.7

1 2 3 4 5 6 7 8 9 10 11 12 全年 1944 32.4 30.9 33.4 52.0 90.7 67.9 84.6 103.4 51.4 30.3 48.8 21.7 647.5 1945 51.5 35.6 58.5 43.9 115.8 102.0 97.7 75.3 84.5 50.7 64.0 54.6 834.1 1946 43.0 40.7 47.0 100.6 97.5 80.7 89.4 97.8 73.4 48.2 41.8 72.9 833.0 1947 82.2 56.4 62.9 83.4 102.7 97.6 82.8 98.8 66.4 41.5 86.5 61.1 92.3 1948 71.5 56.2 72.6 55.6 68.8 81.0 84.6 117.0 75.7 115.5 59.8 63.9 922.1 1949 75.0 36.6 62.6 54.5 117.5 77.9 103.3 89.6 89.6 50.7 46.8 69.8 874.1 1950 66.6 40.8 57.8 66.5 107.6 116.3 167.0 168.9 72.2 64.0 42.5 45.8 1020.0 1951 90.0 58.7 58.2 54.4 109.4 82.3 128.1 149.9 87.6 67.9 44.0 62.3 992.8 1355 61.6 - 76.8 105.8 67.5 (76.4) 107.8 (55.2) 68.9 (41.4) 52.4 41.0 - 1355 61.6 - 76.8 105.8 67.5 (76.4) 107.8 (55.2) 68.9 (41.4) 52.4 41.0 - 18.2 12.8 14.8 14.8 14.8 14.8 14.8 14.8 14.8 14
1945 51.5 35.6 58.5 43.9 115.8 102.0 97.7 75.3 84.5 50.7 64.0 54.6 834.1 1946 43.0 40.7 47.0 100.6 97.5 80.7 89.4 97.8 73.4 48.2 41.8 72.9 83.3 1948 71.5 56.2 72.6 55.6 68.8 81.0 84.6 117.0 75.7 115.5 59.8 63.9 922.1 1949 75.0 36.6 62.6 54.5 117.5 77.9 103.3 89.6 89.6 50.7 46.8 69.8 874.1 1950 66.6 40.8 57.8 68.5 107.6 116.3 167.0 168.9 72.2 64.0 42.5 45.8 1020.0 1951 90.0 58.7 58.2 54.4 109.4 82.3 128.1 149.9 87.6 67.9 44.0 62.3 992.8 1953 59.0 72.7 78.7 105.6 67.9 77.8 41.0 78.7 195.3 59.0 72.7 78.7 78.2 59.4 110.7 78.5 78.2 54.4 10.0 1941 6.9 60.0 68.6 60.7 62.9 60.9 68.0 68.6 60.7 62.9 60.9 1941 6.9 60.0 68.6 60.6 60.7 62.9 60.9 1942 61.1 72.2 49.9 63.5 59.7 69.9 63.3 71.1 65.5 46.5 77.7 79.1 79.1 79.6 79.7 1943 13.6 10.7 77.3 78.6 62.8 77.7 79.1 79.6 69.7 1944 6.9 60.0 68.6 60.6 60.7 79.1 79.6 69.7 1944 6.9 60.0 68.6 60.0 60.0 77.7 91.5 66.9 1944 6.9 60.0 68.6 60.0 60.0 77.7 91.5 66.9 1944 6.9 60.0 68.6 60.0 60.0 77.7 91.5 60.0 1944 6.9 60.0 60.0 60.0 60.0 77.7 91.5 60.0 1944 6.9 60.0 60.0 60.0 60.0 77.7 91.5 60.0 1944 6.9 60.0 60.0 60.0 77.7 91.5 60.0 1945 6.9 60.0 60.0 60.0 77.7 91.5 56.0 1944 6.9 60.0 60.0 60.0 77.7 91.5 56.0 1944 6.9 60.0 60.0 60.0 77.7 91.5 56.0 1944 6.9 60.0 60.0 60.0 77.7 91.5 56.0 1944 6.9 60.0 60.0 60.0 77.7 91.5 60.0 1944 6.9 60.0 60.0 60.0 77.7 91.5 97.0 1945 50.0 50.0 50.0 50.0 50.0 1946 50.0 50.0 50.0 50.0
1947 82.2 96.4 62.9 83.4 102.7 97.6 82.6 98.8 66.4 41.5 86.9 61.1 922.3 1949 75.0 36.6 62.6 55.6 56.8 81.0 84.6 117.0 75.7 115.5 79.8 61.9 922.2 1949 75.0 36.6 62.6 54.5 117.5 77.9 103.3 89.6 89.6 59.7 46.8 69.8 874.1 1950 66.6 40.8 57.8 68.5 107.6 118.3 1367.0 168.9 72.2 64.0 42.5 45.8 1020.0 1951 90.0 58.7 58.2 54.4 109.4 82.3 128.1 149.9 87.6 67.9 44.0 62.3 992.8 1952 61.6 - 76.8 105.8 67.9 (78.4)107.8 (53.8) 68.9 (41.4) 52.4 41.0 - 1953 59.0 72.7 (86.7) 82.5 86.5 102.5 99.4 (116.7) (42.7) 51.3 68.0 (44.2) 912.6 60.9 48.6 60.7 65.9 98.2 89.0 105.6 111.1 70.6 55.1 52.3 52.9 870.8 - 日最大蒸发量(素学) 12.5 99.4 (116.7) (42.7) 51.3 68.0 (44.2) 912.6 61.1 7.2 4.9 6.5 9.7 6.9 8.3 7.1 6.5 4.6 3.7 2.6 9.7 8 3 3 4 3 4 3 4 7 7 7 3 .4 6.2 8.2 7 1 6.5 9 6.2 4 4 17 2 - 1942 6.1 7.2 4.9 6.5 9.7 6.9 8.3 7.1 6.5 4.6 3.7 2.6 9.7 8 3 18 13 6 10.23 7.11 14 30 5 15 9 6 25 13 14/5 18/3 4.0 3.7 7.7 3.4 6.2 8.2 7.1 6.5 6.8 4.8 3.1 5.6 8.2 118 8 11.2 5 16 21 12 6 7 2 4 8 17 31 1 27 76 18/3 4.0 3.7 7.7 3.4 6.5 6.5 6.4 5.9 8.9 5.3 3.5 4.9 3.2 8.9 8.1 1944 4.5 3.7 3.0 5.4 6.5 6.4 5.9 8.9 5.3 3.5 4.9 3.2 8.9 9.3 18 13 17 15 5 24.25 19 16 17 12 19 24.25 7 18 18 11.2 5 18 13 17 15 5 22.25 19 16 17 12 19 24.25 7 18 18 19 24.25 7 18 18 19 24.25 7 18 18 19 24.25 7 18 18 19 24.25 7 18 18 19 24.25 7 18 18 19 24.25 7 18 18 18 19 25 16 21 12 6 7 2 4 8 17 31 1 2 1 76 18 18 18 18 18 18 18 18 18 18 18 18 18
1948 71.5 96.2 72.6 55.6 68.8 81.0 84.6 117.0 75.7 115.5 59.8 63.9 922.2 1949 75.0 36.8 62.6 54.5 117.5 77.9 103.3 89.6 89.6 50.7 46.8 69.8 874.1 1950 66.6 40.8 57.8 68.5 107.6 118.3 167.0 168.9 72.2 64.0 42.5 45.8 1020.0 1951 90.0 58.7 58.2 54.4 109.4 82.3 128.1 149.9 87.6 67.9 44.0 62.3 992.8 1952 61.6 - 76.8 105.8 67.9 (78.4)107.8 (53.8) 68.9 (41.4) 52.4 41.0 - 1953 59.0 72.7 (86.7) 82.5 86.9 102.5 99.4 (116.7) (42.7) 51.3 68.0 (44.2) 912.6 10.0 48.6 60.7 65.9 98.2 89.0 105.6 111.1 70.6 55.1 52.3 52.9 870.8 - 1942 6.1 7.2 4.9 6.5 9.7 6.9 8.3 7.1 6.5 4.6 3.7 2.6 9.7 8 1 1.4 9 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4
1950 66.6 40.8 57.8 68.5 107.6 118.3 167.0 168.9 72.2 64.0 42.5 45.8 1020.0 1951 90.0 58.7 58.2 54.4 109.4 82.3 128.1 149.9 87.6 67.9 44.0 62.3 992.8 1952 61.6 - 76.8 105.8 67.9 (78.4)107.8 (53.8) 68.9 (41.4) 52.4 41.0 - 1953 59.0 72.7 (86.7) 82.5 86.9 102.5 99.4 (116.7) (42.7) 51.3 68.0 (44.2) 912.6 ** *** 60.9 48.6 60.7 65.9 98.2 89.0 105.6 111.1 70.6 55.1 52.3 52.9 870.8
1952 61.6 - 76.8 105.8 67.9 (78.4)107.8 (53.8) 68.9 (41.4) 52.4 41.0 1912.6 1953 59.0 72.7 (86.7) 82.5 86.9 102.5 99.4 (116.7) (42.7) 51.3 68.0 (44.2) 912.6 2 1953 59.0 72.7 (86.7) 82.5 86.9 102.5 99.4 (116.7) (42.7) 51.3 68.0 (44.2) 912.6 2 19
1953 59,0 72.7 (86.7) 82.5 86.9 102.5 99.4 (116.7)(42.7) 51.3 68.0 (44.2) 912.6 # 60.9 48.6 60.7 65.9 98.2 89.0 105.6 111.1 70.6 55.1 52.3 52.9 870.8 1941 6.9 80.0 8.6 8.0 6.8 7.7 9.1 5.6 4.9 -
1941
1941 6.9 8.0 8.6 8.0 6.8 7.7 9.1 5.6 4.9 - 1942 6.1 7.2 4.9 6.5 9.7 6.9 8.3 7.1 6.5 4.6 3.7 2.6 9.7 1.942 6.1 7.2 4.9 6.5 9.7 6.9 8.3 7.1 6.5 4.6 3.7 2.6 9.7 1.943 4.0 3.7 7.7 3.4 6.2 8.2 7.1 6.5 6.8 4.8 3.1 5.6 8.2 1.944 4.5 3.7 3.0 5.4 6.5 6.4 5.9 8.9 5.3 3.5 4.9 3.2 8.9 1.945 1.944 4.5 3.7 3.0 5.4 6.5 6.4 5.9 8.9 5.3 3.5 4.9 3.2 8.9 1.945 1.7 2.3 1.8 13 17 1.5 5 24.25 19 1.6 17 12 19 24.25/7 1.9 1.8 11.26 17 20 5 11 1.4 3 24 31 1.0 4 3/8 1.9 1.9 1.9 1.9 1.0 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1
H
1942 6.1 7.2 4.9 6.5 9.7 6.9 8.3 7.1 6.5 4.6 3.7 2.6 9.7 1943 4.0 3.7 7.17 3.4 6.2 8.2 7.1 6.5 6.8 4.8 3.1 5.6 8.2 18.2 18.2 16 21 12 6 7 24 8 17 31 1 21 7.6 8.2 1944 4.5 3.7 3.0 5.4 6.5 6.4 5.9 8.9 5.3 3.5 4.9 3.2 8.9 1945 3.7 3.0 5.4 6.5 6.4 5.9 8.9 5.3 3.5 4.5 5.9 8.9 1945 3.5 7 3.1 3.6 4.6 8.6 7.4 9.3 7.4 6.2 3.1 5.4 5.9 9.3 1945 23 18 13 17 15 5 24.25 19 16 17 12 19 24.25/7 1946 2.3 2.5 3.1 9.1 9.8 6.5 7.4 9.2 5.6 5.2 4.6 7.1 9.8 2.3 18.4 13 17 15 5 24.25 19 16 17 12 19 24.25/7 1946 2.3 2.5 3.1 9.1 6 22 24 13 29 25 3 9 5.5 19 16 17 12 19 24.25/7 1947 7.8 6.7 5.4 8.0 8.3 8.9 6.2 8.6 5.7 4.5 5.9 6.6 8.9 9.5 1948 5.9 4.3 7.1 4.1 6.2 7.4 6.9 7.9 6.4 6.9 4.7 5.7 7.9 1949 6.2 4.8 5.9 4.3 7.1 4.1 6.2 7.4 6.9 7.9 6.4 6.9 4.7 5.7 7.9 1949 6.2 4.8 5.9 6.9 7.6 5.2 6.9 7.3 6.5 6.6 3.6 4.8 7.6 28 9 3 9 6 14 2 1 18 4 6 2/1 18 4 6 2/1 18 6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
1943
田
8
1945
日
1947 7.8 6.7 5.4 8.0 8.3 8.9 6.2 8.8 5.7 4.5 5.9 6.6 8.9 1948 5.10 1 29 19 16 22 23 24 11 8 25 7 22/6 1948 5.9 4.3 7.1 4.1 6.2 7.4 6.9 7.9 6.4 6.9 4.7 5.7 7.9 8 6 6 28 9 3 9 6 14 2 1 18 4 6 2/6 1949 6.2 4.8 5.9 6.9 7.6 5.2 6.9 7.3 6.5 6.6 3.6 4.8 7.6 1949 8 23 5 28 26 24 15 9 30 13 5 6 29 24/5 1950 8 26 9 28 14 13 29 14 20 14 12 22 30 14/4 1951 5.7 5.4 5.7 4.6 7.8 5.8 6.8 10.3 6.6 5.9 4.6 5.9 10.3 14/4 1951 5.7 5.4 5.7 4.6 7.8 5.8 6.8 10.3 6.6 5.9 4.6 5.9 10.3 1952 3.4 - 6.0 7.6 7.4 6.7 7.4 5.9 6.4 4.7 3.9 4.6 - 1953 3.4 - 6.0 7.6 7.4 6.7 7.4 5.9 6.4 4.7 3.9 4.6 - 1953 3.4 - 6.0 7.6 7.4 6.7 7.4 5.9 6.4 4.7 3.9 4.6 - 1953 3.1 23 6 7 13 18 12 22 26 7 24 18/7 14 12 27 16 10 14 23 18 20 31 5 22 - 1953 5.1 6.9 8.7 6.6 7.7 6.7 6.7 9.9 7.2 5.6 3.7 5.0 4.0 9.9 12 3 11 23 6 7 13 18 12 22 26 7 24 18/7 18 1947 1942 1953 1946 1946 1947 1953 1951 1941 1941 1947 1946 1951 1947 1942 1953 1946 1946 1947 1953 1951 1941 1941 1947 1946 1951 1951 1947 1942 1953 1946 1946 1947 1953 1951 1941 1941 1947 1946 1951 1952 3.8 5.5 9.7 9.1 9.8 8.9 9.0 11.0 8.0 6.5 3.9 5.0 58.3 1308.7
1948
日 6 28 9 3 9 6 14 2 1 18 4 6 2/8 1949 6.2 4.8 5.9 6.9 7.6 5.2 6.9 7.3 6.5 6.6 3.6 4.8 7.6 日 23 5 28 26 24 15 9 30 13 5 6 29 24/5 1950 4.1 3.6 4.2 8.9 8.5 7.4 8.7 8.7 6.4 6.9 3.4 5.6 8.9 26 9 28 14 13 29 14 20 14 12 22 30 14/4 1951 5.7 5.4 5.7 4.6 7.8 5.8 6.8 10.3 6.6 5.9 4.6 5.9 10.3 日 31 9 18 18 30 24 7 6 7 14 12 26 6/8 1952 3.4 - 6.0 7.6 7.4 6.7 7.4 5.9 6.4 4.7 3.9 4.6 - 日 26 - 27 16 10 14 23 18 20 31 5 22 - 1953 5.1 6.9 8.7 6.6 7.7 6.7 9.9 7.2 5.6 3.7 5.0 4.0 9.9 23 11 23 6 7 13 18 12 22 26 7 24 18/7 18 位 7.8 7.2 8.7 9.1 9.8 8.9 9.9 10.3 7.7 9.1 5.9 7.1 10.3 日 55.0 6 23 21 5 22 18 6 24 4 25 9 6/8 1947 1942 1953 1946 1946 1947 1953 1951 1941 1941 1947 1946 1951 東 29 24 N 1-102 02 R H-2605.2 N 日
日 23 5 28 26 24 15 9 30 13 5 6 29 24/5 日 26 9 28 14 13 29 14 20 14 12 22 30 14/4 1951 5.7 5.4 5.7 4.6 7.8 5.8 6.8 10.3 6.6 5.9 4.6 5.9 10.3 別 31 9 18 18 30 24 7 6 7 14 12 26 6/8 1952 3.4 - 6.0 7.6 7.4 6.7 7.4 5.9 6.4 4.7 3.9 4.6 - 日 26 - 27 16 10 14 23 18 20 31 5 22 - 1953 5.1 6.9 8.7 6.6 7.7 6.7 9.9 7.2 5.6 3.7 5.0 4.0 9.9 23 11 23 6 7 13 18 12 22 26 7 24 18/7 歴 後 7.8 7.2 8.7 9.1 9.8 8.9 9.9 10.3 7.7 9.1 5.9 7.1 10.3 25 1954 1947 1942 1953 1946 1946 1947 1953 1951 1941 1941 1947 1946 1951 東 定
1950 4.1 3.6 4.2 8.9 8.5 7.4 8.7 8.7 6.4 6.9 3.4 5.6 8.5 26 9 28 14 13 29 14 20 14 12 22 30 14/4 14/4 1951 5.7 5.4 5.7 4.6 7.8 5.8 6.8 10.3 6.6 5.9 4.6 5.9 10.3 31 9 18 18 30 24 7 6 7 14 12 26 6/8 1952 3.4 - 6.0 7.6 7.4 6.7 7.4 5.9 6.4 4.7 3.9 4.6 - 27 16 10 14 23 18 20 31 5 22 - 1953 5.1 6.9 8.7 6.6 7.7 6.7 9.9 7.2 5.6 3.7 5.0 4.0 9.9 123 11 23 6 7 13 18 12 22 26 7 24 18/7
1951 5.7 5.4 5.7 4.6 7.8 5.8 6.8 10.3 6.6 5.9 4.6 5.9 10.3 31 9 18 18 30 24 7 6 7 14 12 26 6/8 1952 3.4 - 6.0 7.6 7.4 6.7 7.4 5.9 6.4 4.7 3.9 4.6 - 27 16 10 14 23 18 20 31 5 22 - 1953 5.1 6.9 8.7 6.6 7.7 6.7 9.9 7.2 5.6 3.7 5.0 4.0 9.9 23 11 23 6 7 13 18 12 22 26 7 24 18/7 23 11 23 6 7 13 18 12 22 26 7 24 18/7 24 18/7 25 10 5.10 5 23 21 5 22 18 6 24 4 25 9 6/8 25 1947 1942 1953 1946 1947 1953 1951 1941 1941 1947 1946 1951 1952 55.2 76.6 121.9(147.9)146.6 132.4 197.2 112.1 93.1 72.4 95.0 58.3 1308.7 1953 67.9 81.4 134.7 (96.5)(132.2)123.9 130.7 182.9 96.5 94.1 86.9 55.6 1283.3 本 均 61.6 79.0 128.3 122.2 139.4 128.2 164.0 147.5 94.8 83.3 91.0 57.0 1296.0 - 日最大素发量(ま*) 4.1 3.9 10,12 24 1952 3.8 5.5 9.7 9.1 9.8 9.0 11.0 8.0 6.5 3.9 5.1 3.9 11.0 1952 3.8 5.5 9.7 9.1 9.8 9.0 11.0 8.0 6.5 3.9 5.1 3.9 11.0 27 12 23 19 11 23 28 1 10 15,31 6 13 28/7
1952 3.4 - 6.0 7.6 7.4 6.7 7.4 5.9 6.4 4.7 3.9 4.6 - 27 16 10 14 23 18 20 31 5 22 - 2 15 10 14 23 18 20 31 5 22 - 2 25 10 23 11 23 6 7 13 18 12 22 26 7 24 18/7
1953
1953 5.1 6.9 8.7 6.6 7.7 6.7 9.9 7.2 5.6 3.7 5.0 4.0 9.9 7.8 23 11 23 6 7 13 18 12 22 26 7 24 18/7
横 値 7.8 7.2 8.7 9.1 9.8 8.9 9.9 10.3 7.7 9.1 5.9 7.1 10.3
期 5,10 & 23 21 5 22 18 6 24 4 25 9 6/8 1947 1947 1942 1953 1946 1947 1953 1951 1941 1941 1947 1946 1951 康 定
蒸 发 量(**)
蒸 发 量(**)
1951 1952 55.2 76.6 121.9(147.9)146.6 132.4 197.2 112.1 93.1 72.4 95.0 58.3 1308.7 1953 67.9 81.4 134.7 (96.5)(132.2)123.9 130.7 182.9 96.5 94.1 86.9 55.6 1283.3 本 均 61.6 79.0 128.3 122.2 139.4 128.2 164.0 147.5 94.8 83.3 91.0 57.0 1296.0 日最大蒸发量(寒米) 1951 1
1952 55.2 76.6 121.9(147.9) 146.6 132.4 197.2 112.1 93.1 72.4 95.0 58.3 1308.7 1953 67.9 81.4 134.7 (96.5)(132.2) 123.9 130.7 182.9 96.5 94.1 86.9 55.6 1283.3 本 均 61.6 79.0 128.3 122.2 139.4 128.2 164.0 147.5 94.8 83.3 91.0 57.0 1296.0
年 均 61.6 79.0 128.3 122.2 139.4 128.2 164.0 147.5 94.8 83.3 91.0 57.0 1296.0 一日最大蒸发量(毫米) 1951 10,12 24 1952 3.8 5.5 9.7 9.1 9.8 9.0 11.0 8.0 6.5 3.9 5.1 3.9 11.0 27 12 23 19 11 23 28 1 10 15,31 6 13 28/7
一日最大蒸发量(毫米) 1951 4.1 3.9 10,12 24 1952 3.8 5.5 9.7 9.1 9.8 9.0 11.0 8.0 6.5 3.9 5.1 3.9 11.0 27 12 23 19 11 23 28 1 10 15,31 6 13 28/7
1951 4.1 3.9 - 1952 3.8 5.5 9.7 9.1 9.8 9.0 11.0 8.0 6.5 3.9 5.1 3.9 11.0 27 12 23 19 11 23 28 1 10 15,31 6 13 28/7
1952 3.8 5.5 9.7 9.1 9.8 9.0 11.0 8.0 6.5 3.9 5.1 3.9 11.0 H 27 12 23 19 11 23 28 1 10 15,31 6 13 28/7
H 27 12 23 19 11 23 26 1 10 15,31 6 13 28/7
1953 .4.3 7.3 9.3 7.6 8.2 6.9 8.3 8.4 5.5 4.5 4.4 3.2 9.3
1953
推 维 4.3 7.3 9.7 9.1 9.8 9.0 11.0 8.4 6.5 4.5 5.1 3.9 11.0 期 3 16 23 19 11 23 28 18 10 16 6 24.13 28/7
期 3 16 23 19 11 23 28 18 10 16 6 24,13 28/7 年 份 1953 1953 1952 1952 1952 1952 1952 1953 1952 1953 1952 1951 1952

		-					01				-		
年月	1	2 .	3	4	5	6	7	8	9	10	11	12	全 年
	,						0 .		0				
		峨眉				Φω ;	29°16'	x 1=	103°30)'B H	= 524.	0 M	
10					蒸	发	量	(毫米)					
1942	33.3	44.0	69.6	100.7	166.5		183.5		94.6	61.5	39.5	42.3	1137.2
1944 1945	16.8	38.6		84.0	125.6	102.5	160.7	167.3	73-7	42.8	53-7	33.9	972.6
1946	38.3	49.1			128.1				71.4	61.0	53.9	39.5	1035.9
1947	22.2	28.7	77.0		125.6			103.2	81.8	37.3	36.3	25.1	822.7
1948	29.1	40.5	45.5		83.0 150.2	98.3		77.2	60.3	45.5	23.1	32.4	737.7
1950	45.9	32.5	51.2		123.3		121.1		84.2	88.4 54.4	77.0	32.4	954-2
1952	49.5	34.1			(86.5)				70.4		(30.3)	20.4	841.1
1953	22.3				128.7				(56.2)	41.4	36.6	24.3	854.4
平 均	32.4	39.3	64.1	88.9	132.3				74.3	54.5	44.1	32.7	932.4
1942	-	-		-		1	然 友 董 9.9	(金米)	6.5	4.1	2.6	3.1	
1943	3.4	5.0	4.6	9.5	9.9	8.0	9.1	8.0	13	3.2	4,24		9.9
H	21	24	17	23	29	8,9	27	14,1	5 0	3#	30	20	29/5
1944	1.2	3.6	4.1	5.8 30	7.5	7.1	9.0	8.6	4.5	2.9	3.6	1.9	
1945 H	2.2	3.9	4.8	6.5	7.8	7.5	8.2 7 26	6.9	6.0	5.9	3.3	2.3 8,19	8.2
1946 H	4.5	3.6 26	4.5	8.1	8.2	7.9	8.2	8.0	4.9	5. 4 25	3.8	2.0	8.2
1947	1.5	3.4	5.4	7.2	8.1	7.2	7.1	6.2	6.5	3-5	2.3	2.8	8.1
1948	30	3.0	3.8	20 5•3	18	6.1	6.4	6.8	4.8	8	12	21	18/5
1949	19	21 3.1	10	29 5.6	6,31	30	20,2	1 26 5.0	5.2	10	18	11,12	26/8
H 1950	14,31		19	20,2		28	31 7.0	7.0	6.2	5	7	2.8	22/5
H	28	25	31	15	14	21	23	17	4	3,19	23	2	21/6
1951	2.3	3.6	16	5.0	9.8 30	10.1	7.8	8.3 15	4.6	3.6	3.2	2.0	1/6
1952	3.4	. 2.6	4.3	6.4	6.2	6.2	8.5	7.9	5.6	2.1	2.3	1.6	8.5
1953	24	3.6	4.3	28 6.7	8.1	6.3	25 7.9	8.0	13 4.8	3.5	23	3.6	25/7
10	26	27	5	27	6	7	17	18	13	22	15	21	6/5
極期	1	5.0	5.7	9.5	9.9	10.1	9.9	9.0	6.5	5.9	5.0	3.8	10.1
年 份	1946	1943	1949	1943	1943	1951	1942	1942	1942	1945	1950	1949	1951
									->-1				
		彭力	k			φ= 2	29°15'1	1 1-	108°10	'B E	284 .	5 M	
1					蒸	发	. 量	(李米)					
1951 1952	34.5	40.1	63.8	136-2	86.9	-	-		123-7	66-2	48.6	39.8	1166.8
1953					103.1							22.5	898.7
平 均	32.1	34.5	51.4	103.6	95.0	154.5	177.7	167.0	107.8	46.2	34.1	29.2	1032.8
1951	-	_	-	_	— E	最大和	蒸发量	(毫米)	_	-	3.2	2.9	_
1952	2.2	2.6	4.6	9.9	8.4	10.2	12.1	11.0	7.6	6.8	2	26	-12.1
1972	20	22	22	10	2	16	4	3,5	27	2	2	31	4/7

1 2 3 4 5 6 7 8 9 4 6.9 4.2 1.9 1.5 9.8 8 2.8 7 28 12 20 6 4 2 1 28 12 4/8 20.2 2.6 4.6 9.9 8.4 10.2 12.1 11.0 7.6 6.8 4.8 2.9 12.8 12 12 12 12 12 12 12 1														
# 26 28 7 28 12 20 6 4 2 1 28 12 4/ # 2.2 2.6 4.6 9.9 8.4 10.2 12.1 11.0 7.6 6.8 4.8 2.9 12. # 1952 1952 1952 1952 1952 1952 1952 1952	年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
														9.4 4/8
1951	日期	20,26 1952	22,28 1952	22	10	2	16	4-	. 3,5	27	2	2	26	12.1 4/7 1952
1951			進 ,	+			9= ;	28° 58' 1	1 2=	105 25	'E H	= 246.	.o w	
1951						蒸	发	量(· 来 米)					
一日最大蒸发量(煮米) 1951 - 3.5 4.9 5.7 8.9 9.3 12.4 15.2 14.4 9.5 3.6 3.1 15. H - 21 24 30 22 24 24 15 6 1 14 11 15/ 1952 3.5 3.9 6.4 14.7 11.8 10.4 10.6 9.2 11.5 7.5 3.6 2.5 14. H 27 9 17 26 13 16 29 1,2 26 31 1 4 26/ 1953 2.4 3.7 5.0 6.7 9.4 9.9 9.6 12.4 8.7 3.7 2.9 2.2 12. 26 11,27 8 28 8 16 27 29 5 23 20 24 29/ 位 億 3. 3.9 6.4 14.7 11.8 10.4 12.4 15.2 14.4 9.5 3.6 3.1 15. 第 27 9 17 26 13 16 15 6 1 14.1 11 15/ 年 份 1952 1952 1952 1952 1952 1952 1952 1951 1951	1952	43.1 (27.0)	53.6	99.0	181.2	175.3	133.2	176.3	219.0	94.9	40.1	39.4	(25.5)	
1951	平 均	35.1	52.6	83.7	139.0	151.5	156.5	189.0	186.7	96.6	44.2	39.9	24.2	1198.6
1952 3-9 6-4 14-7 11-8 10-4 10-6 9-2 11-5 7-5 3-6 2-5 14-6 1953 2-4 3-7 5-0 6-7 9-4 9-9 9-6 12-4 8-7 3-7 2-9 2-2 12-2 11-7 8 28 8 16 27 29 5 23 20 24 29/1 26 11-27 8 28 8 16 27 29 5 23 20 24 29/1 27 9 17 26 13 16 15 6 1 14-1 11 15/2 1952 1952 1952 1952 1952 1952 1952 1952 1951 1951 1951 1951 1951 1951 1951 1952 1953 1951 1951 1951 1951 1952 1						E								
## 27 9 17 26 13 16 15 6 1 14,1 11 15/4 1952 1952 1952 1952 1952 1951 1951 1951	1952 H 1953	3.5 27 2.4	21 3.9 9 3.7	24 6.4 17 5.0	30 14.7 26 6.7	22 11.8 13 9.4	24 10.4 16 9.9	24 10.6 29 9.6	15 9.2 1,2 12.4	6 11.5 26 8.7	1 7.5 31 3.7	14 3.6 1 2.9	11 2.5 4 2.2	15.2 15/8 14.7 26/4 12.4 29/8
族 量 (老米) 1940 20.4 33.8 41.7 99.2 110.5 141.1 105.5 121.6 57.6 42.6 31.4 21.0 826.1941 31.3 36.7 70.6 113.7 140.3 112.0 127.5 100.3 57.6 47.1 .4 16.4 882.1942 21.2 24.7 58.7 - 94.0 74.9 153.9 138.1 66.2 45.0 23.6 17.4 - 23.0 50.9 59.8 122.3 68.9 30.4 24.4 - 30.4 25.4 55.3 76.7 115.8 90.7 154.8 163.3 76.4 38.5 28.0 1952 177.3 105.6 80.7 36.5 37.7 26.8 1953 26.9 48.7 67.2 (79.9 ※119.9)146.6(143.4)194.2 70.0 44.4 36.4 (24.3) 1001. 本 均 26.2 39.7 59.8 97.6 123.6 133.2 125.5 138.7 61.7 44.7 32.4 20.6 903.	日期	27	9	17	26	13	16		15	6	1	14,1	11	15.2 15/8 1951
族 量 (老米) 1940 20.4 33.8 41.7 99.2 110.5 141.1 105.5 121.6 57.6 42.6 31.4 21.0 826.1941 31.3 36.7 70.6 113.7 140.3 112.0 127.5 100.3 57.6 47.1 .4 16.4 882.1942 21.2 24.7 58.7 - 94.0 74.9 153.9 138.1 66.2 45.0 23.6 17.4 - 23.0 50.9 59.8 122.3 68.9 30.4 24.4 - 30.4 25.4 55.3 76.7 115.8 90.7 154.8 163.3 76.4 38.5 28.0 1952 177.3 105.6 80.7 36.5 37.7 26.8 1953 26.9 48.7 67.2 (79.9 ※119.9)146.6(143.4)194.2 70.0 44.4 36.4 (24.3) 1001. 本 均 26.2 39.7 59.8 97.6 123.6 133.2 125.5 138.7 61.7 44.7 32.4 20.6 903.								-0 •						
1940 20.4 33.8 41.7 99.2 110.5 141.1 105.5 121.6 57.6 42.6 31.4 20 826. 1941 31.3 36.7 70.6 113.7 140.3 112.0 127.5 100.3 57.6 47.1 .4 16.4 882. 1942 21.2 24.7 58.7 - 94.0 74.9 153.9 138.1 66.2 45.0 23.6 17.4 - 23.0 50.9 59.8 122.3 68.9 30.4 24.4 - 1943 13.6 23.4 55.3 76.7 115.8 90.7 154.8 163.3 76.4 38.5 28.0 1952 177.3 105.6 80.7 36.5 37.7 26.8 1953 26.9 48.7 67.2 (79.9)(119.9)146.6(143.4)194.2 70.0 44.4 36.4 (24.3) 1001.			直 3	質			φ= ;	28 49 1	1 4-	104 32	E E	- 291.	4 X	
1940 20.4 33.8 41.7 99.2 110.5 141.1 105.5 121.6 57.6 42.6 31.4 20 826. 1941 31.3 36.7 70.6 113.7 140.3 112.0 127.5 100.3 57.6 47.1 .4 16.4 882. 1942 21.2 24.7 58.7 - 94.0 74.9 153.9 138.1 66.2 45.0 23.6 17.4 - 23.0 50.9 59.8 122.3 68.9 30.4 24.4 - 1943 13.6 23.4 55.3 76.7 115.8 90.7 154.8 163.3 76.4 38.5 28.0 1952 177.3 105.6 80.7 36.5 37.7 26.8 1953 26.9 48.7 67.2 (79.9)(119.9)146.6(143.4)194.2 70.0 44.4 36.4 (24.3) 1001.						蒸	发	量 (毫米)					
1952 177.3 105.6 80.7 36.5 37.7 26.8 - 1953 26.9 48.7 67.2 (79.9)(119.9)146.6(143.4)194.2 70.0 44.4 36.4 (24.3) 1001. 平均 26.2 39.7 59.8 97.6 123.6 133.2 125.5 138.7 61.7 44.7 32.4 20.6 903.	1941 1942 1943	31.3	36.7 24.7 23.0	70.6 58.7 50.9	113.7 59.8	140.3 94.0 122.3	112.0 74.9 68.9	127.5	100.3	57.6	47.1	23.6 30.4	16.4 17.4 24.4	826.4 882.9
1953 26.9 48.7 67.2 (79.9)(119.9)146.6(143.4)194.2 70.0 44.4 36.4 (24.3) 1001. 本 均 26.2 39.7 59.8 97.6 123.6 133.2 125.5 138.7 61.7 44.7 32.4 20.6 903.	1944	13.6	23.4	55.3	76.7	115.8	90.7	154.8	163.3			28.0	-	77
250 370 7700 7100 22300 2332 2270 2301 2301 2301 2000 7230		26.9	48.7	67.2	(79.9	(119.9)								1001.9
四 場	平 均	26.2	39-7	59.8	97.6	123.6	133.2	125.5	138.7	61.7	44.7	32.4	20.6	903.7
			西极	4			9	28°48' 1	1 4-	108°46	* R H	- 630.	.o w	•
-12° 13, and							12	100						
蒸发量(毫米) 1942 - 37.9 57.4 66.9 92.9 96.7 171.3 187.7 184.2 81.8 39.7 26.9 - 1943 24.3 25.6 34.7 54.9 83.1 106.6 127.0 102.4 92.1 48.0 44.5 40.8 784.0						92.9	96.7	171.3	187.7					784.0
1944 13.2 26.4 62.0 55.0	1944 1946	13.2	26.4	62.0 43.4	55.0	105.7	117.9	59.0	129.1	83.5	91.5	52.5		901.9
1949 40.5 (32.7) 46.5 71.4 132.9 95.2(182.1)(131.3) 108.7) 45.6 (35.7) 22.3 944.				46.5	71.4	132.9	95.2	(182.1)	(131.3)	(108.7)	45.6	(35.7)	22.3	814.7
1950 34.5 - 47.5 83.3 108.7(121.6)(156.3)(126.3) 73.9 52.6 (43.2)(24.0) -		34.5	-	47.5	83.3	108.7	(121.6)	(156.3)	(126.3)	73.9	52.6	(43.2)	(24.0)	_
1953 20.7 22.6 (44.3)(75.1)(121.0)(120.5)(147.3)161.5 99.2 35.9 29.9 21.2 899.	1953	20.7	22.6	(44-3	(75.1)	(121.0)	(120.5)	X147-3	161.5	99.2	35.9	29.9	21.2	899.2
本 均 30.5 26.9 46.1 68.5 95.8 104.0 146.2 142.4 93.4 45.2 42.5 27.6 868.	平 均	30.5	26.9	46.1	68.5	95.8	104.0	146.2	142.4	93.4	45.2	42.5	27.6	868.9
一日最大蒸发量(毫米)			-					-					-	
1942 - 2.6 3.1 4.3 6.0 5.8 7.4 7.8 7.9 7.0 3.7 2.1 - 26,28 26 29 14 9 31 2 1 1 1 27 -		-												=

	-												
年月	1	2	3	4	5	6	7	.8	9	10	11	12	全 年
1943 N 1944	1.5	3.4 28 3.2	2.4 18 3.6	3.8 12 3.4	5.7	6.6	6.7	5.3	5.5	2.3	265	2.4	27/7
1946 H	6,1; 3.4 7	3.9	3.6 30	23	6.4	8.2	8.0	9.5	5.3	4.6	3.1	2.7	9.5 8/8
1947 H	5	2.9	3.7	4.7	5.7	30	6.3	8.7	5.5	31	4.4	7	8°.7 20/8
1948 H 1949	3.1 6 3.1	1.9 24 3.8	2.8 10 3.0	3.8 29 5.3	3.9 6 7.8	5.5	8.4 28 9.4	9.5 12 8.9	5.6 10 7.5	4.8 18 3.3	2.8 8,2 3.1	1.9	9.5 12/8 9.4
1950 H	1.9	17	18 2.3 10	4.0 27	10 5.2 15	19 6.3 26	7.5 16	6.5 17	1	27 2.7 5,28			25/7
1951 H 1952	1.8	2.4 22 2.1	3.4 17 4.3	3.7 7 8.1	25	9.3		7.5 8 7.6	6,9	2.3 9 5.7	1.9 2 3.5	2.9 26 2.4	=
1953	18,19	2.4	5.1	6.1	9.3	8.3	8.8	8.0		5.2	2,4	1.6	9.3
極値	3.4	3.9	5.1	25 8.1	9.3	9.3	9.4	9.5	8.4	7.0	21	3.7	28/5
日 期年 份	1946	1946	1953	27 1952	28 1953	16 1952	25 1949	8,1 1946 1948		1942	1947	17 1948	8,1 2/8 1946 1948
		西昌	3			φ=	27°53'1	w 4=	10201	B's E	I= 158	2.8 M	
	100				蒸	发	-	(毫米)					March 1
					301.8 262.5			173.2	148.4		177.6	128.9	2635.5 2434.9
平 均	182.5	235.7	352.0	331.1	282.2					141.8	168.9	142.4	2535.2
1951 W	=	-	-	-	— B	最大	蒸发量	(毫米)	9.1	7.7	6.6	8.1	=
1952 H 1953 H	10.3 9 11.2 20	15.5 11 11.5 23	19.7 28 15.6 18	20.0 10 15.6 7	18.2 8 17.0	11.4 11 12.7 16	13.0 1,2 8.7	9.3 3 9.4 19	9.7 11 9.1	9.3 20 9.1 28	10.7 10 10.4	8.8 25, 26 8.4 31	20.0 10/4 17.0 8/5
極知年份	11.2	15.5 11 1952	19.7 28 1952	20.0 10 1952	18.2 8 1952	12.7 16 1953	13.0 1,2 1952	9.4 19 1953	9.7 11 1952	9.3 20 1952	10.7	8.8 25,26 1952	20.0 10/4 1952
	-//3	-//-	-,,-	-,,,	-//-	-//3	27,72	2//3	-,,-	-//-	-,,-	-//-	-//-
													100
要	南	昆	明			φ= :	25°02'1	N 1-	10204	3'E E	1= 189	3.3 M	1000
1951 1952	135.9	199.0	244.6	287.6	蒸 220.5 281.6(121.0)	122.4	(122.8)	(114.8)	91.9	129.2	75.3 96.3	1973.1
1953	154-4	161.6	221.5	294.6	213.3(143.9	149.4	175.4	92.5	110.5)	98.8	85.1	1901.0
				-,			蒸发量						-,,,,,,
1951	-	-	-	11.8	12.0	7.5	7.4	7.8	7.8	5.8	6.4	5.2	-
1952 H	6.7	11.3	11.7	9 15.0 18	15 13.9 1	30 7.7 14	26 7 • 4 29	15 8.6 3	18 6.1 8	6.0	20 5.5 25	31 5.6 23	15.0 18/4

年月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 m	7.5	10.0	11.5	13.7	13.3	9.2	7.9	7.7	6.6	6.5	5.6	4.5	13.7
極日 期 份	7.5 4 1953	11.3 11 1952	11.7 28 1952	15.0 18 1952	13.9 1 1952	9.2 28 1953	7.9 17 1953	8.6 3 1952	7.8 18 1951	6.5 5 1953	6.4 20 1951	5,6 23 1952	15.0 18/4 1952
6/05	F.	見明太三	華山			9- 2	24°58'1	1 1	102°37	'z B	= 228	0.0 N	120%
345	TAE]徑不明	Bak		蒸	发		毫米)		H.S.	191		
1938	The state of the s	12	1	1	94.1	73-5	42.7	61.0	58.2	43.3	55.2	33.6	TOCH!
1939 1940 1941	180.5	248.7	214.3	259.7	176.6	79.1 128.5 78.8	69.5	68.0	66.4	101.0	78.3 83.0	83.2	1707.1 1674.7 1401.9
1943	115.6	107.1		148.0		101.9				104.4		107.5	=
1945	153.8	152.8		205.9	128.3	(86.9)	(64.6)) -	(81.1)) -	(95.7	(105.2) (100.0) 109.0	
			179.4 233.0			59.5 67.6	57.2	69.2	41.9	31.6	76.3	103.9	1263.6
平 均						88.1	81.6	84.3	63.3	77.1	76.3	82.8	1461.7
	MR					是大蒸	发量(3	(米)					
1938 H	-	01, 310	EL (179	EE(1079)	11.9	8.1	2.9	1	26	7.7	30	. 3	
1939 H 1940	31 11.6	12.0 22 15.8	15 13.7	13.0 20, 30 14.0		7 12.0	17 6.9	10.5 12 5.0	6.5 3 4.7	13.1 31 6.3	8.0 25 8.5	12	
1941 H	28 9.5 8	18 10.7 28	20 10.7 23	17 12.1 3	15 9.0 1	6.9 17	5.8	1 7.5 14	30 3.9 9	6.1	8.0 19	5.1 3	18/2 12.1 3/4
1942 H	8.5	16.2	12.6	14.0	1	-	-	-	-	5.9 28	-	-	16.2
1943 H 1944	1 6.2	9.6 18 8.5	14.7 17 11.4	12.6 22 13.4	15.3 16 10.0	7.2 25	30	6.6	-	6.6 30 8.2	6.4	5.2 12 8.0	15
1945	10.0	8.7	31	25	7.4	5.3	4.2	-	4.1	26	6.1	14	-
1946 W	7.0 31		13.0	16 8.5 30	8.9	7.4	4.6	5.1	4.5	4.0	3.9 29	23,27 6.6 26	13.0
1947 H 1948	2		12.7 31 13.8	29	11.5 5 9.3	4.0 16,24 6.3	1 1	4.5	3.1	2.4 30	5.0	7.1	12.7
M	23	28	14	7	22	6	75 To	10.5	- 6 8	13.1	8.5	8.0	16.2
極日納分	28	21	17	17	16	2 1940	17	12	3	31	6	14	21/2 1942
T.CTE	1 200												A STATE OF
LEG	1.0												10.00
4,1	910												THE !
170													9850





материал по испарению в китае

EVAPORAIN DATA OF CHINA

Центральное Метеорологицеское Управление КНР.

Central Weather Bureau Peoples Republic of China,

079